#### Chapter - One

- 1. Arrange the activities of a problem solving process in order.
  - 1. Defining the problem.
  - 2. Documenting.
  - 3. Preparing a program flowchart.
  - 4. Preparing an algorithm.
  - 5. Debugging and testing.
  - 6. Coding the program.

Ans. 1-4-3-6-6-5-2

- 2. A programming process is a
  - a. System development process
  - b. Coding process.
  - c. Testing process.
  - d. Problem solving process.
- 3. A computer program is a means to an end. Which of the following about "the end" is true?
  - a. The end will normally be information needed to solve a program.
  - b. The end will normally be input needed to solve the problem.
  - c. The end will normally be process needed to solve the problem.
  - d. None of the above.
- 4. Which one is true?
  - a. The programming process is problem solving process.
  - b. The programming process is a data transformation process.
  - c. The programming process is a coding process.
  - d. The programming process is problem defining process.
- 5. Which of the following is or are included in problem definition
  - a. Output
  - b. What is the output is look like
  - c. Input
  - d. Processing algorithm
- 6. In the problem definition, which of the following do we use to describe the output that is to be printed?
  - a. Print chart
  - b. Display system layout sheet
  - c. A record format form
  - d. All of the above
- 7. Who usually provides the problem definition to a programmer?
  - a. The system analyst
  - b. The program manager.
  - c. The project manager.
  - d. The system Engineer.

- 8. Which of the following defines an algorithm?
  - a. It is a graphical representation of a program flow.
  - b. It is the documentation of program logic.
  - c. It is a list of the sequence of steps required to solve the problem.
  - d. It is the actual program unit.
- 9. What is used for keeping track of the number of times something occurs in program?
  - a. A Loop
  - b. A Counter.
  - c. A Decision Construct
  - d. None of them.
- 10. What do we can an error that occurs while a program is being executed?
  - a. Syntax error
  - b. Logical error
  - c. Execution time error
  - d. Bug
- 11. Which of the following are translator program?
  - a. Compiler
  - b. Assembler
  - c. Generator
  - d. Interpreter
- 12. During testing what type or types or error are eliminated?
  - a. Syntax error
  - b. Logical error
  - c. Execution time error
  - d. Bug
- 13. A compiler is a\_\_\_\_
  - a. Software development environment
  - b. Code editor
  - c. Translation program
  - d. System program
- 14. Which of the following translation programs process the entire source program as a unit?
  - a. Compiler
  - b. Assembler
  - c. Generator
  - d. Interpreter
- 15. In a Programming process what the programmer must do carry out before moving from one activity to the next?
  - a. Documenting procedures
  - b. Model design activity
  - c. Checking procedure
  - d. Compilation

- 16. A group of instructions for a computer that causes it to perform a task as known as...?
  - a. Algorithm
  - b. Statement
  - c. Computer Program
  - d. Counter
  - e. Wrong!
- 17. What do you mean by incrementing?
  - a. Squaring
  - b. Setting initial value
  - c. Subtracting One
  - d. Adding one
- 18. Which of the following procedure can you use to check an algorithm?
  - a. Debugging by automated debugger
  - b. Desk checking
  - c. Consultation
  - d. Inspection
- 19. A source program written in High-level language is translating into \_\_\_using a special translator program?
  - a. Object program
  - b. Assembly program
  - c. IL program
  - d. Byte code
- 20. Violation of the rules of particular programing language creates what's?
  - a. Logical error
  - b. Syntax error
  - c. Execution time error
  - d. Bug
- 21. Which of the following are translator program?
  - a. Compiler
  - b. Assembler
  - c. Internet
  - d. All of them
- 22. Which of the following is the term of structured programming refers to?
  - a. A collection of efficient logic
  - b. A collection of library code to help programming
  - c. A collection of techniques to follow for program developing
  - d. A collection of hardware for fast programming
  - e. Congratulation!
- 23. Which steps allow for programming process?
  - a. Coding the program
  - b. Defining the problem
  - c. Preparing an algorithm
  - d. All of the above
- 24. Represents any data input or output operations.....?

- a. Process
- b. Input /output
- c. preparation
- d. Decision
- e. Congratulation!
- 25. ANSI stands for?
  - a. American National Standards Institute
  - b. American National Stander information
  - c. African National Standard Institute
  - d. American Nationalism standard Institute
- 26. The go- to instruction causes a branch to a step that is not next in sequence\_\_\_\_
  - a. The cause of branching
  - b. Documenting
  - c. Computer program
  - d. Decision table

### Chapter - Two

- 1. Today in developing a program, major emphasis is given on which aspects?
  - a. Efficient algorithms and techniques to save computer time and memory.
  - b. Easily understood logic
  - c. Easy maintenance
  - d. Low usage of costly disk space.
- 2. Which of the following the term structured programming refers to?
  - a. A collection of techniques to follow for program developing.
  - b. A collection of library code to help programming.
  - c. A collection hardware for fast programming
  - d. A collection of efficient logic
- 3. The main transfers controls to a sub module to perform a task. What happens when the sub module has completed its task?
  - a. The sub module closes the program
  - **b.** The sub module returns control to the main module
  - c. The sub module waits idly for the main take the control task
  - d. The sub module transfers control the underlying operating system.
- 4. Which type of subroutines is frequently used for complex processing that is needed by many users, such as mathematical or statically routines or the sorting the files?
  - a. Internal
  - b. External
- 5. The top down approach is a useful technique in
  - a. Planning a modular programming
  - b. Writing a smart program code
  - c. A object oriented programming

- d. Report writing
- 6. What do we do to identify a module?
  - a. A module is given an abbreviated name
  - b. A module is given a name which reflects what the module does and a number is included with name
  - c. A module is given name with a special prefix
  - d. None of the above.
- 7. A structure chart is a commonly used planning tool in
  - a. Top-down programming
  - b. Object oriented programming
  - c. Procedural programming
  - d. Data processing
- 8. Find out the following logic patterns or structures are identified as sufficient for any structured programming?
  - a. The sequence structure
  - b. The loop structure
  - c. The selection structure
  - d. Control structure
- 9. EOF means
  - a. There is no record in the file
  - b. The file does not exits
  - c. The file is not accessible
  - d. The file cannot be created
- 10. In modular programming, the program is broken down into
  - a. Files
  - b. Projects
  - c. Instructions
  - d. Modules
- 11. Module programming is implemented by
  - a. Subroutine
  - b. instruction
  - c. Source programs
  - d. Machine code
- 12. Which one is the definition of a subroutine?
  - a. A group of instructions that performs a limited processing task.
  - b. A file that contains a group of instructions that performs a limited processing task.
  - c. A group of instructions that performs a total processing task.
  - d. None.
- 13. A collection of techniques for planning and writing of program that increases programmer productivity is
  - a. Modular programming
  - b. Procedural programming
  - c. Structural programming
  - d. Functional programming

- 14. Which of the following are related to structured programming?
  - a. Top-down programming
  - **b.** Use of control structures-loop, selection, sequence.
  - c. Functional programming
  - d. OOP
- 15. In a modular programming, a piece of program that performs a single limited function is known as which of the following?
  - a. A class
  - b. A module
  - c. A loop
  - d. A sequence
- 16. The likelihood of error in a small and limited purpose serving module is reduced.
  - a. Because each module is written by an individual team.
  - b. Because it is commented well while coding
  - c. Because of the propose and size of the each module is limited.
  - d. All of the above.
- 17. In modular programming, each program contains a main module ,which controls everything that happens build it transfers control to sub-modules so that they can he perform their function. Then which of the following is true?
  - a. Each sub module exits program when it has performed its function
  - b. Each sub module returns control to the main module when it has performed its function
  - c. Each sub module calls an exit module when it has performed its function.
  - d. None
- 18. A printed line that contains information about a single entity is which of the following?
  - a. Group indication
  - b. Heading line
  - c. Detail line
  - d. Printed line
- 19. The subroutine that is part of the program that uses is\_\_\_
  - a. An internal subroutine
  - b. An external subroutine
  - c. None
- 20. After a subroutine has finished its work what will happen?
  - a. The program end
  - **b.** Control is returned transferred to the caller of the subroutine
  - c. Control is transferred to the exit routine
  - d. None

- 21. Which one is register?
  - a. A special purpose hardware
  - b. A special purpose software
  - c. A special purpose memory device
  - d. None
- 22. The instructions that transfers control to the subroutine and back a join are commonly known as\_\_\_
  - a. Call instruction
  - b. Return instruction
  - c. Call and return instructions
  - d. Any of the three
- 23. The transfer of control to the subroutine and return control back is possible because
  - a. The location of the instruction to which control is to return is stored in program
  - b. The location of the instruction to which control is to return is stored in memory
  - c. The location of the instruction to which control is to return is stored in register
  - d. None
- 24. A set of instructions for performing a particular task that can be used by any program as the instructions reside in a library that is external to the using program is\_\_\_\_
  - a. Internal Subroutine
  - b. External Subroutine
  - c. Module
  - d. None
- 25. In this technique we define the main program module, which initiated the program call other modules and then terminals. What technique is this?
  - a. Modular programming
  - b. Top down programming
  - c. Bottom-up programming
  - d. None
- 26. Structure chart is planning tools used in \_\_\_\_\_
  - a. Modular programming
  - b. Top down programming
  - c. Bottom-up programming
  - d. None
- 27. Which of the following is/are true for structure chart?
  - a. It does not show the exact processing steps
  - b. It does not show what modules will be called under what condition
  - c. It does not show function to perform
  - d. It does not show relationship between modules
- 28. Reading of first record in a file prior to entering a loop that is executed until EOF is reached is known as
  - a. Priming read
  - b. Active read
  - c. Data read

- d. Read record
- 29. Pseducode is
  - a. Language dependent
  - b. Language independent
  - c. Flowcharting tool
  - d. .net compilation language

# Chapter-3

- 1. Which of the following exchanges the contents in memory location X and Y?
  - a. Move x to y

Move y to x

**b.** Move **x** to temp

Move y to x

Move temp to y

- 2. What values a Boolean filed (variable) can have
  - a. Any vale
  - b. Only textual data
  - c. Either true or false
  - d. Only numeric value
- 3 which of the following operation or operations can be used in Boolean algebra
  - a. NEITHER
  - b. AND
  - c. OR
  - d. NOT
- 4. Say a=5 b=9

Now consider the Boolean expression **NOT** (**a**<**b**) This expression evaluates to

- a. True
- b. False
- 5. Consider the Boolean expression a and b or not c Which operation evaluated first
  - a. And
  - b. Or
  - c. Not
  - d. From left to right as written
- 6. Two Boolean expressions are equivalent
  - a. When they have the same values for all combinations of condition
  - b. When they have the same values for any one combination of conditions
- 7. Which of the following is compound condition?
  - a. More one conditions used in the same subroutine
  - b. More than one conditions that are logically related
  - c. More than one condition that are combined using Boolean operators
  - d. None of the above

- 8. Which of the following is or are true about a condition
  - a. It is used to control sub modules from the main in a program
  - b. It is used to control a loop
  - c. It is used to select form among two alternatives for processing
  - d. It is used to display output of a program
- 9. Which of the following best describes an error routine?
  - a. Instructions that prevent errors to occur
  - b. Instructions that cause errors
  - c. Instruction that are executed when an error is encountered during processing
  - d. A subroutine that has erroneous instructions
- 10. When an error of the problem and is encountered what possible can you do, depending on the nature of the problem and the type of processing being done?
  - a. Display an error message and try to correct the problem
  - b. Display an error message and terminate processing immediate.
  - c. Display an error message and wait for the operator to take some collective action
  - d. Make a record of the error so that it can be corrected later and then continue processing erroneous record.
- 11. Which of the following is or are used as input editing techniques?
  - a. Desk checking
  - b. Sequence checking
  - c. Restricted value test
  - d. Counter technique
- 12. In batch a process where data is stored on a key field (or field) which type of input editing technique is useful?
  - a. Desk checking
  - b. Sequence checking
  - c. Restricted value test
  - d. Counter technique
- 13. When counter technique can be used?
  - a. In batch processing where data is stored on a key field
  - b. When number of data record to be read be known in advance
  - c. When number of data is over 10000
  - d. When data is very few.

#### Chapter-4

- 1. Which is used to plan and document processing that involves complex combination of conditions?
  - a. Flow Chart.

- b. Structure Chart
- c. HIPO Chart
- d. **Decision Table**
- 2. Which of the flowing is true for a decision table?
  - a. It is a tool for identifying and documenting modules in a program?
  - b. It is a tool for showing what happens in a program module.
  - c. It is a tool planning and documenting processing that involves complex combination of conditions.
  - d. It is a tool for developing algorithm.
- 3. Is the order of rules in a decision table important?
  - a. Yes.
  - b. No.
- 4. What do we call a situation in which more than one role of a decision table may be applied for a given combination of condition?
  - a. Contradiction.
  - b. Confusion.
  - c. Conflict.
  - d. Redundancy.
- 5. A situation in a Decision table in which the same combinations of conditions lead to different actions is referred to us
  - a. Contradiction.
  - b. Confusion.
  - c. Conflict.
  - d. Redundancy.
- 6. It is possible move part of the condition from the condition stub to the condition entries and the part of the action from the action stub to the action entries?
  - a. Mixed-entry decision table.
  - b. Compound decision table.
  - c. Extended entry decision table
  - d. Complex entry decision table

# Chapter-Seven

- 1. Two table with the same number of elements and some logical relationship is a
  - a. Single table
  - b. Paired table
  - c. Argument table
  - d. Function table
- 2. Data items those are of the same type are considered to be what?
  - a. Homogeneous data
  - b. Paired data
  - c. Single data
  - d. None
- 3. What is homogenous data?
  - a. Data items those are of same length
  - b. Data items those are of same type

- c. Numeric data items
- d. Character date items
- 4. Why table can be required (choose 2)
  - a. To hold information that is required in processing
  - b. To store results of processing
  - c. To hold summery information
  - d. To store control information
- 5. Accessing a function table directly without first searching an argument table is known as
  - a. Direct table accessing
  - b. Direct table addressing
  - c. Direct table analyzing
  - d. Direct table acting.
- 6. Is perform a table search, we look for a particular value in the argument table that equaled the search argument in why?
  - a. Discrete table
  - b. Segmented table
  - c. Function table
  - d. None
- 7. A table that in searched is \_\_\_\_\_what?
  - a. The argument table
  - b. The function table
  - c. The multidimensional table
  - d. The binary table
- 8. The table that contains values that are to be retrieved for use in processing is \_\_\_\_\_what?
  - a. The argument table
  - b. The function table
  - c. The multidimensional table
  - d. The binary table
- 9. An argument table in which each entry represents a particular value that is compared to fine an exact match is \_\_\_\_\_ what?
  - a. A segmented table
  - b. A discrete table
- 10. An argument table in which argument entry is the upper or lower limit of a range of values is \_\_\_what?
  - a. A segmented table
  - b. A discrete table
- 11. The value that is compared with argument table entries is \_\_\_what?
  - a. Function argument
  - b. Search argument
  - c. Search parameter
  - d. Search entry
- 12. How search argument is compared in case of a segmented table in ascending order to find an entry?
  - a. The search ends when we find a table is equal to the search argument

- b. The search ends when we find a table is greater or equal to the search argument
- c. The search ends when we find a table is less than to the search argument
- d. none
- 13. For which type of table the binary search is a more efficient technique?
  - a. Large table
  - b. Small table
  - c. A table with 500 entry
  - d. None
- 14. When the binary search is used, in what order the argument table should be?
  - a. Ascending order
  - b. Descending order
  - c. Enter ascending or descending order
  - d None
- 15. Which of the following is an advantage of direct table addressing?
  - a. Argument entries can be accessed without having to search the function table
  - b. Function entries can be accessed without having to search the function table
  - c. Entries can be searched faster
  - d. None

Trainer: Mohammad Rajaul Islam Trainee: Md. Shamim Sarker