Model Documentation of the Ball and Beam

1 Nomenclature

Nomenclature for Model Equations

- mass of the ball m_1
- moment of inertia of the beam J_1
- J_2 moment of inertia of the ball
- radius of the ball r
- acceleration due to gravity g
- torque in the middle of the beam
- distance between the ball and the middle of the beam q_1
- rotation angle of the beam

Graphic of the Structure 1.2




Figure 1: Structure of the Ball and Beam Source: Wang, Yang/Erstellung eines regelungstheoretischen Katalogs unteraktuierter mechanischer Systeme

$\mathbf{2}$ **Model Equations**

State Vector and Input Vector:

$$\underline{x} = (q_1 \ q_2 \ \dot{q}_1 \ \dot{q}_2)^T$$

$$\underline{u} = \tau$$

$$= (x_1 \ x_2 \ x_3 \ x_4)^T$$

$$= u_1$$

System Equations:

$$\dot{x}_1 = x_3 \tag{1a}$$

$$\dot{x}_2 = x_4 \tag{1b}$$

$$\dot{x}_{3} = \frac{m_{1}x_{1}x_{4}^{2} - gm_{1}\sin x_{2}}{m_{1} + \frac{J_{2}}{r^{2}}}$$

$$\dot{x}_{4} = \frac{\tau - m_{1}gx_{1}\cos x_{2} - 2m_{1}x_{1}x_{3}x_{4}}{J_{1} + J_{2} + m_{1}x_{1}^{2}}$$
(1d)

$$\dot{x}_4 = \frac{\tau - m_1 g x_1 \cos x_2 - 2m_1 x_1 x_3 x_4}{J_1 + J_2 + m_1 x_1^2} \tag{1d}$$

Parameters: m_1, J_1, J_2, r, g

Outputs: x

2.1 Exemplary parameter values

Parameter Name	Symbol	Value	Unit
mass of the ball	m_1	0.05	kg
moment of inertia of the beam	J_1	0.02	$kg \cdot m^2$
moment of inertia of the ball	J_2	$2.0 \cdot 10^{-6}$	$kg \cdot m^2$
radius of the ball	r	0.01	\mathbf{m}
acceleration due to gravity	g	10	$\frac{m}{s^2}$

3 Derivation and Explanation

The Lagrangian mechanics was used for the solution. Rotational Energy:

$$T_{rball} = \frac{1}{2}J_2x_4^2 + \frac{1}{2}\frac{J_2}{r^2}x_3^2 \tag{2}$$

$$T_{rbeam} = \frac{1}{2}J_1 x_4^2 \tag{3}$$

Translational Energy:

$$T_t = \frac{1}{2}m_1(x_3^2 + x_1^2 x_4^2) \tag{4}$$

Potential Energy:

$$V = m_1 g x_1 \sin x_2 \tag{5}$$

4 Simulation




Figure 2: Simulation of the ball beam.

References

[1] Wang, Yang: Erstellung eines regelungstheoretischen Katalogs unteraktuierter mechanischer Systeme, master thesis at the Institut of Control Theory TU Dresden, published 2016. (not publicly accessible)