

# From Human-Human Joint Action to Human-Robot Joint Action

---

## Contents

<b>1.1 Joint Action Theory . . . . .</b>	<b>1</b>
1.1.1 Commitment . . . . .	2
1.1.2 Perception and prediction . . . . .	5
1.1.3 Coordination . . . . .	7
<b>1.2 How to endow a robot with Joint Action abilities . . . . .</b>	<b>8</b>
1.2.1 Engagement and Intention . . . . .	8
1.2.2 Perspective taking and humans mental states . . . . .	9
1.2.3 Actions realization . . . . .	10
1.2.4 Coordination . . . . .	10
<b>1.3 A three levels architecture . . . . .</b>	<b>10</b>
1.3.1 The three levels of Pacherie . . . . .	10
1.3.2 A three levels robotics architecture . . . . .	10

---

## 1.1 Joint Action Theory

A first step to endow robots with the ability to perform Joint Actions with humans is to understand how humans act together. As a working definition of Joint Action, we will use the one from [Sebanz 2006]:

*Joint action can be regarded as any form of social interaction whereby two or more individuals coordinate their actions in space and time to bring about a change in the environment.*

A given number of prerequisites are needed for these individuals to achieve the so-called Joint Action. First of all, they need to agree on the change they want to bring in the environment, the conditions under which they will stay engaged in its realisation and the way to do it. A number of works have studied this prerequisite, named *commitment*, which I will develop in Sec. 1.1.1. Then, as mentioned in the

definition, the individuals need to coordinate their actions in space and time. This will be studied in Sec. 1.1.3. Finally, in order to coordinate, each individual needs to be aware of the other, he needs to be able to perceive him and predict his actions. This part will be develop in Sec. 1.1.2.

### 1.1.1 Commitment

The first prerequisite to achieve a Joint Action is to have a *goal* to pursue and the *intention* to achieve it. Let's define in a first time what is called a *goal* and an *intention* for a single person before going to a *joint goal* and a *joint intention*.

In [Tomasello 2005], Tomasello et al. define what they call a *goal* and an *intention* and illustrate these definitions with an example and an associated figure (fig. 1.1) where a person wants to open a box.




Figure 1.1: Illustrative example of an intentional action by Tomasello et al. Here the human has for *goal* to open the box. He chooses a means to perform it and so forms an *intention*.

A *goal* is defined here as the representation of the desired state by the agent (in the example, the goal is an open box) and, based on Bratman's work [Bratman 1989], an *intention* is defined as an action plan the agent commits itself in pursuit of a goal (in the example, the intention is to use a key to open the box). The *intention* includes both a *goal* and the means to achieve it.

In a same way, Cohen and Levesque propose in [Cohen 1991] a formal definition of what they call a *persistent goal*:

**Definition:** An agent has a *persistent goal* relative to  $q$  to achieve  $p$  iff:

1. she believes that  $p$  is currently false;
2. she wants  $p$  to be true eventually;

3. it is true (and she knows it) that (2) will continue to hold until she comes to believe either that  $p$  is true, or that it will neither be true, or that  $q$  is false.

However, their definition of an *intention* differs a little from the previous one. They define an *intention* as a commitment to act in a certain mental state:

**Definition:** An agent *intends* relative to some conditions to do an action just in case she has a persistent goal (relative to that condition) of having done the action, and, moreover, having done it, believing throughout that she is doing it.

The *intention* still includes the *goal* but here it concerns more the fact that the agent commits itself to achieve the goal than the way to achieve it.

Let's now apply these principles to a Joint Action. One of the most known definition of *joint intention* is the one of Bratman [Bratman 1993]:

We intend to  $J$  if and only if:

1. (a) I intend that we  $J$  and (b) you intend that we  $J$ .
2. I intend that we  $J$  in accordance with and because of 1a, 1b, and meshing subplans of 1a and 1b; you intend that we  $J$  in accordance with and because of 1a, 1b, and meshing subplans of 1a and 1b.
3. 1 and 2 are common knowledge between us.

This definition is taking back and illustrated by Tomasello et al. in [Tomasello 2005] where they reuse the example of the box to open (fig 1.2).

The *shared goal* is defined as the representation of a desired state plus the fact that it will be done in collaboration with other person(s) (in the example, they will open the box together) and a *joint intention* is defined as a collaborative plan the agents commit to in order to achieve the *shared goal* and which takes into account both agents individual plans (here an agent will hold the box with the clamp while the other open it with the cutter).

In a same way, Cohen and Levesque extend their definition of *persistent goal* and *intention* to a collaborative activity. They first define a *weak achievement goal* as:

**Definition:** An agent has a *weak achievement goal* relative to  $q$  and with respect to a team to bring about  $p$  if either of these conditions holds:

- The agent has a normal achievement goal to bring about  $p$ , that is, the agent does not yet believe that  $p$  is true and has  $p$  eventually being true as goal.




Figure 1.2: Illustrative example of a collaborative activity by Tomasello et al. Here the humans have for *shared goal* to open the box together. They choose a means to perform it which takes into account the other capabilities and so form a *joint intention*.

- The agent believes that  $p$  is true, will never be true, or is irrelevant (that is,  $q$  is false), *but* has as a goal that the status of  $p$  be mutually believed by all the team members.

They then use this definition to define a *joint persistent goal*:

**Definition:** A team of agents have a *joint persistent goal* relative to  $q$  to achieve  $p$  just in case

- they mutually believe that  $p$  is currently false;
- they mutually know they all want  $p$  to eventually be true;
- it is true (and mutual knowledge) that until they come to mutually believe that  $p$  is true, that  $p$  will never be true, or that  $q$  is false, they will continue to mutually believe that they each have  $p$  as a weak achievement goal relative to  $q$  and with respect to the team.

They finally define a *joint intention* as:

**Definition:** A team of agents *jointly intends*, relative to some escape condition, to do an action iff the members have a joint persistent goal relative of that condition of their having done the action and, moreover, having done it mutually believing throughout that they were doing it.

As previously, the definitions of Cohen and Levesque do not take into account the way to achieve the *shared goal*, however, they introduce the interesting idea that agents are also engaged to communicate about the state of the *shared goal*.

Concerning the way to achieve a *shared goal*, mentioned into the definition of the *joint intention* of Tomasello et al., Grosz and Sidner initially introduce and formalize

the notion of *Shared Plan* in [Grosz 1988], which is extended in [Grosz 1999]. The key properties of their model are as follows:

1. it uses individual intentions to establish commitment of collaborators to their joint activity
2. it establishes an agent's commitments to its collaborating partners' abilities to carry out their individual actions that contribute to the joint activity
3. it accounts for helpful behavior in the context of collaborative activity
4. it covers contracting actions and distinguishes contracting from collaboration
5. the need for agents to communicate is derivative, not stipulated, and follows from the general commitment to the group activity
6. the meshing of subplans is ensured it is also derivative from more general constraints.

With their definition, each agent does not necessarily know the all *Shared Plan* but only his own individual plan and the meshing subparts of the plan. The group has a *Shared Plan*, but no individual member necessarily has the whole *Shared Plan*.

In conclusion, the concepts concerning the commitment of agents to a collaborative activity that we will use in this thesis can be summarized as:

- A *goal* will be represented as a desired state.
- A *shared goal* will be considered as a *goal* to be achieved in collaboration with other partner(s). An agent is considered engaged in a *shared goal* if he believes the goal is currently false, he wants the goal to be true and he will not give up on the goal unless he knows that the goal is achieved, not feasible or not relevant any more and he knows that his partners are aware of it.
- A *joint intention* will include a *shared goal* and the way to realize it. This way will be represented as a *Shared Plan* which will take into account each agent capacities and the potential conflicts between their actions. This *Shared Plan* will not be necessarily completely known by all members of the group but all individuals will know their part of the plan and the meshing subparts.

### 1.1.2 Perception and prediction

One important thing for an agent when performing a Joint Action is to be able to perceive and predict the actions of his partner and their effects. Based on the works in [Sebanz 2006], [Pacherie 2011] and [Obhi 2011] we identified several necessary abilities for this predictions:

**Joint attention:** The capacity for an agent to direct his attention to where the one of his partner is directed allows to share a representation of objects and events. It brings a better understanding of the other agent knowledge and where his attention is focused and so, it helps the prediction of his possible next actions. Moreover, there should be a mutual manifestation of this joint attention, meaning that we should show that we share the other attention.

**Action observation:** Several studies have shown that when someone observes another person executing an action, a corresponding representation of the action is formed for the observer [Rizzolatti 2004]. This is done by what has been called the *mirror-neuron* system. This behavior allows the observer to predict the outcomes of the actor's action.

**Co-representation:** An agent needs to have a representation of his partner, including his goal, his capacities and the social rules he is following. Indeed, having this representation will help to predict his future actions. For example, a pedestrian who sees a red traffic light will be able to predict that the car drivers will stop. In a same way, if you know that someone is aiming to go out shopping, you will be able to predict that he will look for the key of the car.

**Agency:** Sometimes, when there is a close link between an action performed by oneself and an action performed by another, it can be hard to distinguish who caused a particular action effect. The capacity to attribute the action effects to the good actor is called the sense of *Agency*. This sense of *Agency* is an important thing in Joint Action in order to correctly predict the effects of each action.

Based on the same works as before and on [Sebanz 2009], we can list several kinds of predictions to support Joint Action which can be done thanks to the abilities described previously :

- **What:** A first one is to predict what will do an agent. Two kinds of predictions can be distinguished here:
  - *action-to-goal*: this is supported by the *mirror-neuron* system introduced before. Here the term goal concerns the goal of an action, its purpose. The idea is that observing an action, it is possible to predict its goal. For example, if we observe someone extending his arm toward an object we can predict that he will pick the object.
  - *goal-to-action*: here the term goal concerns the goal of a task, as defined in the previous subsection. Knowing this goal, it can be easy to predict which action an agent will perform.
- **When:** another prediction which is necessary is the timing of an action. Knowing when an action will occur and during how long allows to a better coordination in time.

- **Where:** a Joint Action usually takes place in a shared space. It is therefore necessary to predict the future position of the partner and his actions in order to coordinate in space.

### 1.1.3 Coordination

The predictions discussed previously allow agents to coordinate during Joint Action. Two kinds of coordination are defined in [Knoblich 2011] that both support Joint Action.

**Emergent coordination:** It is a coordinated behavior which occurs unintentionally, independently of any joint plans or common knowledge and due to perception-action couplings. Four types of sources of emergent coordination can be distinguished:

- *Entertainment:* Entrainment is a process that leads to temporal coordination of two actors' behavior, in particular, synchronization, even in the absence of a direct mechanical coupling. It is the case, for example, for two peoples seating in rocking chairs involuntarily synchronizing their rocking frequencies [Richardson 2007].
- *Affordances:* An object affordance represents the opportunities that an object provides to an agent for a certain action repertoire [Gibson 2014]. For example, the different ways to grab a mug. Two kinds of affordances can lead to an emergent coordination: *common affordances* and *joint affordances*. When several agents have the same action repertoire and perceive the same object they have a *common affordance*. This *common affordance* can lead the agents to execute the same action. When an object has affordances for two or more peoples collectively, for an action to occurs agents automatically synchronize. This is what is called *joint affordances*. For example, a long two-handled saw affords cutting for two people acting together but not for either of them acting individually.
- *Perception-action matching:* As discussed before, observing an action activates corresponding representation in the observer mind. This process can lead to involuntary mimicry the observed action. Consequently, if two persons observe the same action, they can have the same reaction to mimic the action.
- *Action simulation:* The internal mechanisms activated during action observation not only allow to mimic the action but also to predict the effects of this action. If two people observe the same action and so predict the same effects, they can consequently have the same reaction. For example, two persons seeing the same object fallen will have the same reaction to try to catch it.

**Planned coordination:** While emergent coordination is unintentional, planned coordination requires for agents to plan their own action in relation to Joint Action and others' actions.

One way for an agent to intentionally coordinate during Joint Action is to change his behavior compared to when he is acting alone. These changes of behavior are called *coordination smoother* in [Vesper 2010] and can be of several types:

- Making our behavior more predictable by doing for example wider or less variable movements
- Structuring our own task in order to reduce the need of coordination. For example sharing the space or working turn by turn.
- Producing coordination signals like looking someone who should act or counting down.
- Changing the way we use an object by using an affordance more appropriate to a common use.

An other way to coordinate is through communication. Indeed, Clark argues that two or more persons can not perform a Joint Action without communicate [Clark 1996]. Here the term communication includes both verbal and non-verbal communication. Clark also defines what he calls the *common ground*: when two agents communicate, they necessarily have common knowledge and conventions. Moreover, when communicating, it is important to not only send a message but also to assure that the message has been understood as the sender intends it to be. This process to make the sender and the receiver mutually believe that the message has been understood well enough for current purposes is called *grounding*.

## 1.2 How to endow a robot with Joint Action abilities

In this part we will do an overview on how the theory on human-human Joint Action can be applied to human-robot Joint Action. Following to what has been discussed on commitment, we will first see in Sec. 1.2.1 how the robot can engage in Joint Action and understand the intention of its human partners. Then, we will see in Sec. 1.2.2 how the robot perceives the humans and can predict their actions by taking into account their perspectives and mental states. We will also see how the robot can execute actions adapted to Joint Actions with humans in Sec. 1.2.3 and, finally, we will see how it can coordinate during Joint Action in Sec. 1.2.4.

The parts which are linked to the work presented in this thesis will be more developed in the corresponding chapters.

### 1.2.1 Engagement and Intention

As for humans, robots need to be able to engage in Joint Action. A first prerequisite is to choose a goal to perform. This goal can be imposed by a direct order



of the user, however, the robot also needs to be able to pro actively propose its help whenever a human needs it. To do so, the robot needs to be able to infer high-level goals by observing and reasoning on its human partners' activities. This process is called plan recognition or, when a bigger focus is put on Human-Robot Interaction aspects, intention recognition. Many works have been done concerning plan recognition using approaches such as classical planning [Ramirez 2009], probabilistic planning [Bui 2003] or logic-based techniques [Singla 2011]. Concerning intention recognition, works such as [Breazeal 2009] and [Baker 2014] take into account theory of mind aspects to deduce what the human is doing.

When direct orders have been received and humans intentions recognized, the robot needs to choose which goal to perform, also taking into account its own resources. This problem has not been addressed as a whole in the literature, however, some similar works can be seen as partial answer. For example, some deliberation systems allow to solve problems with multiple goals taking into account resources such as time [Georgeff 1987, Ghallab 1994, Lemai 2004] or energy level [Rabideau 1999].

Once the robot is engaged in a Joint Action, it needs to be able to monitor other agents engagement. Indeed, it needs to understand if, for a reason, a human aborts the current goal and react accordingly. This can be done using gaze cues and gestures [Rich 2010], postures [Sanghvi 2011] but also context and humans mental states [Salam 2015].

Finally, once a goal chosen, the robot needs to be able to establish a Shared Plan to achieve it with its human partner(s). Several works have been done in task planning to take into account the human [Cirillo 2010, Lallement 2014]. They allow the robot to reduce resource conflicts [Chakraborti 2016], take divergent beliefs into account [Guitton 2012, Talamadupula 2014] or promote stigmergic collaboration for agents in co-habitation [Chakraborti 2015]. Once the plan computed, the robot needs to be able to share/negotiate it with its partners. Several studies have been reported on how to communicate these plans. Some researchers studied how a system could acquire knowledge on plan decomposition from a user [Mohseni-Kabir 2015] and how dialog can be used to teach new collaborative plans to the robot and to modify these plans [Petit 2013]. In [Sorce 2015], the system is able to learn a plan from a user and transmit it to another user and in [Allen 2002] a computer agent is able to construct a plan in collaboration with a user. Finally, [Milliez 2016] presents a system where the robot shares the plan with a level of details which depends on the expertise of the user.

### 1.2.2 Perspective taking and humans mental states

- Need to align robot representation of the world to humans one: x, y, theta to facts.
- the robot needs to be able to take the perspective of its partner
- perspective taking + basic usages (dialogue, ...)

- but robot not only needs to take the point of view of other agents concerning the environment
- mental states

### **1.2.3 Actions realization**

- human-aware motion planning
- human-aware control
- understanding effects of actions (agency)
- learning affordances

### **1.2.4 Coordination**

- plan execution
- dialogue
- signalling
- joint actions (e.g. handover)

## **1.3 A three levels architecture**

### **1.3.1 The three levels of Pacherie**

[Pacherie 2008], [Pacherie 2011]

### **1.3.2 A three levels robotics architecture**

+ related work on others robotics architecture

# Bibliography

- [Allen 2002] James Allen and George Ferguson. *Human-machine collaborative planning*. In Third International NASA Workshop on Planning and Scheduling for Space, 2002. (Cited in page 9.)
- [Baker 2014] Chris L Baker and Joshua B Tenenbaum. *Modeling human plan recognition using bayesian theory of mind*. Plan, activity, and intent recognition: Theory and practice, pages 177–204, 2014. (Cited in page 9.)
- [Bratman 1989] Michael E Bratman. *Intention and personal policies*. Philosophical perspectives, vol. 3, pages 443–469, 1989. (Cited in page 2.)
- [Bratman 1993] Michael E Bratman. *Shared intention*. Ethics, vol. 104, no. 1, pages 97–113, 1993. (Cited in page 3.)
- [Breazeal 2009] Cynthia Breazeal, Jesse Gray and Matt Berlin. *An embodied cognition approach to mindreading skills for socially intelligent robots*. The International Journal of Robotics Research, vol. 28, no. 5, pages 656–680, 2009. (Cited in page 9.)
- [Bui 2003] Hung Hai Bui. *A general model for online probabilistic plan recognition*. In IJCAI, volume 3, pages 1309–1315, 2003. (Cited in page 9.)
- [Chakraborti 2015] Tathagata Chakraborti, Gordon Briggs, Kartik Talamadupula, Matthias Scheutz, David Smith and Subbarao Kambhampati. *Planning for serendipity-altruism in human-robot cohabitation*. In ICAPS Workshop on Planning and Robotics (PlanRob), 2015. (Cited in page 9.)
- [Chakraborti 2016] Tathagata Chakraborti, Yu Zhang, David E Smith and Subbarao Kambhampati. *Planning with resource conflicts in human-robot cohabitation*. In AAMAS, 2016. (Cited in page 9.)
- [Cirillo 2010] Marcello Cirillo, Lars Karlsson and Alessandro Saffiotti. *Human-aware task planning: an application to mobile robots*. IST, 2010. (Cited in page 9.)
- [Clark 1996] Herbert H Clark. *Using language*. 1996. Cambridge University Press: Cambridge, vol. 952, pages 274–296, 1996. (Cited in page 8.)
- [Cohen 1991] Philip R Cohen and Hector J Levesque. *Teamwork*. Nous, vol. 25, no. 4, pages 487–512, 1991. (Cited in page 2.)
- [Georgeff 1987] Michael P Georgeff and Amy L Lansky. *Reactive reasoning and planning*. In AAAI, volume 87, pages 677–682, 1987. (Cited in page 9.)

- [Ghallab 1994] Malik Ghallab and Hervé Laruelle. *Representation and Control in IxTeT, a Temporal Planner*. In AIPS, volume 1994, pages 61–67, 1994. (Cited in page 9.)
- [Gibson 2014] James J Gibson. *The theory of affordances*. Jen Jack Giesecking, William Mangold, Cindi Katz, Setha Low, and Susan Saegert, editors, The People, Place, and Space Reader, pages 56–60, 2014. (Cited in page 7.)
- [Grosz 1988] Barbara J Grosz and Candace L Sidner. *Plans for discourse*. Technical Report, DTIC Document, 1988. (Cited in page 5.)
- [Grosz 1999] Barbara J Grosz and Sarit Kraus. *The evolution of SharedPlans*. In Foundations of rational agency, pages 227–262. Springer, 1999. (Cited in page 5.)
- [Guitton 2012] Julien Guitton, Matthieu Warnier and Rachid Alami. *Belief Management for HRI Planning*. European Conf. on Artificial Intelligence, 2012. (Cited in page 9.)
- [Knoblich 2011] Günther Knoblich, Stephen Butterfill and Natalie Sebanz. *3 Psychological research on joint action: theory and data*. Psychology of Learning and Motivation-Advances in Research and Theory, vol. 54, page 59, 2011. (Cited in page 7.)
- [Lallement 2014] Raphaël Lallement, Lavindra de Silva and Rachid Alami. *HATP: An HTN Planner for Robotics*. CoRR, 2014. (Cited in page 9.)
- [Lemai 2004] Solange Lemai and Félix Ingrand. *Interleaving temporal planning and execution in robotics domains*. In AAAI, volume 4, pages 617–622, 2004. (Cited in page 9.)
- [Milliez 2016] Grégoire Milliez, Raphaël Lallement, Michelangelo Fiore and Rachid Alami. *Using human knowledge awareness to adapt collaborative plan generation, explanation and monitoring*. In HRI ACM/IEEE, 2016. (Cited in page 9.)
- [Mohseni-Kabir 2015] A. Mohseni-Kabir, C. Rich, S. Chernova, C. L. Sidner and D. Miller. *Interactive Hierarchical Task Learning from a Single Demonstration*. In HRI, ACM/IEEE, 2015. (Cited in page 9.)
- [Obhi 2011] Sukhvinder S Obhi and Natalie Sebanz. *Moving together: toward understanding the mechanisms of joint action*, 2011. (Cited in page 5.)
- [Pacherie 2008] Elisabeth Pacherie. *The phenomenology of action: A conceptual framework*. Cognition, vol. 107, no. 1, pages 179–217, 2008. (Cited in page 10.)

- [Pacherie 2011] Elisabeth Pacherie. *The Phenomenology of Joint Action: Self-Agency versus Joint Agency*. Joint attention: New developments in psychology, philosophy of mind, and social neuroscience, page 343, 2011. (Cited in pages 5 and 10.)
- [Petit 2013] Marc Petit, Stéphane Lallée, J-D Boucher, Grégoire Pointeau, Pier-rick Cheminade, Dimitri Ognibene, Eris Chinellato, Ugo Pattacini, Ilaria Gori, Uriel Martinez-Hernandez *et al.* *The coordinating role of language in real-time multimodal learning of cooperative tasks*. Autonomous Mental Development, IEEE, 2013. (Cited in page 9.)
- [Rabideau 1999] Gregg Rabideau, Russell Knight, Steve Chien, Alex Fukunaga and Anita Govindjee. *Iterative repair planning for spacecraft operations using the ASPEN system*. In Artificial Intelligence, Robotics and Automation in Space, volume 440, page 99, 1999. (Cited in page 9.)
- [Ramirez 2009] Miquel Ramirez and Hector Geffner. *Plan recognition as planning*. In Proceedings of the 21st international joint conference on Artificial intelligence. Morgan Kaufmann Publishers Inc, pages 1778–1783, 2009. (Cited in page 9.)
- [Rich 2010] Charles Rich, Brett Ponsler, Aaron Holroyd and Candace L Sidner. *Recognizing engagement in human-robot interaction*. In Human-Robot Interaction (HRI), 2010 5th ACM/IEEE International Conference on, pages 375–382. IEEE, 2010. (Cited in page 9.)
- [Richardson 2007] Michael J Richardson, Kerry L Marsh, Robert W Isenhower, Justin RL Goodman and Richard C Schmidt. *Rocking together: Dynamics of intentional and unintentional interpersonal coordination*. Human movement science, vol. 26, no. 6, pages 867–891, 2007. (Cited in page 7.)
- [Rizzolatti 2004] Giacomo Rizzolatti and Laila Craighero. *The mirror-neuron system*. Annu. Rev. Neurosci., vol. 27, pages 169–192, 2004. (Cited in page 6.)
- [Salam 2015] Hanan Salam and Mohamed Chetouani. *A multi-level context-based modeling of engagement in human-robot interaction*. In Automatic Face and Gesture Recognition (FG), 2015 11th IEEE International Conference and Workshops on, volume 3, pages 1–6. IEEE, 2015. (Cited in page 9.)
- [Sanghvi 2011] Jyotirmay Sanghvi, Ginevra Castellano, Iolanda Leite, André Pereira, Peter W McOwan and Ana Paiva. *Automatic analysis of affective postures and body motion to detect engagement with a game companion*. In Human-Robot Interaction (HRI), 2011 6th ACM/IEEE International Conference on, pages 305–311. IEEE, 2011. (Cited in page 9.)
- [Sebanz 2006] Natalie Sebanz, Harold Bekkering and Günther Knoblich. *Joint action: bodies and minds moving together*. Trends in cognitive sciences, vol. 10, no. 2, pages 70–76, 2006. (Cited in pages 1 and 5.)

- [Sebanz 2009] Natalie Sebanz and Guenther Knoblich. *Prediction in joint action: What, when, and where*. Topics in Cognitive Science, vol. 1, no. 2, pages 353–367, 2009. (Cited in page 6.)
- [Singla 2011] Parag Singla and Raymond J Mooney. *Abductive Markov Logic for Plan Recognition*. In AAAI, pages 1069–1075, 2011. (Cited in page 9.)
- [Sorce 2015] Marwin Sorce, Grégoire Pointeau, Maxime Petit, Anne-Laure Mealiere, Guillaume Gibert and Peter Ford Dominey. *Proof of concept for a user-centered system for sharing cooperative plan knowledge over extended periods and crew changes in space-flight operations*. In RO-MAN, IEEE, 2015. (Cited in page 9.)
- [Talamadupula 2014] Kartik Talamadupula, Gordon Briggs, Tathagata Chakraborti, Matthias Scheutz and Subbarao Kambhampati. *Coordination in human-robot teams using mental modeling and plan recognition*. In IROS, IEEE/RSJ, 2014. (Cited in page 9.)
- [Tomasello 2005] Michael Tomasello, Malinda Carpenter, Josep Call, Tanya Behne and Henrike Moll. *Understanding and sharing intentions: The origins of cultural cognition*. Behavioral and brain sciences, vol. 28, no. 05, pages 675–691, 2005. (Cited in pages 2 and 3.)
- [Vesper 2010] Cordula Vesper, Stephen Butterfill, Günther Knoblich and Natalie Sebanz. *A minimal architecture for joint action*. Neural Networks, vol. 23, no. 8, pages 998–1003, 2010. (Cited in page 8.)