Application Layer: Socket Programming with UDP and TCP

Study-Ready Notes

Compiled by Andrew Photinakis

October 17, 2025

Contents

1	Soc	Socket Programming Fundamentals					
	1.1	Socket Definition and Purpose					
	1.2	Two Socket Types					
	1.3	Application Example					
2	Socket Programming with UDP						
	2.1	UDP Characteristics					
	2.2	Client/Server Socket Interaction: UDP					
	2.3	Example Application: UDP Client					
	2.4	Example Application: UDP Server					
3	Socket Programming with TCP						
	3.1	TCP Characteristics					
	3.2	Client/Server Socket Interaction: TCP					
	3.3	Example Application: TCP Client					
	3.4	Example Application: TCP Server					
4	Cha	apter 2: Summary					
_		Key Concepts Covered					
		Protocol Design Principles					

1 Socket Programming Fundamentals

1.1 Socket Definition and Purpose

- Socket: A door between application process and end-to-end transport protocol
- Acts as an interface between application layer and transport layer
- Application developer controls the application process
- Operating system controls the socket and underlying transport protocols

1.2 Two Socket Types

- UDP (User Datagram Protocol): Unreliable datagram service
- TCP (Transmission Control Protocol): Reliable, byte stream-oriented service

1.3 Application Example

- 1. Client reads a line of characters (data) from its keyboard and sends data to server
- 2. Server receives the data and converts characters to uppercase
- 3. Server sends modified data to client
- 4. Client receives modified data and displays line on its screen

[Summary: Socket programming enables communication between client and server applications. UDP provides connectionless, unreliable service while TCP provides connection-oriented, reliable service.]

[Mnemonic: UDP = Unreliable Datagram Protocol; TCP = Trustworthy Connection Protocol]

2 Socket Programming with UDP

2.1 UDP Characteristics

- No "connection" between client and server
- No handshaking before sending data
- Sender explicitly attaches IP destination address and port number to each packet
- Receiver extracts sender IP address and port number from received packet
- Transmitted data may be lost or received out-of-order
- Provides unreliable transfer of groups of bytes ("datagrams")

2.2 Client/Server Socket Interaction: UDP

Server	Client
create socket, port=x:	create socket:
$ $ serverSocket = socket(AF_INET,SOCK_DGRAM)	$ clientSocket = socket(AF_INET,SOCK_DGRAM) $
read datagram from serverSocket	Create datagram with serverIP address
	and port=x; send datagram via clientSocket
write reply to serverSocket	read datagram from clientSocket
specifying client address, port number	
	close clientSocket

Figure 1: UDP Client/Server Interaction Sequence

2.3 Example Application: UDP Client

```
from socket import *
serverName = 'hostname'
serverPort = 12000
clientSocket = socket(AF_INET, SOCK_DGRAM)
message = raw_input('Input lowercase sentence:')
clientSocket.sendto(message.encode(), (serverName, serverPort))
modifiedMessage, serverAddress = clientSocket.recvfrom(2048)
print modifiedMessage.decode()
clientSocket.close()
```

2.4 Example Application: UDP Server

```
from socket import *
serverPort = 12000
serverSocket = socket(AF_INET, SOCK_DGRAM)
serverSocket.bind(("", serverPort))
print "The server is ready to receive"
while True:
    message, clientAddress = serverSocket.recvfrom(2048)
    modifiedMessage = message.decode().upper()
    serverSocket.sendto(modifiedMessage.encode(), clientAddress)
```

[Summary: UDP socket programming involves connectionless communication where each datagram is sent independently. The server binds to a port and waits for incoming datagrams, while the client sends datagrams to the server's address and port.]

```
[Concept Map: UDP \rightarrow Connectionless \rightarrow No handshaking \rightarrow Explicit addressing \rightarrow Unreliable \rightarrow May lose/reorder data \rightarrow Suitable for real-time applications]
```

3 Socket Programming with TCP

3.1 TCP Characteristics

- Client must contact server first
- Server process must be running first
- Server must have created socket (welcoming socket) for client contact
- When client creates socket: client TCP establishes connection to server TCP
- When contacted by client, server TCP creates new socket for that particular client
- Allows server to communicate with multiple clients simultaneously
- Source port numbers used to distinguish clients
- Provides reliable, in-order byte-stream transfer ("pipe")

3.2 Client/Server Socket Interaction: TCP

Server	Client
create socket, port=x, for incoming request:	
serverSocket = socket()	
wait for incoming connection request	create socket, connect to hostid, port=x
connectionSocket = serverSocket.accept()	clientSocket = socket()
read request from connectionSocket	send request using clientSocket
write reply to connectionSocket	read reply from clientSocket
close connectionSocket	close clientSocket

Figure 2: TCP Client/Server Interaction Sequence

3.3 Example Application: TCP Client

```
from socket import *
serverName = 'servername'
serverPort = 12000
clientSocket = socket(AF_INET, SOCK_STREAM)
clientSocket.connect((serverName, serverPort))
sentence = raw_input('Input lowercase sentence:')
clientSocket.send(sentence.encode())
modifiedSentence = clientSocket.recv(1024)
print 'From Server:', modifiedSentence.decode()
clientSocket.close()
```

3.4 Example Application: TCP Server

```
from socket import *
serverPort = 12000
serverSocket = socket(AF_INET, SOCK_STREAM)
serverSocket.bind(("", serverPort))
serverSocket.listen(1)
print 'The server is ready to receive'
while True:
    connectionSocket, addr = serverSocket.accept()
    sentence = connectionSocket.recv(1024).decode()
    capitalizedSentence = sentence.upper()
    connectionSocket.send(capitalizedSentence.encode())
    connectionSocket.close()
```

[Summary: TCP socket programming involves connection-oriented communication with a three-way handshake. The server creates a welcoming socket, accepts client connections, and creates dedicated sockets for each client, providing reliable, in-order data transfer.]

4 Chapter 2: Summary

4.1 Key Concepts Covered

- Application Architectures:
 - Client-server architecture
 - P2P (Peer-to-Peer) architecture
- Service Requirements Specification:
 - Reliability requirements
 - Bandwidth requirements
 - Delay requirements
- Internet Transport Service Model:
 - Connection-oriented, reliable: TCP
 - Unreliable, datagrams: UDP
- Specific Protocols Studied:
 - HTTP (HyperText Transfer Protocol)
 - SMTP (Simple Mail Transfer Protocol), IMAP (Internet Message Access Protocol)
 - DNS (Domain Name System)

- P2P: BitTorrent

• Advanced Topics:

- Video streaming techniques
- Content Delivery Networks (CDNs)
- Socket programming with TCP and UDP

4.2 Protocol Design Principles

- Typical request/reply message exchange:
 - Client requests information or service
 - Server responds with data, status code

• Message formats:

- Headers: Fields giving information about data
- Data: Information (payload) being communicated

• Important design themes:

- Centralized vs. decentralized architectures
- Stateless vs. stateful protocols
- Scalability considerations
- Reliable vs. unreliable message transfer
- "Complexity at network edge" principle

[Summary: The application layer encompasses diverse protocols and architectures for network applications. Key considerations include reliability, performance requirements, and the choice between connection-oriented (TCP) and connectionless (UDP) transport services.]

[Concept Map: Application Layer → Architectures (Client-Server, P2P) → Transport Services (TCP, UDP) → Protocols (HTTP, SMTP, DNS) → Advanced Topics (Streaming, CDNs) → Socket Programming]

Exam Preparation

Exam Questions

[Exam Questions:

1. Compare and contrast TCP and UDP socket programming. When would you choose one over the other?

- 2. Explain the difference between a welcoming socket and a connection socket in TCP server programming.
- 3. What are the key differences in how UDP and TCP handle addressing in socket programming?
- 4. Write a Python code snippet for a UDP client that sends a message to a server and prints the response.
- 5. Describe the sequence of socket method calls in a typical TCP client-server application.
- 6. What are the advantages and disadvantages of connection-oriented vs. connectionless protocols?
- 7. How does a TCP server handle multiple concurrent clients?

Key Differences: TCP vs UDP

Feature	TCP	UDP
Connection	Connection-oriented	Connectionless
Reliability	Reliable	Unreliable
Ordering	In-order delivery	No ordering guarantees
Handshaking	3-way handshake required	No handshaking
Overhead	Higher	Lower
Use Cases	Web, email, file transfer	DNS, streaming, VoIP

Table 1: Comparison of TCP and UDP Protocols

Study Tips

- Practice writing both UDP and TCP client-server code
- Understand the socket API method sequence for both protocols
- Memorize the key differences between connection-oriented and connectionless protocols
- Be able to explain when to use TCP vs UDP for different application requirements
- Review the protocol headers and message formats for HTTP, SMTP, and DNS