

Dept of Environmental Science,
Policy, and Management
130 Mulford Hall
University of California, Berkeley
Berkeley, California, 94720, USA

November 7, 2016

Dear editor,

We are pleased to submit our manuscript *Major interaction reorganizations punctuate the assembly of pollination networks* for consideration as a Letter in *Ecology Letters*.

Our research deals with two fundamental aspects of ecological theory: understanding how species-rich communities assemble, and how these assemblages change through time. As the world continues to lose species at an alarming rate, it has become increasingly imperative to aid the recovery of lost interactions and component biodiversity through ecological restoration. When a species goes extinct, not only a species is lost, but also its interactions. We know little, however, about how to re-assemble interacting communities through restoration, or the process of ecological network assembly more generally.

Using extensive surveys of pollinators spanning eight years comprising ~20,000 pollinator visitation records, we explore the assembly of plant-pollinator communities at native plant restorations in the Central Valley of California. For the first time in the ecological literature we employ a newly developed method to examine the temporal changes in networks. Among other things, we find that species are highly dynamic in their network position, causing community assembly to be punctuated by major interaction reorganizations. The most persistent and generalized species are also the most variable in their network positions, contrary to what is expected through preferential attachment theory — an assembly theory otherwise well-supported in the network literature. Our study is the first long-term study on the temporal assembly of ecological networks. Our results are compelling and provide empirical evidence that widen our understanding on how communities assemble and how species interactions change through time. Furthermore, our results also contribute to the knowledge of how communities will be able to maintain function in the face of species extinction. And finally, our results challenge the view that communities assemble through preferential attachment. We believe that these exciting results that link three major ecological fields (interaction networks, community dynamics and restoration ecology) that will be of broad interest to the readership of *Ecology Letters*.

Thank you for reviewing our manuscript and we hope you will find it suitable for publication.

Regards, Lauren C. Ponisio, PhD
Claire Kremen, Professor