Problem 3.5. Use the integration by parts formula to compute the Skorohod integrals in Problem 2.5.

(a)
$$\int_{0}^{T} W(t) \delta W(t)$$
,

By the integration by parts formula with
$$u = 1$$
 and $F = \omega(t)$,
$$\int_{0}^{\infty} F S \omega(t) = F \int_{0}^{\infty} S \omega(t) - \int_{0}^{\infty} D_{t} F dt$$

$$D_{+}F = D_{+}\int_{-\infty}^{\infty} \chi_{[0,+)}(s) dw(s) = \chi_{[0,+)}(+) = L$$

(b) $\int_{0}^{T} \left(\int_{0}^{T} g(s)dW(s)\right) \delta W(t)$, for a given function $g \in L^{2}([0,T])$,

$$\int_{0}^{\infty} F Sw(t) = F \int_{0}^{\infty} Sw(t) - \int_{0}^{\infty} D_{t} F dt$$

$$= \left(\int_{0}^{\infty} g(s) dw(s) \right) w(T) - \int_{0}^{\infty} g(t) dt$$

$$D_{+}\int_{0}^{T}q(s)dw(s)=q(t)$$

(c) $\int_{0}^{T} W^{2}(t_{0})\delta W(t)$, where $t_{0} \in [0, T]$ is fixed,

Recall that

$$\int_{0}^{t_{0}} w(t) dw(t) = \int_{0}^{t_{0}} (w(t_{0}) - t_{0}) = \int_{0}^{t_{0}} w(t) dw(t) + \int_{0}^{t_{0}} w(t) dw(t) dw(t) + \int_{0}^{t_{0}} w(t) dw(t) + \int_{0}$$

Herce

$$D_{+} \omega^{2}(t_{0}) = D_{+} \left(2 \int_{0}^{t_{0}} \omega(s) d\omega(s) + t_{0}\right) = 2 \omega(t)$$

and

$$= \omega^{2}(1.) \omega(T) - \int_{0}^{T} 2\omega(1) dt$$

$$2\left(\int_{0}^{T}+d\omega(4)-4\omega(4)\right)$$

$$\int_{0}^{t} s dB_{s} = tB_{t} - \int_{0}^{t} B_{s} ds .$$

(d) $\int_{0}^{T} \exp\{W(T)\}\delta W(t)$ [Hint. Use Problem 1.3.],

(e) $\int_0^T F \delta W(t)$, where $F = \int_0^T g(s)W(s)ds$, with $g \in L^2([0,T])$ [Hint. Use Problem 1.3].