

RStudio Presenter

Brian Caffo

Thu Apr 24 14:43:41 2014

RStudio Presentation

- RStudio created a presentation authoring tool within their development environment.
- If you are familiar with slidify, you will also be familiar with this tool
 - Code is authored in a generalized markdown format that allows for code chunks
 - The output is an html5 presentation
 - The file index for the presenter file is .Rpres, which gets converted to an .md file and then to an html file if desired
 - There's a preview tool in RStudio and GUIs for publishing to Rpubs or viewing/creating an html file

Authoring content

- This is a fairly complete guide
 - <http://www.rstudio.com/ide/docs/presentations/overview>
- Quick start is
 - `file` then `New File` then `R Presentation`
 - (`alt-f` then `f` then `p` if you want key strokes)
 - Use basically the same R markdown format for authoring as `slidify`/`knitr`
 - Single quotes for inline code
 - Tripple qutoes for block code
 - Same options for code evaluation, caching, hiding etcetera

Compiling and tools

- R Studio auto formats and runs the code when you save the document
- Mathjax JS library is loaded by default so that x^2 yields x^2
- Slide navigation button on the preview; clicking on the notepad icon takes you to that slide in the deck
- Clicking on more yields options for
 - Clearing the knitr cache
 - Viewing in a browser (creates a temporary html file in `AppData/local/temp` for me)
 - Create a html file to save where you want)
- A refresh button
- A zoom button that brings up a full window

Visuals

- R Studio has made it easy to get some cool html5 effects, like cube transitions with simple options in YAML-like code after the first slide such as `transition: rotate`
- You can specify it in a slide-by-slide basis

Here's the option "linear"

- Just put `transition: linear` right after the slide creation (three equal signs more in a row)
- Transition options
 - http://www.rstudio.com/ide/docs/presentations/slide_transitions_and_nav

Hierarchical organization

- If you want a hierarchical organization structure, just add a `type: typename()` after the slide
- This changes the default appearance
 - http://www.rstudio.com/ide/docs/presentations/slide_transitions_and_nav
- This is of type `section`

Here's a subsection

Changing the slide font

- Add a `font-family: fontname` option after the slide.
- Specified in the same way as css font families
 - http://www.w3schools.com/cssref/css_websafe_fonts.asp