

This computer lab is meant to be used as an introductory activity in a Calculus I course. It asks the students to explore concepts like average and instantaneous rates of change from a computational perspective using Excel spreadsheets.

Learning Goals

The primary mathematical goal of this activity is to introduce students to fundamental concepts of differential calculus by allowing them to experiment with computing rates of change, however there is also a soft goal of removing students from their comfort zones to try to get them to think about college-level mathematics in a new way. As such a large number of the activities revolve around the student figuring out how to apply their understanding of a concept to answer an open-ended question, like being able to look at a rate-of-change graph to answer qualitative questions about how a quantity changes at a particular point.

Prerequisites

As this activity is meant for use at the beginning of Calculus I, no knowledge of calculus is assumed, however it is assumed that students will have some familiarity with using Excel. In any case it may be a good idea to preface the lab with a brief Excel primer. Important functionality to point out includes: using cell formulas, using relative and absolute cell references, and plotting.

Activity Notes

The exact format for how this activity should be presented and what should be submitted is up to the instructor. The lab, itself, is relatively light on explanation and mostly consists of a sequence of numerical experiments for the students to go through and questions for them to answer. It is expected that the activity will be used alongside some instruction.

Throughout this activity, be sure to focus on the general approach that professional mathematicians often take to solving problems, which is quite different than what most high school students will be used to. Most students are comfortable memorizing and applying formulas, and have (understandably) come to believe that that's all math is. However the work that real mathematicians do places much more emphasis on conceptual understanding, problem solving, and numerical experimentation to come up with quick and dirty results that help to understand what's going on. Encourage the students to play around with ideas and to experiment with things, which the computer makes it easy to do quickly and easily.

Instantaneous Velocity of a Weather Balloon

Many students fresh from high school or precalculus will be used to functions that look like

$$f(x) = x^2 - 2x + 1$$

i.e. functions defined by simple closed-form formulas, and (again understandably) may believe that a function *is* a simple closed-form formula. Spend some time highlighting the fact that a data table like the one included in the spreadsheet is still a perfectly good function, in the sense that it's still a rule that assigns an output to every input in a domain. Also highlight the fact that, in the real world, this is what most functions we deal with look like. Having a simple formula to work with is nice, but it usually only comes up as a simplified model of a far more complicated phenomenon, and in applied math we often have to deal with functions by using purely numerical computations. In spite of the fact that they'll be spending a lot of time in class learning how to



analytically differentiate simple, closed-form functions, in practice we often *have* to resort to the types of numerical approximations that this activity uses. This also provides a great opportunity to highlight the importance of computers in modern mathematics, since having to compute thousands of cell values by hand would be virtually impossible.

This activity only obliquely references the fact that there is a relationship between slope and rate of change, in the sense that the student is expected to notice that the slope of the position graph corresponds at least qualitatively to the balloon's velocity. It is worth spending some class time highlighting the fact that the average velocity over an interval is actually *exactly the same thing* as the slope of the secant line over that interval, easily seen since both are computed using the same difference quotient.

Students are likely to struggle with the average velocity computations, which require a good working knowledge of how to combine relative and absolute cell references in Excel to keep the reference to time 60 constant while the other time increments. It would be useful to walk them through some demonstrations for how to use them.

Also be sure to show the students how to copy a formula into all nonempty rows by double-clicking on the lower right corner of the first cell. This is a very long data table, and clicking and dragging to copy formulas repeatedly will take a while.

The main purpose of the average velocity computations is to notice a couple of things about how average velocity varies as a function of the step size, so you might want to nudge the students in the right direction. In short, looking at the graph of the function, it seems like the average velocity is a nice, continuous, well-behaved function that just happens to have a hole at the one input we wanted to find (the one where the step size is zero). The fact that this graph appears continuous, but has a hole in it, is what motivates the need for limits in calculus, since limits are the mathematical tool we use to find which value “should” fill the hole.

This introductory problem uses velocity as an example of a rate of change. Be sure to emphasize the fact that “rate of change” could refer to anything changing with respect to anything else, not just position changing with respect to time.