



# Concepts

## HCI

NetApp  
April 24, 2020

This PDF was generated from [https://docs.netapp.com/us-en/hci/docs/concept\\_overview.html](https://docs.netapp.com/us-en/hci/docs/concept_overview.html) on April 24, 2020.  
Always check [docs.netapp.com](https://docs.netapp.com) for the latest.

# Table of Contents

- Concepts ..... 1
  - Cloud services on NetApp HCI overview ..... 1
  - Types of cloud services on NetApp HCI ..... 1
  - Architecture overview for cloud services on NetApp HCI ..... 3
  - What happens when you enable NetApp Kubernetes Service? ..... 4
  - Cluster types in cloud services on NetApp HCI ..... 4
  - Kubernetes terminology ..... 5

# Concepts

## Cloud services on NetApp HCI overview

NetApp HCI installations connect to, register with, and become a deployable region with NetApp Cloud Central.

### What you can do with cloud services on NetApp HCI

- Deploy services across cloud providers and your private cloud.
- Interact with NetApp HCI as you would with any other supported cloud provider.
- Port the apps and data across a hybrid cloud architecture regardless of cloud location without compromising service-level agreements.
- Spin up cloud-native applications yourself. See [Adding applications to your Kubernetes cluster](#) using the NetApp Kubernetes Service.
- Create cloud volumes on the Kubernetes cluster by using the NetApp Fabric Orchestrator. See [Managing Cloud Volumes on NetApp HCI overview](#) information.

### Find more information

- [NetApp HCI Documentation Center](#)
- [NetApp Cloud Central](#)
- [NetApp Cloud Documentation](#)
- [NetApp Kubernetes Service Documentation](#)

## Types of cloud services on NetApp HCI

The following NetApp cloud services are supported on NetApp HCI.

- **NetApp Kubernetes Service:** You must use NetApp Kubernetes Service (NKS), a SaaS platform that enables you to deploy a Kubernetes cluster in the cloud with the major cloud providers and also with NetApp private cloud. This is required to enable cloud services on NetApp HCI. This service is installed as VMs on a NetApp HCI compute node or nodes. *Available in Preview mode.*

See [Managing Kubernetes clusters on NetApp HCI overview](#) information.

- **NetApp Cloud Volumes:** To manage Cloud Volumes on NetApp HCI, select this service. This service offers an on-demand shared file systems feature on your premises. The Cloud Volumes option will enable Data Fabric replication to and from public clouds. Cloud Volumes on NetApp HCI can be deployed only on a vCenter with a single datacenter. *Available in Preview mode.*

See [Managing data in Cloud Volumes on NetApp HCI](#) information.

- **NetApp Cloud Insights:** This service will enable you to monitor cloud services on NetApp HCI. *Coming soon.*

**NetApp Fabric Orchestrator** provides a centralized storage and data management control plane for fabric-wide, multi-cloud visibility, monitoring, policies, administration and workflow orchestration for NetApp storage systems on-premises and in the cloud.

Using NetApp Fabric Orchestrator, you can discover, manage, and govern your storage assets and data estate, anywhere. Use Fabric Orchestrator to create and manage Cloud Volumes on NetApp HCI.

Using Fabric Orchestrator, you can enable these services:

- **Cloud Volumes on NetApp HCI:** NetApp HCI provides the platform for the NetApp Kubernetes Service and Cloud Volumes. This documentation provides information only on this service.
- **Cloud Volumes Service for On Premises:** This option is a fully managed private cloud storage service that is available for customers within their own on-premises data centers. NetApp configures and manages your infrastructure so you don't have to. This alternate storage consumption model offers high-performance storage for customers and partners wanting a cloud-like OPEX billing model managed by our NetApp cloud operations experts.

See [Managing data in Cloud Volumes on NetApp HCI](#) information.

## Notice of functional preview

NetApp Kubernetes Service and Cloud Volumes on NetApp HCI are presently available as a functional preview. While in preview, the services are only for non-production environments and noncommercial use. By participating in the preview, participants agree to be bound by the cloud services [terms of service](#).

## Top Links


- [Deploying cloud services on NetApp HCI overview](#)
- [Functional Preview Terms of Service](#)

## Find more information

- [NetApp Cloud Central](#)
- [NetApp Cloud Documentation](#)
- [NetApp HCI Documentation Center](#)
- [NetApp Kubernetes Service Documentation](#)

# Architecture overview for cloud services on NetApp HCI

NetApp HCI along with NetApp Kubernetes Service enables you to deploy your applications as you would with a public cloud provider—all in a self-service mode. This enables you to treat your datacenter as a deployable region of your multi-cloud.



## Components

The following components are used for cloud services on NetApp HCI:

- **NetApp Deployment Engine:** Deploys NetApp HCI.
- **NetApp HCI management node:** Establishes a connection to NetApp Cloud Central and authenticates and registers the NetApp HCI installation to a Cloud Central account. You can use the management node also to update management service bundles.
- **NetApp Hybrid Cloud Control:** Deploys and configures NetApp HCI Element and enables cloud services on NetApp HCI.
- **NetApp Kubernetes Service agent:** Maintains a communication tunnel between NKS and NetApp HCI, creates user clusters, and maintains deployed cloud services.

## Top Links

- [Deploying cloud services on NetApp HCI overview](#)

- [NetApp HCI Documentation Center](#)

## Find more information

- [NetApp Cloud Central](#)
- [NetApp Cloud Documentation](#)

# What happens when you enable NetApp Kubernetes Service?

NetApp HCI creates a bootstrap agent that establishes an encrypted communication tunnel to the NetApp Kubernetes Service control plane and creates a *service cluster*.

The service cluster, connected to NetApp Kubernetes Service, acts as a service orchestrator to deploy services and update itself. The NetApp Kubernetes Service agent maintains the tunnel, maintains deployed service clusters, and enables you to create *user clusters* on which you can place applications or solutions.

After a service cluster is deployed on your system, requested software along with updates can be updated on your NetApp HCI systems.

## Find more information

- [NetApp Cloud Central](#)
- [NetApp Cloud Documentation](#)

# Cluster types in cloud services on NetApp HCI

You'll encounter different types of clusters when using cloud services on NetApp HCI.

- **Service cluster:** Connected to NetApp Kubernetes Service (NKS), a service cluster acts as an orchestrator to deploy services and update itself. The service cluster is a set of compute nodes and storage resources that form a Kubernetes environment. Each cluster has at least one master node, which is responsible for overall management of the cluster, and three worker nodes, on which containers are scheduled to execute. Service clusters are for internal NKS use and are not available for running your applications. Service clusters are not listed in the NKS UI. Service clusters should not be modified or deleted.
- **User cluster:** These are workload clusters on which you add any number of applications. These clusters are maintained in NetApp Kubernetes Service.

## Find more information

- [NetApp Kubernetes Service documentation](#)
- [NetApp Cloud Central](#)
- [NetApp Cloud Documentation](#)

## Kubernetes terminology

Cloud services on NetApp HCI involves pods, volumes, and projects that you create and manage by using the NetApp Kubernetes Service (NKS). Persistent volumes are managed by Trident software.

- **NKS workspace:** The NKS *workspace* enables you to group together projects, teams, and members. This lets you tailor access to the exact needs of a group of users. For example, you may want to allow a certain team access to build and manage clusters at one particular provider. This can be accomplished by creating a workspace for that team (or teams). Then assign specific Provider Credentials to that workspace.
- **NKS clusters:** NKS enables you to create and manage *clusters* at the provider of your choice. You can customize defaults, such as the region, size, and number of nodes. And, you can add packaged Helm charts.
- **NKS pod:** A *pod* is the NKS atomic unit. It is the smallest unit that can be deployed. A pod consists of one or more containers that share the same namespace, IP addresses, and volume. It can exist only on a single node.
- **NKS project:** An NKS *project* is a construct for grouping applications, for example, Wordpress or MySQL. A project is a namespace with RBAC on the Kubernetes cluster. Projects are the heart of application lifecycle management. Clusters can have many projects, and each project can have many solutions, including applications and packages. Clusters can represent different environments, like a test, staging, and production environment. In this case, each cluster environment will be running a similar version of the same project.
- **Solutions on NKS:** With NKS, you can move workloads with predesigned solutions or applications to the cloud platform that suits your needs, with any of the major hyperscalers or an on-premises environment. This list of open-source technologies includes:
  - fabric8
  - GitLab
  - Helm
  - Istio
  - Linkerd
  - Prometheus
  - Trident is another solution that's preinstalled with the NetApp Kubernetes Service. With

Trident, NetApp solutions such as Cloud Volumes Service can meet persistent volume claims that are made by Kubernetes clusters.

- **NKS volume:** An NKS *volume* is storage provisioned directly to a pod. NKS supports a wide variety of volume types, including Amazon EBS, Azure Disk Storage, volumes managed by NetApp Element, NFS, and many more. Volumes enable the containers within a pod to share information and are destroyed when their parent pod is deleted.

## Trident software and persistent storage

- **Persistent storage:** With NKS, you can use a *persistent volume*, one that exists independently of any specific pod and with its own lifetime. Persistent volumes can be used to support stateful applications, such as database services, enabling all components of an enterprise solution to be deployed and managed by NKS. Using Trident to manage persistent volume claims (PVCs) insulates the developers creating pods from the lower-level implementation details of the storage that they are accessing.
- **Trident software with NKS:** The NetApp Kubernetes Service on NetApp HCI employs Trident software to provision storage automatically to containerized applications. Trident is automatically deployed and configured when new NKS clusters are created. When a containerized application issues a PVC request, Trident dynamically provisions storage per the parameters requested against the NetApp Element software storage layer in NetApp HCI.

Trident, itself a Kubernetes-native application, runs directly within a Kubernetes cluster. With Trident, Kubernetes users (such as developers, data scientists, and Kubernetes administrators) can create, manage, and interact with persistent storage volumes in the standard Kubernetes format that they are already familiar with.

With Trident, NetApp solutions such as Cloud Volumes Service can meet persistent volume claims that are made by Kubernetes clusters

For details, visit the [Trident website](#).

## Find more information

- [NetApp Kubernetes Service documentation](#)
- [NetApp Cloud Central](#)
- [NetApp Cloud Documentation](#)



## Copyright Information

Copyright © 2019–2020 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system-without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

## Trademark Information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.