



Create cloud volumes using Cloud Volumes Service

HCI

Ann-Marie Grissino
January 24, 2020

This PDF was generated from https://docs.netapp.com/us-en/hci/docs/task_cvs_create_cloud_volumes.html on April 25, 2020. Always check docs.netapp.com for the latest.

Table of Contents

Create cloud volumes using Cloud Volumes Service 1

Create cloud volumes using Cloud Volumes Service

After you create your Kubernetes cluster, you typically want to add cloud volumes to the cluster.

These cloud volumes will reside on NetApp HCI.


About this task

You can access NetApp Cloud Volumes Service in several ways:


- * Directly from NetApp Kubernetes Service
- * From NetApp Cloud Central
- * From any NetApp Cloud service

Steps

1. Open a web browser and log in to [NetApp Cloud Central](#).
2. Access the NetApp Kubernetes Service.
3. From the NetApp Kubernetes Service, click the **NetApp** icon in the upper left to show the NetApp Cloud Central services list.



4. Click **Cloud Volumes Service**.
 - + The Cloud Volumes Service Volumes page appears:



5. Click **Create New Volume**.
6. On the Volumes page, review the hover text for each field and enter or select the following:
 - a. Enter the volume name, service level, and time zone for the volume.
 - b. For the provider, choose **NetApp Private Cloud**.
 - c. Choose the region.
7. Click **Create Cloud Volume**.

Results

The volume appears in the Volumes page showing the NetApp icon in the Provider column.

For details, see NetApp Cloud Volumes Services information about creating cloud volumes.

Top Links

- [Deploying cloud services on NetApp HCI overview](#)
- [Real-time analytics with NetApp Cloud Insights](#)

Find more information

- [NetApp Cloud Central](#)
- [NetApp Cloud Documentation](#)
- [Hybrid Cloud Solutions documentation](#)
- [Cloud Insights documentation](#)

Copyright Information

Copyright © 2019–2020 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system-without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.