Getting started with a free trial

SaaS Backup For Office 365

NetApp November 19, 2020

This PDF was generated from https://docs.netapp.com/us-en/saasbackupO365/concept_free_trial_workflow.html on November 19, 2020. Always check docs.netapp.com for the latest.



Table of Contents


Getting started with a free trial	1
Workflow for getting started with a free trial of SaaS Backup for Office 365	1
Free trial restrictions	3
Registering for a free trial activation code	3
Signing up for a Microsoft Office 365 free trial account	3
Creating a new MS Office 365 service account with global administrator permissions	4
Configuring Impersonation for Microsoft Exchange Online	5
Signing up for a free trial of SaaS Backup for Office 365	7
Scheduling your first backup	9
Performing an immediate backup of a specific backup policy	9
Upgrading from a trial subscription	10
Free trial data deletion	12

Getting started with a free trial

Workflow for getting started with a free trial of SaaS Backup for Office 365

To get started with a free trial of SaaS Backup for Office 365, you must do the following:

- 1. Be aware of the free trial restrictions.
- 2. Have a free trial activation code.
- 3. If needed, sign up for a Microsoft Office 365 test account.
- 4. Create a MS Office service account with global permissions.
- 5. Decide if you will use Amazon S3 or Azure Blob storage provided by SaaS Backup.
- 6. If needed, configure Impersonation for Microsoft Exchange Online.
- 7. Sign up for SaaS Backup for Office 365 using your Microsoft Office 365 account or your NetApp SSO account.
- 8. Schedule your first backup
- 9. Optional: Immediately back up your data



Free trial restrictions

The following restrictions apply to free trial accounts:

- A maximum of 25 users for Microsoft Exchange Online and 25 site collections for Microsoft SharePoint Online.
- A maximum of 3 immediate backups per day.
- Automated backups for only the first 30 days.
- No scheduled backups are allowed during the 15 day grace period after the free trial ends.
- A maximum of 10 restores are allowed in a 24-hour period for all services.
- TeamsChat backup is disabled by default and can be enabled upon request by sending an email to SaaS Backup Support at saaSbackupsupport@netapp.com. To enable TeamsChat, all active Teams users must be licensed in SaaS Backup.

Registering for a free trial activation code

You must have an activation code in order to sign up for a free trial of SaaS Backup for Office 365. An activation code may have been provided to you by your channel partner or sales representative. If not, you must register to receive one.

Steps

- 1. Click here to go to the SaaS Backup for Office 365 free-trial URL.
- 2. Enter the requested registration information and click **Submit**. You will receive an email containing your free-trial activation code.

Signing up for a Microsoft Office 365 free trial account

With a free 30-day trial of Microsoft Office 365 for Business, you can discover the latest features of Microsoft Office 365 and SaaS Backup for Office 365.

Steps

- 1. Go to the Microsoft 365 for business site to start your trial subscription.
- 2. Click Try 1 month free.
- 3. Follow the on-screen instructions to create your Microsoft 365 free trial account.

Creating a new MS Office 365 service account with global administrator permissions


Creating a new Microsoft Office 365 service account with global administrator permissions is recommended when signing up for SaaS Backup for Office 365. However, creating a new account is not required. If you prefer, you can use your existing Microsoft Office 365 service account.

Steps


- 1. Log in to your Office 365 Management portal using an account with administrative privileges.
- 2. Click Users.



3. Select Active users, and then click Add a user.



- 4. Enter the details of the new service account.
 - First name
 - Last name
 - · Display name
 - User name
 The user name is the name of the service account.
- 5. Expand Roles, select Global administrator as the role, and then click Add.



The service account details are sent to the administrator.

- 6. Log in to your Office 365 Management Portal with the new account to activate it.
- 7. Ensure that the service account includes licenses for Exchange Online and SharePoint Online, at a minimum.

This is especially important if you restrict the individual licenses for the Global administrator role.



You can enable multi-factor authorization (MFA) on this account.

ZZZ Config account

As part of your SaaS Backup subscription, a new account is created with ZZZ CC Config [GUID].

This auto-created account is used for discovering Shared/Archive mailboxes and private groups. It should have Exchange and SharePoint permissions (customized administrator in O365). It is recommended that you exclude this account from MFA policies.

Configuring Impersonation for Microsoft Exchange Online

If you plan to use SaaS Backup with Microsoft Exchange Online, you must configure impersonation. Impersonation allows your Microsoft Office 365 service account to impersonate user accounts and access associated permissions.

Automatically configuring impersonation


To automatically configure impersonation, run MSDN PowerShell Commands.

Manually configuring impersonation

To manually configure impersonation do the following:

Steps

- 1. Use Exchange Admin Center or an administrator account to log in to your Microsoft Office 365 service account.
- 2. Select the **Exchange** tab.
- 3. On the left, under Dashboard, select **Permissions**.
- 4. Click Admin roles.
- 5. Double-click in the right pane to select **Discovery management**.
- 6. Under **Roles**, click the + symbol.



- 7. Select **ApplicationImpersonation** from the drop-down menu.
- 8. Click Add.
- 9. Click OK.
- 10. Verify that **ApplicationImpersonation** was added under **Roles**.
- 11. Under Members, click the + symbol.



A new window appears

12. Choose the user name.

- 13. Click Add.
- 14. Click **OK**.
- 15. Verify that the user name appears in the **Members** section.
- 16. Click Save.

Signing up for a free trial of SaaS Backup for Office 365

You can sign up for SaaS Backup for Office 365 with your Microsoft Office 365 service account or with your NetApp SSO account.

Signing up for a free trial with a Microsoft Office 365 service account

Steps

- 1. Enter the SaaS Backup for Office 365 URL into your web browser: https://saasbackup.netapp.com
- 2. Select your region.

Your tenancy is created in the selected region. Your data will be stored in that datacenter location and cannot be changed later.

- 3. Click **Sign up** at the bottom of the landing page.
- 4. Accept the End-User License Agreement.
- 5. Click Sign Up with Office 365.
 - Sign Up with Office 365
- 6. Enter the email address and password for your Microsoft Office 365 test or trial account, and then click **Sign in**.

A list of the permissions requested by SaaS Backup for Office 365 is displayed.

- 7. Click Accept.
- 8. Enter the requested user information.
- 9. Click Sign up.

Your user name and a list of permissions given to SaaS Backup for Office 365 is displayed.

10. Click Next.

A list of the available Microsoft Office 365 services is displayed.

- 11. Select the Microsoft Office 365 services that you want to activate.
- 12. Click Next.
- 13. Select **Free Trial** for the subscription type.
- 14. Enter your free trial activation code provided by your channel partner or sales representative, or obtained through the registration email.
- 15. Click Next.

- 16. Select your backup storage option.
 - a. Click SaaS Backup Provided Storage.
 - b. Select the Amazon S3 or Azure Blob storage option.
 - c. Click Next.
 - d. Review your configuration, and then click Save.

Signing up for a free trial with a NetApp SSO account

Steps

- 1. Enter the SaaS Backup for Office 365 URL into your web browser: https://saasbackup.netapp.com
- 2. Click Sign up at the bottom of the landing page.
- 3. Accept the End-User License Agreement.
- 4. Click Sign Up with NetApp SSO.

Sign Up with NetApp SSO

- 5. Enter your NetApp SSO and password, and then click LOGIN.
- 6. Enter the requested user information, and then click **Sign Up**.

 The free trial activation code you received from your channel partner, sales representative or in the registration email is required.
- 7. Click the 🚺 icon.
- 8. Click the to select the SaaS service.
- 9. Click Add Microsoft Office 365 Account.
- 10. Enter the email address and password for your Microsoft Office 365 test or trial account, and then click **Sign in**.

A list of the permissions requested by SaaS Backup for Office 365 is displayed.

- 11. Click **Accept**.
- 12. Click Next.

A list of the available Microsoft Office 365 services is displayed.

- 13. Select the Microsoft Office 365 services that you want to activate.
- 14. Click Next.
- 15. Select **Free Trial** for the subscription type.

Enter the activation code provided by your channel partner or sales representative, or obtained from a marketing representative through email.

- 16. Click Next.
- 17. Select your backup storage option.

- a. Click SaaS Backup Provided Storage.
- b. Select the **Amazon S3** or **Azure Blob** storage option.
- c. Click Next.
- d. Review your configuration, and then click Save.

Scheduling your first backup

When you set up SaaS Backup for Office 365, by default, your data is unprotected. You must move your data from the unprotected tier to one of the protected tiers to so that your data will be backed up during the next scheduled back up of the selected tier.

Steps

- 1. From the Dashboard, select the service containing the unprotected data.
- 2. Click view next to the number of unprotected mailboxes, MySites, sites or groups.
- 3. Select the items that you want to protect.
- 4. Click the **Groups** menu.



- 5. Select the **tier** for the backup policy that you want to assign. See Backup Policies for a description of the backup policy tiers.
- 6. Click **Apply**.

Performing an immediate backup of a specific backup policy


When you set up SaaS Backup for Office 365, by default, all of your data is unprotected. After you move your data to a protected tier, you can perform an immediate backup of the tier to which you moved your data. This prevents your data from being at risk until the first scheduled backup occurs. If you can wait for the first scheduled backup, performing an immediate backup is not necessary.

You can perform an immediate backup any time you deem necessary for data protection. If you are running a trial version of SaaS Backup for Office 365, you can only perform three immediate backups per day, per service.

Steps

1. From the Dashboard, select the service for which you want to perform an immediate backup.

- 2. Under **Backup Policies**, click the tier that you want to back up.
- 3. Click Backup Now.



A message is displayed indicating that the services under the selected tier will be placed in the job queue for immediate backup.

4. Click Confirm.

A message is displayed indicating that the backup job was created.

5. Click **View the job progress** to monitor the progress of the backup.

Upgrading from a trial subscription

Upgrading from a trial subscription

When you upgrade from a trial subscription to a licensed subscription, your trial data is only preserved if you keep the same backup storage destination type and the same backup storage region.

If you change your backup storage destination type, your trial data is lost. Any change to your backup destination region also results in data loss.

•	And the backup destination of your licensed subscription is	Your trial data is
Amazon S3 provided by SaaS Backup	Amazon S3 provided by SaaS Backup	Preserved
Azure Blob provided by SaaS Backup	Azure Blob provided by SaaS Backup	Preserved

Steps

- 1. Click SERVICES from the left navigation pane.
- 2. Click the Microsoft Office 365 link.



- 3. Under **Subscription details**, click **O Upgrade**
- Select your upgrade option, and then click Next.
 If you are purchasing through AWS Marketplace, select AWS Marketplace. Otherwise, select NetApp License.

5. If you selected **NetApp License**:

a. Enter the license information, and then click **Validate Subscription**. A confirmation of your license information is displayed.

b. Click Next.

Your subscription storage information and including your storage destination and region is displayed.

- c. If you want to change your destination storage type or destination storage region, do the following:
 - i. Select your new destination storage type and/or region.



If you change the destination of your storage or your destination region, NetApp SaaS Backup for Office 365 does not migrate the trial data. You must agree to proceed.

- ii. If you are changing the destination storage type, enter the required information and click **Test Connection**.
- iii. Click Next.
- iv. Review your configuration, and then click Save.
- d. If you want to keep the same destination storage type and destination storage region, review your configuration and click **Save**.
- 6. If you selected **AWS**, **AppDirect**, or **StreamOne**:
 - a. Click the link to go to the selected Marketplace.
 - b. Follow the Marketplace instructions.



Licensed subscriptions through AWS marketplace can only use the Amazon S3 storage provided by SaaS Backup.

- c. Sign in to SaaS Backup for Office 365 with your Microsoft Office 365 account.
- d. Click the Microsoft Office 365 settings icon 😂 .



If you select to have fewer users in your licensed subscription than in your trial subscription, all user accounts are moved to the unprotected tier when the licensed subscription is activated. After activation, you must manually move the desired accounts into a protected tier.

- f. Click Save.
- g. If you haven't already done so, activate support.

Activating support

If you purchased SaaS Backup through NetApp, support is activated by default. If you purchased SaaS Backup through a Cloud Marketplace such as AWS, you must activate support. Activating support enables you to access technical support over the phone, online chat, or web ticketing system.

If you are upgrading from a trial version of SaaS Backup, you can activate support either before or after you complete the upgrade process.

Before you Begin

In order to activate support, you must have a NetApp SSO user ID and password. If you do not have a NetApp SSO account, go to http://register.netapp.com to register for one. After your request has been processed, you will receive an email notification containing your NetApp SSO credentials. It will take approximately 24 hours to process the request and send the notification email.

Steps

- 1. Click SERVICES from the left navigation pane.
- 2. Click the settings icon .
- 3. In the Activate Support box, click Activate.
- 4. Enter your NetApp SSO username and password.
- 5. Click Activate.

The support status is now **Active**.

Free trial data deletion

If you do not upgrade to a licensed version of SaaS Backup for Office 365, the data used during your free trial period is deleted as follows:

If your SaaS Backup free trial is	Number of days after end of trial	Your data is
Expired	1-15 days	Available: The administrator has normal access and can perform manual backups and restores. SaaS Backup continues to display alerts and send out notifications.
Disabled	16-30 days	Deactivated: The administrator does not have access to the SaaS Backup portal. If subscription is updated during this period, data can be reactivated.
Deprovisioned	31 or more days	Deleted: All data is deleted and your tenant account is removed.

Copyright Information

Copyright © 2020 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval systemwithout prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.