1

Assignment 2

Adhvik Mani Sai Murarisetty - AI20BTECH11015

Download all python codes from

https://github.com/adhvik24/AI1103-PROBABILITY-AND-RANDOM-VARIABLES/tree/main/ASSIGNMENT%202/ codes/assign2.py

and latex-tikz codes from

https://github.com/adhvik24/AI1103-PROBABILITY-AND-RANDOM-VARIABLES/tree/main/ASSIGNMENT%202/ AI1103_Assignment2.tex

1 Gate Problem No. 15

A random variable X has probability density function f(x) as given below:

$$f(x) = \begin{cases} a + bx & 0 < x < 1\\ 0 & otherwise \end{cases}$$
 (1.0.1)

If the expected value $E(X) = \frac{2}{3}$, then Pr(X < 0.5) is.......

2 Solution

We know that the total probability is one,

$$\int_{-\infty}^{\infty} f(x) dx = 1 \qquad (2.0.1)$$

Using (1.0.1) in (2.0.1),

$$\int_0^1 (a+bx) \, dx = 1 \tag{2.0.2}$$

$$\left[ax + \frac{bx^2}{2}\right]_0^1 = 1 \tag{2.0.3}$$

$$\left(a + \frac{b}{2}\right) - 0 = 1\tag{2.0.4}$$

$$\implies a + \frac{b}{2} = 1 \tag{2.0.5}$$

We know that expectation value of X,

$$E(X) = \int_{-\infty}^{\infty} x f(x) dx \qquad (2.0.6)$$

Using $E(X) = \frac{2}{3}$ and (1.0.1) in (2.0.6), we get

$$\frac{2}{3} = \int_0^1 x(a+bx) \, dx \tag{2.0.7}$$

$$= \int_0^1 ax + bx^2 dx \tag{2.0.8}$$

$$= \left[\frac{ax^2}{2} + \frac{bx^3}{3} \right]_0^1 \tag{2.0.9}$$

$$= \frac{a}{2} + \frac{b}{3} - 0 \tag{2.0.10}$$


$$\implies \frac{a}{2} + \frac{b}{3} = \frac{2}{3} \tag{2.0.11}$$

By solving (2.0.5) and (2.0.11), we get

$$a = 0 \ and \ b = 2.$$

Using values of a and b in (1.0.1), we get

$$f(x) = \begin{cases} 2x & 0 < x < 1\\ 0 & otherwise \end{cases}$$
 (2.0.12)



(2.0.4) Now we have to find Pr(X < 0.5),

$$\Pr(X < 0.5) = \int_{-\infty}^{0.5} f(x) dx \qquad (2.0.13)$$

Using (2.0.12) in (2.0.13)

$$\Pr(X < 0.5) = \int_0^{0.5} 2x \, dx \qquad (2.0.14)$$
$$= \left[x^2 \right]_0^{0.5} \qquad (2.0.15)$$
$$= (0.5)^2 - 0 \qquad (2.0.16)$$

$$\implies \Pr(X < 0.5) = 0.25$$
 (2.0.17)