Incremental Model

Incremental Model is a process of software development where requirements divided into multiple standalone modules of the software development cycle. In this model, each module goes through the requirements, design, implementation and testing phases. Every subsequent release of the module adds function to the previous release. The process continues until the complete system achieved.




Fig: Incremental Model

The various phases of incremental model are as follows:

- **1. Requirement analysis:** In the first phase of the incremental model, the product analysis expertise identifies the requirements. And the system functional requirements are understood by the requirement analysis team. To develop the software under the incremental model, this phase performs a crucial role.
- **2. Design & Development:** In this phase of the Incremental model of SDLC, the design of the system functionality and the development method are finished with success. When software develops new practicality, the incremental model uses style and development phase.
- **3. Testing:** In the incremental model, the testing phase checks the performance of each existing function as well as additional functionality. In the testing phase, the various methods are used to test the behavior of each task.
- **4. Implementation:** Implementation phase enables the coding phase of the development system. It involves the final coding that design in the designing and development phase and tests the functionality in the testing phase. After completion of this phase, the number of the product working is enhanced and upgraded up to the final system product

When we use the Incremental Model?

- o When the requirements are superior.
- o A project has a lengthy development schedule.
- o When Software team are not very well skilled or trained.
- o When the customer demands a quick release of the product.
- You can develop prioritized requirements first.

Advantage of Incremental Model

- Errors are easy to be recognized.
- Easier to test and debug
- o More flexible.
- o Simple to manage risk because it handled during its iteration.
- o The Client gets important functionality early.

Disadvantage of Incremental Model

- Need for good planning
- o Total Cost is high.
- Well defined module interfaces are needed.

Agile Model

The meaning of Agile is swift or versatile." **Agile process model**" refers to a software development approach based on iterative development. Agile methods break tasks into smaller iterations, or parts do not directly involve long term planning. The project scope and requirements are laid down at the beginning of the development process. Plans regarding the number of iterations, the duration and the scope of each iteration are clearly defined in advance.

Each iteration is considered as a short time "frame" in the Agile process model, which typically lasts from one to four weeks. The division of the entire project into smaller parts helps to minimize the project risk and to reduce the overall project delivery time requirements. Each iteration involves a team working through a full software development life cycle including planning, requirements analysis, design, coding, and testing before a working product is demonstrated to the .




Fig. Agile Model

Phases of Agile Model:

Following are the phases in the Agile model are as follows:

- 1. Requirements gathering
- 2. Design the requirements
- 3. Construction/iteration
- 4. Testing/ Quality assurance
- 5. Deployment
- 6. Feedback
- **Requirements gathering:** In this phase, you must define the requirements. You should explain business opportunities and plan the time and effort needed to build the project. Based on this information, you can evaluate technical and economic feasibility.
- **Design the requirements:** When you have identified the project, work with stakeholders to define requirements. You can use the user flow diagram or the high-level UML diagram to show the work of new features and show how it will apply to your existing system.
- **3. Construction/ iteration:** When the team defines the requirements, the work begins. Designers and developers start working on their project, which aims to deploy a

working product. The product will undergo various stages of improvement, so it includes simple, minimal functionality.

- **4. Testing:** In this phase, the Quality Assurance team examines the product's performance and looks for the bug.
- 5. Deployment: In this phase, the team issues a product for the user's work environment.
- **6. Feedback:** After releasing the product, the last step is feedback. In this, the team receives feedback about the product and works through the feedback.

Agile Testing Methods:

- Scrum
- Crystal
- Dynamic Software Development Method(DSDM)
- Feature Driven Development(FDD)
- Lean Software Development
- eXtreme Programming(XP)

Scrum

SCRUM is an agile development process focused primarily on ways to manage tasks in teambased development conditions.o

- o There are three roles in it, and their responsibilities are: **Scrum Master:** The scrum can set up the master team, arrange the meeting and remove obstacles for the process
- o **Product owner:** The product owner makes the product backlog, prioritizes the delay and is responsible for the distribution of functionality on each repetition.
- Scrum Team: The team manages its work and organizes the work to complete the sprint or cycle.

eXtreme Programming(XP)

This type of methodology is used when customers are constantly changing demands or requirements, or when they are not sure about the system's performance.

Crystal:

There are three concepts of this method-

- 1. Chartering: Multi activities are involved in this phase such as making a development team, performing feasibility analysis, developing plans, etc.
- 2. Cyclic delivery: under this, two more cycles consist, these are:
 - A. Team updates the release plan.

- B. Integrated product delivers to the users.
- 3. Wrap up: According to the user environment, this phase performs deployment, post-deployment.

Dynamic Software Development Method(DSDM):

DSDM is a rapid application development strategy for software development and gives an agile project distribution structure. The essential features of DSDM are that users must be actively connected, and teams have been given the right to make decisions. The techniques used in DSDM are:

- 1. Time Boxing
- 2. MoSCoW Rules
- 3. Prototyping

The DSDM project contains seven stages:

- 1. Pre-project
- 2. Feasibility Study
- 3. Business Study
- 4. Functional Model Iteration
- 5. Design and build Iteration
- 6. Implementation
- 7. Post-project

Feature Driven Development(FDD):

This method focuses on "Designing and Building" features. In contrast to other smart methods, FDD describes the small steps of the work that should be obtained separately per function.

Lean Software Development:

Lean software development methodology follows the principle "just in time production." The lean method indicates the increasing speed of software development and reducing costs. Lean development can be summarized in seven phases.

- 1. Eliminating Waste
- 2. Amplifying learning
- 3. Defer commitment (deciding as late as possible)
- 4. Early delivery
- 5. Empowering the team
- 6. Building Integrity

7. Optimize the whole

When to use the Agile Model?

- o When frequent changes are required.
- o When a highly qualified and experienced team is available.
- o When a customer is ready to have a meeting with a software team all the time.
- o When project size is small.

Advantage(Pros) of Agile Method:

- 1. Frequent Delivery
- 2. Face-to-Face Communication with clients.
- 3. Efficient design and fulfils the business requirement.
- 4. Anytime changes are acceptable.
- 5. It reduces total development time.

Disadvantages(Cons) of Agile Model:

- 1. Due to the shortage of formal documents, it creates confusion and crucial decisions taken throughout various phases can be misinterpreted at any time by different team members.
- 2. Due to the lack of proper documentation, once the project completes and the developers allotted to another project, maintenance of the finished project can become a difficulty.