



localhost/lab1(a)/

Index of /lab1(a)

Name	Last modified	Size	Description
 Parent Directory	-		
 lab1(a).php	2024-08-04 12:21	31	

Apache/2.4.58 (Win64) OpenSSL/3.1.3 PHP/8.0.30 Server at localhost Port 80

localhost/lab1(a)/lab1(a).php

Hello World

aws

Services

Search

[Alt+S]

N. Virginia

voclabs/user3385469=KULKARNI_ANISH_AMIT @ 6635-3922-7562

Storage

Amazon S3

Store and retrieve any amount of data from anywhere

Amazon S3 is an object storage service that offers industry-leading scalability, data availability, security, and performance.

Create a bucket

Every object in S3 is stored in a bucket. To upload files and folders to S3, you'll need to create a bucket where the objects will be stored.

Create bucket

Pricing



[Amazon S3](#) > [Buckets](#) > Create bucket

Create bucket [Info](#)

Buckets are containers for data stored in S3.

General configuration

AWS Region

US East (N. Virginia) us-east-1

Bucket type [Info](#)

☒ **General purpose**

Recommended for most use cases and access patterns. General purpose buckets are the original S3 bucket type. They allow a mix of storage classes that redundantly store objects across multiple Availability Zones.

☐ **Directory - New**

Recommended for low-latency use cases. These buckets use only the S3 Express One Zone storage class, which provides faster processing of data within a single Availability Zone.

Bucket name [Info](#)

www.lab1.com

Bucket name must be unique within the global namespace and follow the bucket naming rules. [See rules for bucket naming](#)

Copy settings from existing bucket - *optional*

Only the bucket settings in the following configuration are copied.

[Choose bucket](#)

Format: s3://bucket/prefix

Object Ownership [Info](#)

Edit static website hosting [Info](#)

Static website hosting

Use this bucket to host a website or redirect requests. [Learn more](#)

Static website hosting

☐ Disable

☒ **Enable**

Hosting type

☒ **Host a static website**

Use the bucket endpoint as the web address. [Learn more](#)

☐ Redirect requests for an object

Redirect requests to another bucket or domain. [Learn more](#)

i For your customers to access content at the website endpoint, you must make all your content publicly readable. To do so, you can edit the S3 Block Public Access settings for the bucket. For more information, see [Using Amazon S3 Block Public Access](#)

Index document

Specify the home or default page of the website.

lab1.html

Error document - *optional*

This is returned when an error occurs.

error.html

Static website hosting

Use this bucket to host a website or redirect requests. [Learn more](#)

Static website hosting

Enabled

Hosting type

Bucket hosting

Bucket website endpoint

When you configure your bucket as a static website, the website is available at the AWS Region-specific website endpoint of the bucket. [Learn more](#)

<http://www.lab1a.com.s3-website-us-east-1.amazonaws.com>

Upload [Info](#)

Add the files and folders you want to upload to S3. To upload a file larger than 160GB, use the AWS CLI, AWS SDK or Amazon S3 REST API. [Learn more](#)

Drag and drop files and folders you want to upload here, or choose **Add files** or **Add folder**.

Files and folders (2 Total, 2.7 KB)

Remove

Add files

Add folder

All files and folders in this table will be uploaded.

< 1 >

<input type="checkbox"/>	Name	Folder	Type
<input type="checkbox"/>	error.html	-	text/html
<input type="checkbox"/>	lab1.html	-	text/html



Upload succeeded
View details below.

Upload: status

Close

The information below will no longer be available after you navigate away from this page.

Summary

Destination
s3://www.lab1a.com

Succeeded
2 files, 2.7 KB (100.00%)

Failed
0 files, 0 B (0%)

Files and folders Configuration

Files and folders (2 Total, 2.7 KB)

< 1 >

Name	Folder	Type	Size	Status	Error
error.html	-	text/html	150.0 B	Succeeded	-
lab1.html	-	text/html	2.6 KB	Succeeded	-

Block all public access



► Individual Block Public Access settings for this bucket

Bucket policy

Edit

Delete

The bucket policy, written in JSON, provides access to the objects stored in the bucket. Bucket policies don't apply to objects owned by other accounts. [Learn more](#)

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Sid": "PublicReadGetObject",
      "Effect": "Allow",
      "Principal": {
        "AWS": "*"
      },
      "Action": "s3:GetObject",
      "Resource": "arn:aws:s3:::www.lab1a.com/*"
    }
  ]
}
```

Copy



Not secure

www.lab1a.com.s3-website-us-east-1.amazonaws.com

Hello World!

This is a lab1(a) website



Not secure

www.lab1a.com.s3-website-us-east-1.amazonaws.com/lab2.html

Error Message