

PREPARED FOR SUBMISSION TO JHEP

Notes on Gravity as a Quantum Theory

Aditya Vijaykumar

International Centre for Theoretical Sciences, Bengaluru, India.

E-mail: aditya.vijaykumar@icts.res.in

Contents

1	All is Classical, All is Quantum	1
1.1	The Classical Field	1
1.2	Quantizing Fields	2
1.3	Vacuum Fluctuations	2
1.4	Gravity Can Create Particles?	3

1 All is Classical, All is Quantum

1.1 The Classical Field

$\phi(\vec{\mathbf{x}}, t)$ gives the value of a classical field at every point in spacetime. The simplest classical field is the *real scalar field*, which is characterized only by real numbers. The Klein-Gordon equation governs a free massive scalar field.

$$\frac{\partial^2 \phi}{\partial t^2} - \sum_{x_j} \frac{\partial^2 \phi}{\partial x_j^2} + m^2 \phi = 0$$

An interesting part about the free scalar field is that one can describe it as an infinite set of decoupled harmonic oscillators. Put this field into a box of length L and volume $V = L^3$, and having periodic boundary conditions. One can Fourier decompose this as,

$$\phi(\vec{\mathbf{x}}, t) = \frac{1}{\sqrt{V}} \sum_{\vec{\mathbf{k}}} \phi_{\vec{\mathbf{k}}}(t) \exp(i\vec{\mathbf{k}} \cdot \vec{\mathbf{x}}) \text{ where } k_x = \frac{2\pi n_x}{L}, \dots$$

Substituting this into the first equation, we find that the harmonic oscillators get nicely decoupled into an infinite set of ODEs of the form,

$$\ddot{\phi}_{\vec{\mathbf{k}}} + (k^2 + m^2)\phi_{\vec{\mathbf{k}}} = 0$$

which is basically the harmonic oscillator equation with frequency $\omega_k = \sqrt{k^2 + m^2}$. The energy of oscillators is simply equal to the sum of individual energies of the oscillators,

$$E = \sum_{\vec{\mathbf{k}}} \left[\frac{1}{2} \dot{\phi}_{\vec{\mathbf{k}}}^2 + \frac{1}{2} \omega_k^2 \phi_{\vec{\mathbf{k}}}^2 \right]$$

Equivalently, when $V \rightarrow \infty$ and k is a continuous variable, the summation is just replaced by an integral over all k ,

$$\phi(\mathbf{x}, t) = \int \frac{d^3 \mathbf{k}}{(2\pi)^{3/2}} e^{i\mathbf{k} \cdot \mathbf{x}} \phi_{\vec{\mathbf{k}}}(t)$$

1.2 Quantizing Fields

As mentioned earlier, a field can be thought of as a collection of decoupled harmonic oscillators. We quantize each field $\phi_{\mathbf{k}}$ as a separate harmonic oscillator. We identify the position and momentum as operators $\hat{\phi}_{\mathbf{k}}$ and $\hat{\pi}_{\mathbf{k}}$. The commutation relations for the harmonic oscillator as $V \rightarrow \infty$ can now be written as,

$$[\hat{\phi}_{\mathbf{k}}(t), \hat{\pi}_{\mathbf{k}'}(t)] = i\delta(\mathbf{k} + \mathbf{k}')$$

The vacuum state is the state corresponding to the lowest energy configuration. One can clearly see that the commutation relations cannot be satisfied for the most intuitive low energy configuration *ie.* $\phi(\mathbf{x}, t) = 0$, implying that the vacuum state is really something non-trivial. But since, for a free field, all the $\phi_{\mathbf{k}}$ are decoupled, we can write the vacuum state wave functional as the product of all wavefunctions, each describing the ground state of the harmonic oscillator with the wavenumber \mathbf{k} . Again, for large volume, one can write,

$$\psi[\phi] \propto \exp\left(-\frac{1}{2} \int d^3\mathbf{k} |\phi_{\mathbf{k}}|^2 \omega_{\mathbf{k}}\right)$$

The vacuum energy density is just the sum of all ground state energies,

$$\frac{E_o}{V} = \int \frac{d^3\mathbf{k}}{(2\pi)^3} \frac{\omega_k}{2}$$

Okay, now this is a very interesting expression for the energy. We see that because $\omega_k = \sqrt{k^2 + m^2}$, we can see that this integral diverges as k^4 . If quantum gravity is assumed to be modelled as a scalar field, and we put a cutoff for our integration at let's say the Planckian scale, we see that the vacuum energy density is of the order unity in Planck units, which in turn corresponds to a mass density of 10^{94}g/cm^3 . The mass of the *entire* observable universe is 10^{55}g ! One can try to resolve this problem by *positing* that vacuum energy does not contribute to gravity, or by using some supersymmetric variants of such theories.

1.3 Vacuum Fluctuations

The fluctuation in the quantum field can be written as,

$$\delta\phi_{\mathbf{k}} = \sqrt{\langle |\phi_{\mathbf{k}}|^2 \rangle - \langle \phi_{\mathbf{k}} \rangle^2} = \sqrt{\langle |\phi_{\mathbf{k}}|^2 \rangle}$$

We know that

$$\phi_{\mathbf{k}} = \frac{a_{\mathbf{k}} + a_{-\mathbf{k}}}{\sqrt{2\omega_k}}$$

which means that

$$|\phi_{\mathbf{k}}|^2 = \frac{(a_{\mathbf{k}} + a_{-\mathbf{k}})(a_{\mathbf{k}} + a_{-\mathbf{k}})}{2\omega_k}$$

Taking the ground state expectation value of this expression, one obtains that $\delta\phi_{\mathbf{k}} \sim \omega_k^{-1/2}$. What if we measure the average value of a field over space? Lets consider a cubical box of side L and define the average value ϕ_L as follows,

$$\phi_L = \frac{1}{L^3} \int_{-L/2}^{-L/2} dx \int_{-L/2}^{-L/2} dy \int_{-L/2}^{-L/2} dz \phi(\mathbf{x})$$

We again calculate fluctuations in this average value by the formula $\delta\phi_L = \sqrt{\langle\phi_L^2\rangle}$. Evaluating this quantity, we get $\delta\phi_L = \sqrt{(\delta\phi_{\mathbf{k}})^2/L^3}$. (explicitly verify)

1.4 Gravity Can Create Particles?

Consider a single harmonic oscillator with a time dependent frequency $\omega(t)$. **DO the exercise here**