
A Practical Product Recommendation System with Transfer Learning



BY ADITYA JAKKA

Goals and motivation of the project



- Build a practical recommendation system with little or no data to train on.
- Counter data scarcity.
- Given a product description, determine products whose descriptions are closest in the semantic sense.



Word embeddings

Word embeddings are vector representations of words in a high dimensional space. Words that are similar to each other in meaning or in the "semantic" sense are mapped closer together.

Transfer Learning

Transfer learning is a machine learning method where a model developed for a task is reused as the starting point for a model on another task. This is, we can use the saved model (with its weights and architecture) and train this for a different problem.

Universal Sentence Encoder

- Developed by Google's Tensorflow team
- Performs sentence level embedding as opposed to simply word embeddings.
- Trained using the SNLI Corpus.




How does the sentence encoder work?

Consider the following sentences:

```
# Smartphones
"I like my phone",
"My phone is not good.",
"Your cellphone looks great.",
# Weather
"Will it snow tomorrow?",
"Recently a lot of hurricanes have hit the US",
"Global warming is real",
# Food and health
"An apple a day, keeps the doctors away",
"Eating strawberries is healthy",
"Is paleo better than keto?",
# Asking about age
"How old are you?",
"what is your age?",
```



We have different sentences that can be grouped based on context. In the next slide, let's observe how they're mapped in the vector space.






Note: This map was generated using PCA (Principal Component Analysis)

Cosine similarity

It is a measure of similarity between two non-zero vectors. Given two arrays of the same shape, this metric calculates the angle between these arrays (sentence embeddings which are vectors/arrays).



similarity =
$$\cos(\theta) = \frac{A \cdot B}{\|A\| \|B\|} = \frac{\sum_{i=1}^{n} A_i B_i}{\sqrt{\sum_{i=1}^{n} A_i^2} \sqrt{\sum_{i=1}^{n} B_i^2}}$$

Now, let us take a look at the results









Related product index: 32161





Related product index: 45338



Related product index: 41945





Related product index: 34980

For the related products, we have other file holders, desktop organizers, stationary holders and even an office drawer. In the semantic sense, we can think of how all of these products are similar – they are used to hold or contain objects like documents or stationary





Related product index: 27900



Related product index: 62525

Product Image

















Related product index: 6383



Related product index: 633



The theme of this backpack has been inspired from the "Cars" movie franchise. We observe that the rest of the related products are also kids' backpack which are either inspired from the "Cars" franchise or other children's movie franchises.






Related movie ID: 103I



Related movie ID: 95



Related movie ID: 134





Related movie ID: 12138



Related movie ID: 1736



Related movie ID: 29





Related movie ID: 10094



Related movie ID: 124



Related movie ID: 18



The sentence encoder mapped space themed movies closer together in the high dimensional space.

MODULE AND DATA LIMITATIONS

- Low quality data will not yield satisfactory results.
- Training necessary for context specific results.



EVALUTAING THE MODEL

- A/B tests
- Capture metrics click through rates



CONCLUSION

- Deep Learning models need high quality data for satisfactory results.
- Transfer learning is a powerful and effective tool that can be leveraged for developing state of the art deep learning models.
- Other practical use cases Books, websites or Airbnb listings.