

Experiment No. 1

Aim: To create and run virtual machines on Hosted **Hypervisor** like **KVM** (Kernel Based Virtual Machine) and **Virtual Box**.

Requirements: Windows/Linux O.S for **Virtual Box** and Linux O.S for **KVM** with compatible hardware.


Theory:

Hypervisor: A **hypervisor**, also known as a virtual machine monitor or **VMM**, is software that creates and runs virtual machines (VMs). A hypervisor allows one host computer to support multiple guest VMs by virtually sharing its resources, such as memory and processing. There are two main hypervisor types, referred to as “Type 1” (or “bare metal”) and “Type 2” (or “hosted”). A **type 1 hypervisor** acts like a lightweight operating system and runs directly on the host’s hardware, while a **type 2 hypervisor** runs as a software layer on an operating system, like other computer programs. **Oracle Virtual Box** is type 2 hypervisor and **KVM** is type 2 hypervisor.

1. Implementing virtual machine on Oracle Virtual Box:

Step 1: Download Oracle Virtual Box compatible for your O.S from

<https://www.virtualbox.org/wiki/Downloads>



Step 2: Download Disc Image of Ubuntu (Linux) from <https://ubuntu.com/download/desktop>

Download Ubuntu Desktop

Ubuntu 20.04.3 LTS

Download the latest LTS version of Ubuntu, for desktop PCs and laptops. LTS stands for long-term support — which means five years, until April 2025, of free security and maintenance updates, guaranteed.

[Ubuntu 20.04 LTS release notes](#)


Recommended system requirements:

- ✓ 2 GHz dual core processor or better
- ✓ 4 GB system memory
- ✓ 25 GB of free hard drive space
- ✓ Internet access is helpful
- ✓ Either a DVD drive or a USB port for the installer media


Download

For other versions of Ubuntu Desktop including torrents, the network installer, a list of local mirrors, and past releases [see our alternative downloads](#).


Step 3: Open Virtual Box and click on New and give a desired name and select type Linux and version Ubuntu and Click on next setup hardware specifications.




Step 4: After completion of **Step 3** click on Start button, after clicking on Start it will ask for disc image (.iso) select the Ubuntu disc image downloaded in **Step 2** and click on start.



Step 5: Select Safe Graphical Install if you graphical installation then it will show you option Try Ubuntu and Install Ubuntu click on Install Ubuntu and wait for Installation process to complete.



Step 6: After completion of installation enable change network mode to Bridge Adapter for Ubuntu virtual machine which is by default set to NAT by **Oracle Virtual Box**.



2. Implementing virtual machine on KVM:

Step 1: Before you begin with installing KVM, check if your CPU supports hardware virtualization. Command: **egrep -c '(vmx|svm)' /proc/cpuinfo**

```
marko@test-machine:~$ egrep -c '(vmx|svm)' /proc/cpuinfo
2
marko@test-machine:~$
```

If the command returns a value of **0**, your processor is not capable of running KVM. On the other hand, any other number means you can proceed with the installation.

Step 2: Install essential KVM packages with the following command:

sudo apt install qemu-kvm libvirt-daemon-system libvirt-clients bridge-utils

```
marko@test-machine:~$ sudo apt install qemu-kvm libvirt-daemon-system libvirt-clients b
ridge-utils
Reading package lists... Done
Building dependency tree
Reading state information... Done
Need to get 25.6 MB of archives.
After this operation, 108 MB of additional disk space will be used.
Do you want to continue? [Y/n]
```

Step 3: Only members of the libvirt and kvm user groups can run virtual machines. Add a user to the libvirt and kvm group by typing commands:

1. **sudo adduser 'username' libvirt**

2. **sudo adduser 'username' kvm**

```
marko@test-machine:~$ sudo adduser 'marko' libvirt
Adding user 'marko' to group 'libvirt' ...
Adding user marko to group libvirt
Done.
marko@test-machine:~$
```

```
marko@test-machine:~$ sudo adduser 'marko' kvm
Adding user 'marko' to group 'kvm' ...
Adding user marko to group kvm
Done.
marko@test-machine:~$
```

Note: If user is not created you can create user using following command: **sudo adduser 'username'**

Step 4: Confirm the installation was successful by using the **virsh** command: **virsh list --all**

```
marko@test-machine:~$ virsh list --all
 Id   Name      State
-----
marko@test-machine:~$
```


Step 5: use the systemctl command to check the status of libvirtd: **sudo systemctl status libvirtd**

```
marko@test-machine:~$ sudo systemctl status libvirtd
● libvirtd.service - Virtualization daemon
   Loaded: loaded (/lib/systemd/system/libvirtd.service; enabled; vendor preset: ena>
   Active: active (running) since Fri 2020-11-27 09:36:04 EST; 44min ago
   TriggeredBy: ● libvirtd-ro.socket
                 ● libvirtd-admin.socket
                 ● libvirtd.socket
   Docs: man:libvirtd(8)
          https://libvirt.org
  Main PID: 18166 (libvirtd)
    Tasks: 19 (limit: 32768)
   Memory: 14.2M
   CGroup: /system.slice/libvirtd.service
           └─18166 /usr/sbin/libvirtd
             └─18301 /usr/sbin/dnsmasq --conf-file=/var/lib/libvirt/dnsmasq/default.co>
               └─18302 /usr/sbin/dnsmasq --conf-file=/var/lib/libvirt/dnsmasq/default.co>
```


Step 6: Install virt-manager, a tool for creating and managing VMs: **sudo apt install virt-manager**

```
mako@test-machine:~$ sudo apt install virt-manager
[sudo] password for mako:
Reading package lists... Done
Building dependency tree
Reading state information... Done
0 upgraded, 33 newly installed, 0 to remove and 74 not upgraded.
Need to get 7,987 kB of archives.
After this operation, 62.5 MB of additional disk space will be used.
Do you want to continue? [Y/n]
```


Step 7: Start virt-manager with: **sudo virt-manager** and then click the computer icon in the upper-left corner.




Step 8: In the dialogue box that opens, select the option to install the VM using an ISO image. Then click Forward.




Step 8: Click Browse Local and navigate to the path where you stored the ISO you wish to install.




Step 9: Choose ISO file of virtual system (Here, I used Fedora because it is light weighted) and click on forward and then select hardware specification.



Step 10: Specify the name for your VM and click Finish to complete the setup.



Step 11: The VM starts automatically, prompting you to start installing the OS that's on the ISO file, now you only need to follow installation process of OS.



Conclusion: In this practical we successfully created and run VM on Hosted Hypervisor type 1 Virtual Box and type 2 KVM.