.NET MAUI Project, Item Templates and Code Snippets

This VS extension is loaded with Project, Item Templates and Code Snippets for working with .NET MAUI in Visual Studio 2022.

This has project template for MAUI, MAUI Blazor and MAUI Class Library project and it has been named as:

- .NET MAUI App (Preview 7)
- .NET MAUI Blazor App (Preview 7)
- .NET MAUI Class Library (Preview 7)

And reg. Item templates:

ContentPage, in both XAML and C#, and has been named as:

- Content Page (.NET MAUI)
- Content Page (C#) (.NET MAUI)

ContentView, in both XAML and C#, and has been named as:

- Content View (.NET MAUI)
- Content View (C#) (.NET MAUI)

A page for defining app visual hierarchy with Shell and a page for managing resources with Resource Dictionary, both in XAML.

Has XAML Code Snippets for:

In the XAML page, type the short name and hit the Tab key twice to insert the snippet.

Snippets mentioned in bold-face also works as a **SurroundWith** snippet too.

In the Output Format column, text highlighted in different colors infer the following:

- Yellow color are placeholders where user can modify the values
- Green color are derived values, can't be modified. For example, containing class name
- Torquoise color are reflected values, where the placeholder value is filled-in

Snippet	Short Name	Output Format
Grid	grid	<grid columndefinitions="" rowdefinitions=""></grid>

Snippet	Short Name	Output Format
Flex Layout	flex	<flexlayout></flexlayout>
Stack Layout	stack	<stacklayout></stacklayout>
Horizontal Stack Layout	hstack	<horizontalstacklayout></horizontalstacklayout>
Horizontal Stack Layout		
Vertical Stack Layout	vstack	<verticalstacklayout></verticalstacklayout>
Style	style	<style targettype="Page"></td></tr><tr><td></td><td><Style></td></tr><tr><td>Color</td><td>color</td><td><Color x:Key="<mark>Success</mark>"><mark>Green</mark></Color></td></tr><tr><td></td><td rowspan=4>res</td><td><<mark>ContentPage</mark>.Resources></td></tr><tr><td>Resources</td><td><ResourceDictionary></td></tr><tr><td>nesources</td><td></ResourceDictionary></td></tr><tr><td></td><td></<mark>ContentPage</mark>.Resources></td></tr><tr><td>Gestures</td><td rowspan=2>gesture</td><td><<u>Label</u>.GestureRecognizers></td></tr><tr><td>Gestures</td><td></<mark>Label</mark>.GestureRecognizers></td></tr><tr><td>Tap Gesture Recognizer</td><td>tap</td><td><TapGestureRecognizer /></td></tr><tr><td>Drag Gesture Recognizer</td><td>drag</td><td><pre><DragGestureRecognizer /></pre></td></tr><tr><td>Drop Gesture Recognizer</td><td>drop</td><td><pre><DropGestureRecognizer /></pre></td></tr><tr><td>Pan Gesture Recognizer</td><td>pan</td><td><PanGestureRecognizer /></td></tr><tr><td>Pinch Gesture Recognizer</td><td>pinch</td><td><PinchGestureRecognizer /></td></tr><tr><td>Swipe Gesture Recognizer</td><td>swipe</td><td><SwipeGestureRecognizer /></td></tr></tbody></table></style>

Has C# Code Snippets for:

In the C# code file, type the short name and hit the Tab key twice to insert the snippet.

Snippets mentioned in bold-face also works as a **SurroundWith** snippet too.

In the Output Format column, text highlighted in different colors infer the following:

- Yellow color are placeholders where user can modify the values
- Green color are derived values, can't be modified. For example, containing class name
- Torquoise color are reflected values, where the placeholder value is filled-in

Snippet	Short Name	Output Format
Async Event Handler	aeh	private async void MyMethod (object sender, EventArgs e)
		{
		}
Attached Property	propap	Here assuming MyClass is the containing type.
		<pre>public static readonly BindableProperty NameProperty = BindableProperty.CreateAttached(nameof(NameProperty), typeof(string), typeof(MyClass), default(string));</pre>
		<pre>public static string GetName(BindableObject bindable) => (string)bindable.GetValue(NameProperty);</pre>
		<pre>public static void SetName(BindableObject bindable, string value) => bindable.SetValue(NameProperty, value);</pre>
Bindable Property	propbp	Here assuming MyClass is the containing type.
		<pre>public static readonly BindableProperty NameProperty = BindableProperty.Create(nameof(Name), typeof(string), typeof(MyClass), default(string));</pre>
		public string Name
		{
		get => (string)GetValue(NameProperty);
		set => SetValue(NameProperty, value);
		}

Snippet	Short Name	Output Format
Comet Property (MVU)	propcomet	public <mark>string</mark> Name
		{
		get => GetProperty <string>();</string>
		set => SetProperty(value);
		}
Cross Platform	xplat	#if ANDROID
		#elif IOS
		#elif MACCATALYST
		#elif WINDOWS
		#endif
Event Handler	eh	private void MyMethod(object sender, EventArgs e)
		{
		}
Method	method	private method MyMethod()
		{
		}
Record	record	record MyRecord
(C# 9.0 or higher)		{
		}
Record Struct	recstruct	Record struct MyRecStruct
(C# 10.0 or higher)		{
		}

Snippet	Short Name	Output Format
ViewModel Property	propvm	private string <mark>name</mark> ;
		public string Name
		{
		get => <mark>name</mark> ;
		set => SetProperty(ref <mark>name</mark> , value);
		}

Note: Currently, these project templates target .NET 6 Preview 7 and to support further changes in newer .NET 6 releases, an update to this VS extension will be made available accordingly.