Natureza & Conservação
Brazilian Journal of Nature Conservation

Research Letters

Natureza & Conservação 8(1):27-33, July 2010

Handling Editor: José Alexandre F. Diniz-Filho
doi: 10.4322/natcon.00801004

Deriving Species Richness, Endemism, and Threatened Species Patterns from Incomplete Distribution Data in the Bioko Island, Equatorial Guinea

Noelia Zafra-Calvo[1], Jorge Miguel Lobo[2], Fabio Suzart de Albuquerque[1], Francisco Cabezas[3], Tíscar Espigares[1], Miguel Ángel Olalla-Tárraga[4], Jaime Pérez del Val[5], Marta Rueda[1], Mauricio Velayos[3] & Miguel Ángel Rodríguez[1,*]

[1]*Departamento de Ecología, Universidad de Alcalá, 28871, Alcalá de Henares, Madrid, Spain*

[2]*Departamento de Biodiversidad y Biología Evolutiva, Museo Nacional de Ciencias Naturales (CSIC), José Gutiérrez Abascal, 2, 28006, Madrid, Spain*

[3]*Real Jardín Botánico, Pl. Murillo, 2, 28014, Madrid, Spain*

[4]*Division of Biology, Imperial College London, Silwood Park Campus, Ascot, Berkshire, SL5 7PY, UK*

[5]*Consejo Superior de Investigaciones Científicas – CSIC, Área de Cultura Científica, Serrano, 117, 28006, Madrid, Spain*

Abstract

The knowledge of the spatial patterns of species richness and, particularly, of endemic and threatened species at the scale at which management activities take place is crucial for conservation. Yet, detailed descriptions of species' distribution areas are often lacking or incomplete, especially in the tropics. This article focuses on the African island of Bioko and uses species accumulation curves to evaluate the completeness of its biological inventory for three plant groups (ferns, monocotyledons and dicotyledons), birds and monkeys. Results showed that the current inventory is fairly complete for monkeys and birds, but only covers half of the vegetation in the island. Bioclimatic models were used to estimate the potential distribution of each species and to assemble species richness patterns for each taxa and for endemic and threatened species, revealing that montane and lowland rainforests were the richest habitats, while high altitude shrubs and subalpine meadows were the poorest ones. Predicted richness values for monsoon forests were unexpectedly low for plants and birds, probably because of insufficient sampling in these areas. Additionally, the comparison of species richness patterns with the proposed delineation of protected areas for the island shows that these will cover most hotspots of species richness, endemism and threatened species, except for dicotyledonous plants and endemic birds. The potential utility of the predicted patterns for conservation priorities and initiatives in Bioko is discussed.

Key words: Bioclimatic Models, Biological Inventory, Biodiversity Patterns, Inventory Completeness, Species Accumulation Curves.

Introduction

The island of Bioko is considered a biodiversity hotspot, both within the African continent (Burgess *et al.* 2006) and worldwide (Myers *et al.* 2000). Although a number of taxonomic studies have been carried out there (*e.g.* Pérez del Val *et al.* 1994; Velayos *et al.* 2001; Cabezas 2006), the distribution of most species is not well known except for a few taxa (*e.g.* Butynski and Koster 1994; Pérez del Val 1996; Aedo *et al.* 1999). However, this knowledge is essential to develop effective, species-oriented conservation strategies.

***Send correspondence to:** Miguel A. Rodríguez
Department of Ecology, Faculty of Biology,
University of Alcalá, 28871, Alcalá de Henares, Madrid, Spain
E-mail: miguela.rodriguez@uah.es

In general, the strategies for biological diversity conservation and the design of protected areas have been developed with environmental information as a surrogate for diversity (Hortal and Lobo 2006). However, this does not necessarily achieve the goals for conserving the most important target, *i.e.*, the species (Brooks *et al.* 2004). The spatial distribution of species reflects the variability of the physical environment, as well as the role of historical and demographical factors that determine their population dynamics. Hence, a first step to generate an effective conservation strategy is to compile taxonomical information concerning the region under study and to document spatial patterns of diversity distributions. The challenge, though, is to obtain this information in the appropriate scale for the use of conservation managers (Harris *et al.* 2005).

To obtain accurate records of species' occurrences is often difficult, even with systematic samplings in relatively reduced areas. Thus, a key problem when we want to document spatial patterns of biodiversity is the lack of good biological databases (Hortal *et al.* 2007), which is especially common in the case of developing, highly diverse tropical regions. Species accumulation curves are being increasingly used to solve this problem, as well as to evaluate the completeness of its biological inventory (Jiménez-Valverde *et al.* 2008 and references therein). Also, available data on species distributions are often biased towards particular environments and geographical areas (Hortal *et al.* 2007), and there have been many efforts to develop different techniques for predictive modelling capable of interpolating potential species distribution ranges from fragmented data. These techniques rely on relationships between recorded species' occurrences and environmental variables to generate potential species distribution ranges from which species richness patterns can be derived and explored. Here, we use the simplest technique (bioclimatic envelope modelling), whose properties allow to minimize the drawbacks resulting from using complex models to analyze scarce and biased distribution data, as well as the lack of reliable absence information (Jiménez-Valverde *et al.* 2008).

This article concentrates on the biota of the Equatorial Guinean island of Bioko, and compiles a large set of species inventories carried out for three groups of plants (ferns, monocots and dicots) and two groups of vertebrates (birds and monkeys) to generate potentially useful baseline information for strategies (Zafra-Calvo *et al.* 2010a) and initiatives of biodiversity conservation in this area. Our objective is threefold: 1) to assess the completeness and the bias of the existing inventories by generating species accumulation curves; 2) to elaborate distribution maps for all species by applying simple techniques of bioclimatic modelling; and, by crossing these maps; and 3) to obtain a first approximation to the patterns of species richness for these taxa, and for endemic and threatened species.

Methods

Study area

With a surface of 2,019 km², and latitude and longitude coordinates between 3° 59' and 13° 48' N, and 8° 26' and 11° 20' E, respectively, the nearly rectangular island of Bioko is a province of Equatorial Guinea, located 32 km off the coast of Cameroon. It was formed from three extinct volcanoes which constitute the highest elevations of the island (ranging from 2,009 to 3,011 m asl). The climate is typically equatorial, with a dry season from November to March and a rainy season from April to October. However, the steep topography determines large variations in precipitation, ranging from 1,557 mm in the North to 10,934 mm in the South. The mean annual temperature varies between 26.5 °C in the Northern coast to 12 °C in Pico Basilé, the highest peak of the island (Nosti 1942).

More than 6,000 native plant species have been estimated for the island (M. Velayos, unpublished data), which make up a mosaic of natural and semi-natural plant formations, with the secondary forests currently occupying abandoned cocoa plantations being the most widely distributed among the human-modified ones (Figure 1a). Still, despite human influences (see Zafra-Calvo *et al.* 2010b), the biota is very rich and hosts a high degree of endemism, particularly at the level of subspecies in the case of fauna. For example, of the 65 mammal species in the island, seven are monkeys, five of which are island endemic subspecies (Butynski and Koster 1994). There are also 191 species of birds, of which 32 are also endemic subspecies (Pérez del Val *et al.* 1994; Pérez del Val 1996). Until recently, 42% of the island was formally protected by two nature reserves: Pico Basilé National Park and Caldera de Luba Scientific Reserve (Figure 1a), but the national legislation for protected areas is under revision, and the new law on protected areas that will define their future status still has to be passed.

Species data

Plant data were extracted from the "*Flora de Guinea Equatorial*" database, an ongoing project carried out at the *Real Jardín Botánico* (CSIC), where all the records with precise geographical locations were obtained (details in http://www.floradeguinea.com; and Cabezas 2006). These records refer to 1,138 plant species, of which 62 are ferns (158 records), 327 monocots (715 records) and 749 dicots (1,818 records). Bird data included 104 island resident species (708 records) censused by Pérez del Val (1996) between 1988 and 1992, and monkey data with the seven species present in the island (73 records) which were surveyed by Butynski and Koster (1994) between 1986 and 1990 (species lists in Table S1 (see http://www.abecol.org.br/natureza.html)).

While for plants all record locations were available as geographical coordinates, for birds and monkeys they were depicted as points in individual species maps, which we digitized into ArcGis 9.2 to extract their coordinates. Then, we generated a UTM grid comprising 2,070 cells of 1 × 1 km each, to which we referred all the records to attain a uniform matrix of species presence-only data (*i.e.* the zeroes in this matrix were not considered as real absences in the analysis; see below). This UTM grid also constituted our general reference for extracting all environmental data, and to perform our numerical analyses as described below.

A further step was the review of specialized sources to pinpoint the endemic and threatened taxa included in our database. This indicated that 14 species of plants and 33 species of birds had been categorized as island endemisms (Figueiredo 1994; Pérez del Val *et al.* 1994; Pérez del Val 1996), and that five out of the seven species of monkeys inhabiting Bioko were considered subspecies present only there (Butinsky and Koster 1994). With regard to the threatened taxa, we focused on the four



Figure 1. a) Habitat types and proposed protected areas (red lines) in the Bioko Island, and patterns of species richness for: b) ferns, c) monocotyledons, d) dicotyledons, e) endemic plants, f) birds, g) monkeys, h) endemic birds, and i) threatened species. White lines delineate habitat boundaries in all richness maps.

categories of the IUCN's Red List of Threatened Species (http://www.iucnredlist.org) that identify some degree of threat (*i.e.* near threatened, vulnerable, endangered, or critically endangered) and verified that 22 species of plants, two species of birds and five of monkeys had been included in one of them (Table S1, see http://www.abecol.org.br/natureza.html).

Environmental data

We crossed the analyzed grid cells with the WorldClim database to generate 12 climatic variables for the island; namely, annual precipitation, annual mean temperature, mean diurnal range of temperatures, isothermality, temperature seasonality, maximum temperature of the warmest month, minimum temperature of the coldest month, temperature annual range, and the mean temperatures of the wettest, driest, warmest, and coldest quarters (all technical details and data are available at: http://www.worldclim.org/; last accessed: March 2010). Also, we generated the variables elevation and slope (data extracted from a ~1-km resolution digital elevation model available at http://eros.usgs.gov/#/Find_Data/Products_and_Data_Available/gtopo30_info; last accessed: March 2010), and the Normalized Difference Vegetation Index (obtained from the Global Change Data Archives vol. 4, included in the Additional Tools of the SIG IDRISI for the years 1981-2000). However, since redundancy among these environmental predictors is very high, we used principal component analysis to pinpoint a reduced set of predictors summarizing the environmental variability. The two first axes of this analysis had an eigenvalue >1 and described 92.5% of the variance, and we retained the variables that exhibited higher factor loadings as the most representative ones in the island: annual precipitation, maximum temperature of the warmest month, and minimum temperature of the coldest month.

Numerical procedures

In general, the inventory of a particular group is considered representative of its existing species richness when the number of sampled species reaches at least 70% of the estimated species (Moreno and Halffter 2000). In order to assess the degree of completeness of species inventories for ferns, monocots, dicots, birds and monkeys, we plotted, for each of these groups, cumulative numbers of species against two surrogate measures of sampling effort and then fitted them with the Clench function (*e.g.* Jiménez-Valverde *et al.* 2008) to attain species-accumulation curves. Thus, we first examined the increase in the number of species accumulated with the addition of sampling area, which we measured as the number of UTM grid cells sampled for each taxonomic group (spatial approach). And secondly, we estimated the historic growth over time of the cumulative number of recorded species from the first citations to the present time (temporal approach) (*e.g.* Lobo *et al.* 2007). The curves fitted with the Clench function reach an asymptote when the probability of adding a new species to the list approaches zero; this asymptote indicates the predicted species richness value existing in the island for the taxa being analyzed (details provided in Supplementary Online Material, SOM). Additionally, biological inventories can also be biased towards easily accessible sampling sites, for which we generated the variable accessibility to the sampling points by summing equally-weighted cell values of percent slope and average distance to main roads and tracks (details in SOM).

A bioclimatic envelope modelling-based technique, the BIOCLIM method, was used to generate predicted range distributions for all species and, by combining these ranges, predicted species richness maps for all analyzed groups. Specifically, we used Diva GIS 5.2. (available at http://www.DIVA-GIS.org; last accessed: March 2010) to cross the grid-cell presences of each species with the cell values of the three PCA-selected environmental variables (*i.e.* annual precipitation, maximum temperature of the warmest month, and minimum temperature of the coldest month; see above), in order to identify all the cells that lay within the range of environmental situations in which the species was recorded or, in other words, its predicted potential distribution range (Nix 1986). Bioclimatic envelope models tend to overpredict species distributions because reliable absences and distribution restrictive forces are not considered in the modelling process (Chefaoui and Lobo 2008). However, we assumed that such kind of factors will be of low relevance in a small island like this and with the fine grain resolution (1 km) used here (see below). Both the lack of reliable absence information and the scarce and biased presences hinder the use of more sophisticated modelling techniques (Elith *et al.* 2006). However, the modelling procedure we used, although being the simplest among all available techniques, is considered an appropriate mean for generating potential species distributions (Jiménez-Valverde *et al.* 2008), and allows overcoming the paucity of raw species distributional data for the island studied (*i.e.* all the well-known localities of a species are part of their distribution, as well as those with similar environmental conditions).

Finally, although paucity of survey records for most species impeded dividing the data into adequately sized training and testing samples, validation tests of omission errors conducted for 11 species with at least 15 records (details in SOM) rendered high percentages of correctly predicted presences (82.2% ± 7.8% SD). Regarding commission errors (failures to predict real absences), our presence-only data did not allow evaluating them, although the reduced number of points used for modelling each species, and the fine grain resolution of our modelling exercises suggest that they were very low in general (SOM).

Results and Discussion

Bioko's biological inventories completeness

In the case of our spatial approach for estimating sampling completeness, Clench accumulation curves fitted well to the observed data ($r^2 > 0.99$) and converged to an asymptote

in all species groups (Figure S1, see http://www.abecol.org.br/natureza.html), which made it possible to estimate the completeness of all taxonomic inventories. Thus, whereas completeness levels for plant groups (ferns: 58%; monocotyledons: 54%; and dicotyledons: 55%) indicate that our data include approximately half of the species in the island, those for birds (85%) and monkeys (81%) are characteristic of a nearly complete biological inventory. These results are consistent with those obtained with the historical approach (Figure S2, see http://www.abecol.org.br/natureza.html). In this case, the cumulative number of recorded species from the first citation until now showed a poorer, but still high fit to the Clench equation for all taxonomic groups ($r^2 > 0.88$), and the clearer asymptotic trends obtained for birds and monkeys highlighted their greater completeness compared with that of the three plant groups.

The distribution of the sampling points in relation to their accessibility suggests a strong sampling bias in the data, with most points occurring in areas with high (particularly for dicots, birds and monkeys) to moderate (monocots) accessibility (Figure 2). These results are not surprising but constitute a caution call for future surveys, which would need to pay more attention to less accessible areas if we want to attain a better representation of Bioko's biodiversity variation and, through it, to facilitate the development of more informed action plans and initiatives aimed at preserving the island's biota.

Summarizing, our data indicate that plant taxa are particularly insufficiently sampled in the island, and that the distribution of the sampling points for all groups follows a pattern influenced by accessibility. These biases, together with the existing low number of sampling records, discourage the utilization of raw biological data for describing spatial distribution patterns of species richness, so that until more exhaustive samplings are conducted, approximations based on modelling potential range distributions can be a first solution.



Figure 2. Distribution of the sampling points in relation to their accessibility for all taxa. The accessibility index combines both mean slopes of the sampled cells and cell average distances to main roads and tracks (more accessible sites show lower index values; see details in SOM).

Patterns of species richness

We generated species richness maps for the five taxa being analyzed as well as for endemic and threatened species (Figure 1), which we visually related with the distribution of habitat types (Figure 1a). Ferns, monocots and dicots showed similar patterns (Figure 1b-d), with the highest species richness values occurring in montane and lowland rainforests and, especially for dicots, in areas of secondary forest formerly occupied by cocoa plantations, an observation that has also been reported for neighbouring areas of Cameroon (Zapfack *et al.* 2002). Also remarkable is the fact that the three plant groups showed low species richness in the southern end of the island, surprisingly coinciding roughly with the distribution of the monsoon forests (Figure 1a). However, we suspect that these low richness values reflect a strong sampling incompleteness in monsoon forests.

Focusing on the rest of the areas, monocots and dicots (Figure 1c-d) show conspicuous spots of low species richness at the top of the three main peaks of the island, particularly in the highest one (Pico Basilé, in the north), covered by shrub formations and subalpine meadows (Figure 1a). Ferns also show low richness in these peaks (Figure 1b), but the differences with respect to the richness values occurring at adjacent lower areas are not so marked. This is consistent with observations made in other tropical mountains, and possibly reflects the greater tolerance to high altitude conditions of some of these species (Figueiredo & Gascoigne 2001; Aldasoro *et al.* 2004).

With regard to the richness of endemic plants (Figure 1e), it is noticeable that the highest values are recorded at an altitude of about 1.500 m, just below the highest peaks of the island and coinciding with the distribution of montane rainforests (Figure 1a). This high occurrence of endemic plants in montane rainforests has also been observed in similar forests of neighbouring Cameroon (Tchouto *et al.* 2006), and highlights that these forests are specially indicated for plant diversity protection. Also, it is remarkable that the southern part of the island (which is dominated by monsoon forests; see Figure 1a) showed higher values of endemic plant richness (Figure 1e), in clear contrast with the low total richness values of ferns, monocots and dicots that our models predicted for this area (Figure 1b-d). Indeed, if such low total plant richness values were due to insufficient sampling (see above), then it seems reasonable to think that many plant endemics have also failed to be recorded in monsoon forests, and that the actual richness of endemic plants in this habitat type is much higher. This indeed reinforces the need for extra plant survey efforts in this part of the island.

Total species richness of birds and monkeys also fall to low levels at the top of the three main elevations of the island, but increase sharply just below them, forming three well defined, ring-shaped areas of high biodiversity values (Figure 1f-g). However, both animal groups strongly differ in their patterns in lower areas. Thus, while bird richness is particularly high across the belt of abandoned cocoa plantations that are being succeeded by secondary forests, as has been observed in similar habitats in Cameroon (Peet & Atkinson 1994) and Brazil (Faria *et al.* 2006), monkey richness decreases sharply in lower areas in general, except in those of monsoon forests, where it shows a clear secondary area of high biodiversity value. This possibly reflects that monkey hunting is less intense in the highly depopulated far south of the island, where bushmeat trading is likely to be less profitable due to bad communication and long distances to the main meat markets of the capital, Malabo, in the north (Albrechtsen *et al.* 2007).

Another noticeable pattern regarding bird distributions is the coincidence of intermediate richness values with the area covered by monsoon forests (Figure 1f). As for the case of plants, we interpret these intermediate values as a likely consequence of the difficulties of recording monsoon forest bird species, most of which are suspected to occur at the upper and more inaccessible levels of the tree canopies (J. Pérez del Val, personal observation). Again, future censuses should take into account this probable incompleteness of the bird survey of the island.

With regard to the richness patterns of endemic animals, those corresponding to monkeys (not shown) are similar to the patterns exhibited by total monkey richness, an expected result given the fact that five of the seven species inhabiting Bioko have been categorized as island endemic subspecies. A similar coincidence does not occur, however, in the case of birds, which show the highest numbers of endemic species across the belt of secondary forests (*cf.* Peet & Atkinson 1994), particularly in the lower areas of this habitat (Figure 1h). This result is potentially relevant for future conservation plans and initiatives, particularly if we bear in mind the delineation of the two reserve areas that are expected to be established in the island. Specifically, although the boundaries of these proposed reserves (Figure 1a) appear to encapsulate well the areas with the highest richness of threatened species (Figure 1i), they do not cover the lowlands; *i.e.* where the secondary forests and highest richness values of bird endemics occur (for a detailed analysis of reserve areas in the island see Zafra-Calvo *et al.* 2010a).

Finally, the map of threatened species richness (Figure 1i) shows clear areas of high biodiversity values at high altitudes, near the summit of the three higher peaks of Bioko, and moderate richness levels at intermediate elevations (roughly coinciding with the distribution of montane and monsoon forests). However we suspect that this prediction for monsoon forests actually constitutes another reflection of insufficient sampling in this area, and that the number of threatened species (and even of species that are currently unknown for science) is likely to be much higher there. Fortunately though, both the monsoon forest and the rest of the areas predicted to be rich in threatened species lay within the proposed delineation of protected areas for the island (Figure 1a). The challenge now is to make these areas a fully operational reality.

Concluding remarks

Although much effort has been made to document the distribution of biodiversity across the globe, this is far from being a completed task. For many areas, species' range-maps are very often scarce or non-existent, and the study of biodiversity distribution has to rely on generally scant and scattered sampling records that are used to generate distribution maps through predictive modelling techniques. Still, it is critical that in those situations some sort of survey completeness analysis be carried out, not only as a way to help focus future samplings toward species groups and areas poorly surveyed, but also to allow balancing the interpretation of the patterns with data limitations, as shown here for Bioko. The patterns of species richness, endemism and threatened species we have described here represent a first approximation to the distribution of biodiversity in this island. Future field samplings, especially for plants, will render diversity models more adjusted to the biological reality of the study area. Until then, our results can provide useful baseline information to the establishment of conservation priorities in the island.

Acknowledgements

We are indebted to Luis Cayuela for his comments on the manuscript. NZ-C wants to thank the Spanish Agency for Development and Cooperation (AECID) for providing financial support to this study through a MAE/AECID Grant. Work by MR and MÁR was supported by the Spanish Ministry of Science and Innovation (grant CGL2006-03000/BOS to MÁR).

References

Aedo C, Tellería T & Velayos M, 1999. *Bases documentales para la flora de Guinea Ecuatorial, plantas vasculares y hongos*. Madrid: Consejo Superior de Investigaciones Científicas (CSIC) y Agencia Española de Cooperación Internacional (AECI).

Albrechtsen L *et al.*, 2007. Faunal loss from bushmeat hunting: empirical evidence and policy implications in Bioko Island. *Environmental Science & Policy*, 10:654-667.

Aldasoro JJ, Cabezas F & Aedo C, 2004. Diversity and distribution of ferns in sub-Saharan Africa, Madagascar and some islands of the South Atlantic. *Journal of Biogeography*, 31:1579-1604.

Brooks TM, Da Fonseca GAB & Rodrigues ASL, 2004. Protected areas and species. *Conservation Biology*, 18:616-618.

Burgess N *et al*., 2006. Factoring species, non-species values and threats into biodiversity prioritisation across the ecoregions of Africa and its islands. *Biological Conservation*, 127:383-401.

Butynski T & Koster S, 1994. Distribution and conservation status of primates in Bioko Island, Equatorial Guinea. *Biodiversity and Conservation*, 3:893-909.

Cabezas F, 2006. *Las familias Bromeliaceae, Velloziaceae, Strelitziaceae, Musaceae, Zingiberaceae, Costaceae, Cannaceae, Marantaceae, Cyperaceae, Juncaceae, Commlinaceae, Eriocaulaceae y Xyridaceae de la Flora de Guinea Ecuatorial*. [PhD Dissertation]. Madrid: Universidad Complutense de Madrid.

Chefaoui RM & Lobo JM, 2008. Assessing the effects of pseudo-absences on predictive distribution model performance. *Ecological Modelling*, 210:478-486.

Elith J *et al*., 2006. Novel methods improve prediction of species' distributions from occurrence data. *Ecography*, 29:129-151.

Faria D *et al*., 2006. Bat and bird assemblages from forests and shade cacao plantations in two contrasting landscapes in the Atlantic Forest of southern Bahia, Brazil. *Biodiversity and Conservation,* 15:587-612.

Figueiredo E, 1994. Diversity and endemism of angiosperms in the Gulf of Guinea Island. *Biodiversity and Conservation,* 3:785-793.

Figueiredo E & Gascoigne A, 2001. Conservation of pteridophytes in São Tomé e Príncipe (Gulf of Guinea). *Biodiversity and Conservation,* 10:45-68.

Harris GM, Jenkins CN & Pimm SL, 2005. Refining biodiversity conservation priorities. *Conservation Biology,* 19:1957-1968.

Hortal J and Lobo JM, 2006. Towards a synecological framework for Systematic Conservation Planning. *Biodiversity Informatics,* 3:16-45.

Hortal J, Lobo JM and Jiménez-Valverde A, 2007. Limitations of biodiversity databases: case study on seed-plant diversity in Tenerife, Canary Islands. *Conservation Biology*, 21:853-863.

Jiménez-Valverde A, Lobo JM & Hortal J, 2008. Not as good as they seem: the importance of concepts in species distribution modelling. *Diversity and Distributions*, 14:885-890.

Lobo JM *et al*., 2007. How does the knowledge about the spatial distribution of Iberian dung beetle species accumulates over time? *Diversity and Distributions,* 12:521-524.

Moreno CE & Halffter G, 2000. Assessing the completeness of bat biodiversity inventories using species accumulation curves. *Journal of Applied Ecology*, 37:149-158.

Myers N, *et al*., 2000. Biodiversity hotspots for conservation priorities. *Nature*, 403:853-858.

Nix HA, 1986. A biogeographic analysis of Australian elapid snakes. In Longmore R (ed.). *Atlas of Elapid Snakes of Australia*. Canberra: Australian Flora and Fauna Series Number 7 - Australian Government Publishing Service. p. 4-15.

Nosti J, 1942. *Geobotánica colonial. Notas geográficas, físicas y económicas de los territorios españoles del Golfo de Guinea*. Madrid: Instituto de Estudios Africanos (CSIC).

Peet NP & Atkinson BW, 1994. The biodiversity and conservation of the birds of São Tomé and Príncipe. *Biodiversity and Conservation,* 3:851-867.

Pérez del Val J, 1996. *Las Aves de Bioko, Guinea Ecuatorial - Guía de Campo*. León, Spain: Edilesa.

Pérez del Val J *et al*., 1994. Species richness and endemism in birds in Bioko. *Biodiversity and Conservation,* 3:868-892.

Tchouto MGP *et al*., 2006. Biodiversity hotspots and conservation priorities in the Campo-Ma'an rain forests, Cameroon. *Biodiversity and Conservation*, 15:1219-1252.

Velayos M, Aedo C & Pérez-Viso R, 2001. Check-list of the Pteridophytes of Equatorial Guinea. *Belgian Journal of Botany*, 134:145-191.

Zafra-Calvo N *et al*., 2010a. Prioritizing areas for conservation and vegetation restoration in post-agricultural landscapes: a Biosphere Reserve plan for Bioko, Equatorial Guinea. *Biological Conservation*, 143:787–794.

Zafra-Calvo N, Rodríguez MÁ & Lobo JM, 2010b. Discerning the impact of human-mediated factors on biodiversity using bioclimatic envelope models and partial regression techniques. *Diversity and Distributions*, 16:300–309.

Zapfack L *et al*., 2002. The impact of land conversion on plant biodiversity in the forest zone of Cameroon. *Biodiversity and Conservation*, 11:2047-2061.

Received: September 2009
First Decision: January 2010
Accepted: January 2010

ONLINE SUPPLEMENTARY MATERIAL

Zafra-Calvo, N. *et al*. 2010. Deriving Species Richness, Endemism, and Threatened Species Patterns from Incomplete Distribution Data in the Bioko Island, Equatorial Guinea. *Natureza & Conservação 8*: 27-33.

APPENDIX S1: Species list of the ferns, monocotyledons, dicotyledons, birds and monkeys used for the investigation. The year of description and number of collection points are given for each species. Also, species that are island endemics and/or for which the IUCN has established some degree of threat (i.e., CR: Critically endangered, EN: Endangered, VU: Vulnerable, LR/nt: Near treathened) are indicated.

Group	Family	Species	Year of description	# of collection points	Island endemisms	IUCN Category
FERNS	PTERIDACEAE	*Acrostichum aureum* L.	1753	4		
FERNS	PTERIDACEAE	*Adiantum philippense* L.	1753	4		
FERNS	PTERIDACEAE	*Adiantum poiretii* Wikstr.	1826	2		
FERNS	PTERIDACEAE	*Anogramma leptophylla* (L.) Link	1753	3		
FERNS	ASPLENIACEAE	*Asplenium aethiopicum* (Burm.) Bech.	1768	2		
FERNS	ASPLENIACEAE	*Asplenium africanum* Desv.	1811	1		
FERNS	ASPLENIACEAE	*Asplenium anisophyllum* Kunze	1836	1		
FERNS	ASPLENIACEAE	*Asplenium barteri* Hook.	1861	1		
FERNS	ASPLENIACEAE	*Asplenium hemitomum* Hieron.	1911	1		
FERNS	ASPLENIACEAE	*Asplenium lividum* Mett. ex Kunh.	1869	1		
FERNS	ASPLENIACEAE	*Asplenium longicaule* longicauda Hook.	1861	1		
FERNS	ASPLENIACEAE	*Asplenium preussii* Hieron.	1910	1		
FERNS	ASPLENIACEAE	*Asplenium quintasii* Gand.	1919	1		
FERNS	ASPLENIACEAE	*Asplenium subintegrum* C. Chr.	1905	1		
FERNS	BLECHNACEAE	*Blechnum attenuatum* (Sw.) Mett.	1801	1		
FERNS	DENNSTAEDTIACEAE	*Blotiella currorii* (Hook.) R.M.Tryon	1858	3		
FERNS	PTERIDACEAE	*Coniogramme africana* Hieron.	1916	1		
FERNS	CYATHEACEAE	*Cyathea camerooniana* Hook.	1865	2		
FERNS	CYATHEACEAE	*Cyathea dregei* Kunze	1836	10		

FERNS	CYATHEACEAE	*Cyathea manniana* Hook.	1865	2		
FERNS	DAVALLIACEAE	*Davallia denticulata* (Burm.) Mett.	1768	5		
FERNS	GLEICHENIACEAE	*Dicranopteris linearis* (Burm.f.) Underw.	1768	3		
FERNS	DRYOPTERIDACEAE	*Didymochlaena truncatula* (Sw.) J.Sm.	1801	4		
FERNS	POLYPODIACEAE	*Drynaria laurentii* (Christ) Hieron.	1903	3		
FERNS	DRYOPTERIDACEAE	*Dryopteris pentheri* (Krasser) C.Chr.	1900	1		
FERNS	DRYOPTERIDACEAE	*Dryopteris squamiseta* (Hook.) Kuntze	1862	1		
FERNS	LYCOPODIACEAE	*Huperzia brachystachys* (Baker) Pic.Serm.	1887	1		
FERNS	LYCOPODIACEAE	*Huperzia mildbraedii* (Herter) Pic.Serm.	1909	3		
FERNS	LYCOPODIACEAE	*Huperzia ophioglossoides* (Lam.) Rothm.	1789	3		
FERNS	LYCOPODIACEAE	*Huperzia phlegmaria* (L.) Rothm.	1753	1		
FERNS	HYMENOPHYLLACEAE	*Hymenophyllum kuhnii* C.Chr.	1905	3		
FERNS	HYMENOPHYLLACEAE	*Hymenophyllum splendidum* Bosch	1863	3		
FERNS	HYMENOPHYLLACEAE	*Hymenophyllum triangulare* Baker	1867	2		
FERNS	POLYPODIACEAE	*Lepisorus excavatus* (Bory) Ching	1810	1		
FERNS	DENNSTAEDTIACEAE	*Lonchitis occidentalis* Baker	1867	1		
FERNS	LYCOPODIACEAE	*Lycopodiella cernua* (L.) Pic.Serm.	1753	1		
FERNS	LYCOPODIACEAE	*Lycopodium excavatum* L.	1753	2		
FERNS	SCHIZAEACEAE	*Lygodium smithianum* C. Presl ex Kuhn	1845	1		
FERNS	MARATTIACEAE	*Marattia fraxinea* Sm.	1790	2		
FERNS	POLYPODIACEAE	*Microgramma lycopodioides* (L.) Copel.	1753	7		
FERNS	POLYPODIACEAE	*Microsorum punctatum* (L.) Copel.	1763	2		
FERNS	NEPHROLEPIDACEAE	*Nephrolepis biserrata* (Sw.) Schott	1801	2		
FERNS	NEPHROLEPIDACEAE	*Nephrolepis undulata* (Afzel. ex Sw.) J. Sm.	1801	7		
FERNS	OLEANDRACEAE	*Oleandra annetii* Tardieu	1953	6		
FERNS	OLEANDRACEAE	*Oleandra distensa* Kunze	1851	2		
FERNS	OPHIOGLOSSACEAE	*Ophioglossum reticulatum* L.	1763	6		
FERNS	OSMUNDACEAE	*Osmunda regalis* L.	1753	1		
FERNS	POLYPODIACEAE	*Phymatosorus scolopendria* (Burm.f.) Pic.Serm.	1768	1		
FERNS	PTERIDACEAE	*Pityrogramma calomelanos* (L.) Link	1753	7		
FERNS	POLYPODIACEAE	*Platycerium stemaria* (P.Beauv.) Desv.	1804	6		

FERNS	POLYPODIACEAE	*Polypodium lycopodioides* L.	1753	3		
FERNS	DRYOPTERIDACEAE	*Polystichum wilsonii* Christ	1911	5		
FERNS	DENNSTAEDTIACEAE	*Pteridium aquilinum* (L.) Kuhn	1753	2		
FERNS	PTERIDACEAE	*Pteris acanthoneura* Alston	1954	2		
FERNS	PTERIDACEAE	*Pteris intricata* C.H.Wright	1906	1		
FERNS	SELAGINELLACEAE	*Selaginella goudotiana* Spring	1843	1		
FERNS	SELAGINELLACEAE	*Selaginella myosurus* (Sw.) Alston	1801	1		
FERNS	SELAGINELLACEAE	*Selaginella versicolor* Spring	1843	7		
FERNS	SELAGINELLACEAE	*Selaginella vogelii* Spring	1850	1		
FERNS	GRAMMITIDACEAE	*Xiphopteris flabelliformis* (Poir.) Schelpe	1804	2		
FERNS	GRAMMITIDACEAE	*Xiphopteris oosora* (Baker) Alston	1887	1		
FERNS	GRAMMITIDACEAE	*Xiphopteris villosissima* (Hook.) Alston	1862	1		

MONOCOTS	GRAMINEAE	*Acritochaete volkensii* Acritochaete volkensii Pilg.	1902	4		
MONOCOTS	GRAMINEAE	*Acroceras zizanioides* Acroceras zizanioides (Kunth) Dandy	1816	6		
MONOCOTS	ORCHIDACEAE	*Aerangis gravenrenthii* Aerangis gravenreuthii (Kraenzl.) Schltr.	1893	3		
MONOCOTS	ZINGIBERACEAE	*Aframomum chrysanthum* Lock	1978	1		
MONOCOTS	ZINGIBERACEAE	*Aframomum daniellii* (Hook.f.) K.Schum.	1854	4		
MONOCOTS	ZINGIBERACEAE	*Aframomum leptolepis* (K.Schum.) K.Schum.	1892	1		
MONOCOTS	ZINGIBERACEAE	*Aframomum limbatum* (Oliv. & D.Hanb.) K.Schum.	1864	1		
MONOCOTS	ZINGIBERACEAE	*Aframomum melegueta* K.Schum.	1904	1		
MONOCOTS	ZINGIBERACEAE	*Aframomum pilosum* (Oliv. & D.Hanb.) K.Schum.	1864	1		
MONOCOTS	ZINGIBERACEAE	*Aframomum pseudostipulare* Loes. & Mildbr. ex Koechlin	1964	2		
MONOCOTS	ZINGIBERACEAE	*Aframomum zambesiacum* (Baker) K.Schum.	1898	1		
MONOCOTS	GRAMINEAE	*Agrostis mannii* (Hook.f.) Stapf	1864	5		
MONOCOTS	GRAMINEAE	*Aira caryophyllea* L.	1753	2		
MONOCOTS	ARACEAE	*Amorphophallus zenkeri* (Engl.) N.E.Br.	1899	1		
MONOCOTS	ARACEAE	*Anchomanes difformis* (Blume) Engl.	1837	10		
MONOCOTS	ORCHIDACEAE	*Ancistrochilus rothschildianus* O'Brien	1907	1		
MONOCOTS	ORCHIDACEAE	*Ancistrochilus thomsonianus* (Rchb.f.) Rolfe	1879	2		
MONOCOTS	ORCHIDACEAE	*Ancistrorhynchus capitatus* (Lindl.) Summerh.	1862	2		

MONOCOTS	ORCHIDACEAE	*Ancistrorhynchus serratus* Summerh.	1966	1		
MONOCOTS	ORCHIDACEAE	*Ancistrorhynchus straussi* (Schltr.) Schltr.	1906	1		
MONOCOTS	GRAMINEAE	*Andropogon amethystinus* Steud.	1854	2		
MONOCOTS	GRAMINEAE	*Andropogon gabonensis* Stapf	1909	4		
MONOCOTS	GRAMINEAE	*Andropogon gayanus* Kunth	1833	2		
MONOCOTS	GRAMINEAE	*Andropogon macrophyllus* Stapf	1919	1		
MONOCOTS	GRAMINEAE	*Andropogon mannii* Hook. f.	1864	2		
MONOCOTS	COMMELINACEAE	*Aneilema beniniense* (P.Beauv.) Kunth	1816	8		
MONOCOTS	COMMELINACEAE	*Aneilema dispermum* Brenan	1952	2		
MONOCOTS	COMMELINACEAE	*Aneilema umbrosum* (Vahl) Kunth	1805	2		
MONOCOTS	ORCHIDACEAE	*Angraecopsis ischnopus* (Schltr.) Schltr.	1905	1		
MONOCOTS	ORCHIDACEAE	*Angraecopsis tridens* (Lindl.) Schltr.	1888	3		VU
MONOCOTS	ORCHIDACEAE	*Angraecum affine* Schltr.	1905	1		
MONOCOTS	ORCHIDACEAE	*Angraecum birrimense* Rolfe	1914	5		
MONOCOTS	ORCHIDACEAE	*Angraecum chevalieri* Summerh.	1936	1		
MONOCOTS	ORCHIDACEAE	*Angraecum pungens* Schltr.	1906	2		
MONOCOTS	ORCHIDACEAE	*Angraecum subulatum* Lindl.	1836	1		
MONOCOTS	ORCHIDACEAE	*Ansellia africana* Lindl.	1844	2		
MONOCOTS	ARACEAE	*Anubias barteri* Schott	1860	4		
MONOCOTS	ARACEAE	*Anubias heterophylla* Engl.	1879	1		
MONOCOTS	GRAMINEAE	*Arthraxon hispidus* (Thunb.) Makino	1784	2		
MONOCOTS	GRAMINEAE	*Axonopus compressus* (Sw.) P. Beauv.	1788	2		
MONOCOTS	GRAMINEAE	*Axonopus flexuosus* (Peter) C.E.Hubb.	1931	1		
MONOCOTS	ORCHIDACEAE	*Bolusiella talbotii* (Rendle) Summerh.	1913	2		
MONOCOTS	GRAMINEAE	*Brachiaria mutica* (Forssk.) Stapf	1775	2		
MONOCOTS	GRAMINEAE	*Brachypodium flexum* Nees	1841	2		
MONOCOTS	COMMELINACEAE	*Buforrestia mannii* C.B.Clarke	1881	1		
MONOCOTS	ORCHIDACEAE	*Bulbophyllum acutibracteatum* De Wild.	1921	2		
MONOCOTS	ORCHIDACEAE	*Bulbophyllum cochleatum* Lindl.	1862	5		
MONOCOTS	ORCHIDACEAE	*Bulbophyllum comatum* Lindl.	1862	2		
MONOCOTS	ORCHIDACEAE	*Bulbophyllum curvimentatum* J.J.Verm.	1984	1		

MONOCOTS	ORCHIDACEAE	*Bulbophyllum falcatum* (Lindl.) Rchb.f.	1826	3		
MONOCOTS	ORCHIDACEAE	*Bulbophyllum intertextum* Lindl.	1862	2		
MONOCOTS	ORCHIDACEAE	*Bulbophyllum oreonastes* Rchb.f.	1881	2		
MONOCOTS	ORCHIDACEAE	*Bulbophyllum pumilum* (Sw.) Lindl.	1805	1		
MONOCOTS	ORCHIDACEAE	*Bulbophyllum saltatorium* Lindl.	1837	1		
MONOCOTS	ORCHIDACEAE	*Bulbophyllum scaberulum* (Rolfe) Bolus	1888	2		
MONOCOTS	ORCHIDACEAE	*Bulbophyllum schimperanum* Kraenzl.	1902	1		
MONOCOTS	CYPERACEAE	*Bulbostylis capillaris* (L.) Kunth ex C.B.Clarke	1753	2		
MONOCOTS	CYPERACEAE	*Bulbostylis densa* (Wall.) Hand.-Mazz.	1820	6		
MONOCOTS	CYPERACEAE	*Bulbostylis erratica* (Hook.f.) C.B.Clarke	1862	2		
MONOCOTS	ARACEAE	*Caladium bicolor* (Aiton) Vent.	1789	2		
MONOCOTS	ORCHIDACEAE	*Calanthe sylvatica* (Thouars) Lindl.	1822	2		
MONOCOTS	ORCHIDACEAE	*Calyptrochilum emarginatum* (Afzel. ex Sw.) Schltr.	1800	2		
MONOCOTS	CANNACEAE	*Canna indica* L.	1753	2		
MONOCOTS	CYPERACEAE	*Carex boryana* Schkuhr	1806	2		
MONOCOTS	CYPERACEAE	*Carex chlorosaccus* C.B.Clarke	1899	3		
MONOCOTS	CYPERACEAE	*Carex echinochloe* Kunze	1841	1		
MONOCOTS	CYPERACEAE	*Carex mannii* E.A.Bruce	1933	3		
MONOCOTS	CYPERACEAE	*Carex zuluensis* C.B.Clarke	1908	2		
MONOCOTS	GRAMINEAE	*Centotheca lappacea* (L.) Desv.	1763	4		
MONOCOTS	ARACEAE	*Cercestis dinklagei* Engl.	1899	1		
MONOCOTS	ARACEAE	*Cercestis mirabilis* (N.E.Br.) Bogner	1882	3		
MONOCOTS	ORCHIDACEAE	*Chamaeangis vesicata* (Lindl.) Schltr.	1843	2		
MONOCOTS	ORCHIDACEAE	*Cheirostylis lepida* (Rchb.f.) Rolfe	1881	2		
MONOCOTS	ANTHERICACEAE	*Chlorophytum sparsiflorum* Baker	1876	6		
MONOCOTS	GRAMINEAE	*Chrysopogon aciculatus* (Retz.) Trin.	1789	1		
MONOCOTS	GRAMINEAE	*Coix lacryma-jobi* L.	1753	2		
MONOCOTS	ARACEAE	*Colocasia esculenta* (L.) Schott	1753	1		
MONOCOTS	COMMELINACEAE	*Commelina africana* L.	1753	1		
MONOCOTS	COMMELINACEAE	*Commelina benghalensis* L.	1753	1		
MONOCOTS	COMMELINACEAE	*Commelina cameroonensis* J.K.Morton	1955	1		

MONOCOTS	COMMELINACEAE	*Commelina capitata* Benth.	1849	2		
MONOCOTS	COMMELINACEAE	*Commelina congesta* C.B.Clarke	1881	1		
MONOCOTS	COMMELINACEAE	*Commelina diffusa* Burm.f.	1768	9		
MONOCOTS	COMMELINACEAE	*Commelina erecta* L.	1753	1		
MONOCOTS	COMMELINACEAE	*Commelina thomasii* Hutch.	1939	1		
MONOCOTS	ORCHIDACEAE	*Corymborkis corymbis* Thouars	1822	1		
MONOCOTS	COSTACEAE	*Costus afer* Ker Gawl.,	1823	6		
MONOCOTS	COSTACEAE	*Costus dinklagei* K.Schum.	1904	2		
MONOCOTS	COSTACEAE	*Costus dubius* (Afzel.) K.Schum.	1813	2		
MONOCOTS	COSTACEAE	*Costus englerianus* K.Schum.	1892	2		
MONOCOTS	COSTACEAE	*Costus littoralis* K.Schum.	1904	2		
MONOCOTS	COSTACEAE	*Costus lucanusianus* J.Braun & K.Schum.	1889	1		
MONOCOTS	AMARYLLIDACEAE	*Crinum jagus* (Thomps.) Dandy	1798	1		
MONOCOTS	AMARYLLIDACEAE	*Crinum natans* Baker	1898	1		
MONOCOTS	AMARYLLIDACEAE	*Crinum purpurascens* Herb.	1837	1		
MONOCOTS	ARACEAE	*Culcasia angolensis* Welw. ex Schott	1865	4		
MONOCOTS	ARACEAE	*Culcasia dinklagei* Engl.	1899	1		
MONOCOTS	ARACEAE	*Culcasia ekongoloi* Ntépé-Nyamè	1984	1		
MONOCOTS	ARACEAE	*Culcasia insulana* N.E.Br.	1897	1		
MONOCOTS	ARACEAE	*Culcasia mannii* (Hook.f.) Engl.	1869	1		
MONOCOTS	ARACEAE	*Culcasia parviflora* N.E.Br.	1901	4		
MONOCOTS	ARACEAE	*Culcasia scandens* P.Beauv.	1803	1		
MONOCOTS	COMMELINACEAE	*Cyanotis barbata* D.Don	1825	2		
MONOCOTS	COMMELINACEAE	*Cyanotis lanata* Benth.	1849	1		
MONOCOTS	GRAMINEAE	*Cynodon dactylon* (L.) Pers.	1753	2		
MONOCOTS	ORCHIDACEAE	*Cynorkis anacamptoides* Kraenzl.	1895	2		
MONOCOTS	CYPERACEAE	*Cyperus articulatus* L.	1753	2		
MONOCOTS	CYPERACEAE	*Cyperus atroviridis* C.B.Clarke	1901	2		
MONOCOTS	CYPERACEAE	*Cyperus baronii* C.B.Clarke	1883	7		
MONOCOTS	CYPERACEAE	*Cyperus compressus* L.	1753	1		
MONOCOTS	CYPERACEAE	*Cyperus cuspidatus* Kunth	1817	1		

MONOCOTS	CYPERACEAE	*Cyperus dilatatus* Schumach.	1827	1		
MONOCOTS	CYPERACEAE	*Cyperus distans* L.f.	1782	1		
MONOCOTS	CYPERACEAE	*Cyperus ingratus* Kunth	1837	1		
MONOCOTS	CYPERACEAE	*Cyperus inmannii* Lam.	1791	2		
MONOCOTS	CYPERACEAE	*Cyperus koyalensis* Cherm.	1936	2		
MONOCOTS	CYPERACEAE	*Cyperus laxus* Lam.	1791	1		
MONOCOTS	CYPERACEAE	*Cyperus renschii* Boeck.	1882	3		
MONOCOTS	CYPERACEAE	*Cyperus rigidifolius* Steud.	1842	1		
MONOCOTS	CYPERACEAE	*Cyperus sphacelatus* Rottb.	1773	3		
MONOCOTS	CYPERACEAE	*Cyperus tenuis* Sw.	1778	1		
MONOCOTS	GRAMINEAE	*Cyrtococcum chaetophoron* (Roem. & Schult.) Dandy	1817	1		
MONOCOTS	ORCHIDACEAE	*Cyrtorchis brownii* (Rolfe) Schltr.	1906	1		
MONOCOTS	ORCHIDACEAE	*Cyrtorchis ringens* (Rchb.f.) Summerh.	1878	1		
MONOCOTS	GRAMINEAE	*Dactyloctenium aegyptium* (L.) Willd.	1753	1		
MONOCOTS	GRAMINEAE	*Deschampsia caespitosa* (L.) Beauv.	1887	1		
MONOCOTS	ORCHIDACEAE	*Diaphananthe acuta* (Ridl.) Schltr.	1887	1		
MONOCOTS	ORCHIDACEAE	*Diaphananthe bidens* (Afzel. ex Sw.) Schltr.,	1805	4		
MONOCOTS	ORCHIDACEAE	*Diaphananthe kamerunensis* (Schltr.) Schltr.	1906	1		
MONOCOTS	ORCHIDACEAE	*Diaphananthe polyantha* (Kraenzl.) F.N. Rasm.	1914	2		
MONOCOTS	ORCHIDACEAE	*Diaphananthe rohrii* (Rchb.f.) Summerh.	1881	2		
MONOCOTS	GRAMINEAE	*Digitaria horizontalis* Willd.	1809	5		
MONOCOTS	DIOSCOREACEAE	*Dioscorea alata* L.	1753	1		
MONOCOTS	ORCHIDACEAE	*Disperis mildbraedii* Schltr. ex Summerh.	1933	2		VU
MONOCOTS	ORCHIDACEAE	*Disperis thomensis* Summerh.	1937	2		
MONOCOTS	DRACAENACEAE	*Dracaena bicolor* Hook.	1861	2		
MONOCOTS	DRACAENACEAE	*Dracaena deisteliana* Engl.	1902	1		
MONOCOTS	DRACAENACEAE	*Dracaena fragrans* (L.) Ker-Gawl.	1762	3		
MONOCOTS	DRACAENACEAE	*Dracaena mildbraedii* K.Krause	1914	2		
MONOCOTS	DRACAENACEAE	*Dracaena phrynioides* Hook.	1862	1		
MONOCOTS	DRACAENACEAE	*Dracaena surculosa* Lindl.	1828	1		
MONOCOTS	GRAMINEAE	*Echinochloa pyramidalis* (Lam.) Hitchc. & Chase	1791	1		

MONOCOTS	CYPERACEAE	*Eleocharis geniculata* (L.) Roem. & Schult.	1753	2		
MONOCOTS	CYPERACEAE	*Eleocharis mutata* (L.) Roem. & Schult.	1759	1		
MONOCOTS	GRAMINEAE	*Eleusine indica* (L.) Gaertn.	1753	4		
MONOCOTS	ORCHIDACEAE	*Epipogium roseum* (D.Don) Lindl.	1825	1		
MONOCOTS	GRAMINEAE	*Eragrostis aspera* (Jacq.) Nees	1776	1		
MONOCOTS	GRAMINEAE	*Eragrostis macilenta* (A. Rich.) Steud.	1850	3		
MONOCOTS	GRAMINEAE	*Eragrostis mokensis* Pilger	1914	2		
MONOCOTS	GRAMINEAE	*Eragrostis tenella* (L.) Roem. & Schult.	1753	3		
MONOCOTS	ERIOCAULACEAE	*Eriocaulon zambesiense* Ruhland	1899	2		
MONOCOTS	ZINGIBERACEAE	*Etlingera elatior* (Jack) R.M.Sm.	1822	1		
MONOCOTS	ORCHIDACEAE	*Eulophia bouliawongo* (Rchb.f.) J.Raynal	1852	2		
MONOCOTS	ORCHIDACEAE	*Eulophia cristata* (Afzel. ex Sw.) Steud.	1805	1		
MONOCOTS	ORCHIDACEAE	*Eulophia horsfallii* (Bateman) Summerh.	1865	2		
MONOCOTS	ORCHIDACEAE	*Eulophia milnei* Rchb.f.	1881	1		
MONOCOTS	ORCHIDACEAE	*Eurychone rothschildiana* (O'Brien) Schltr.	1903	2		
MONOCOTS	GRAMINEAE	*Festuca abyssinica* Hochst. ex A. Rich.	1850	1		
MONOCOTS	GRAMINEAE	*Festuca mekiste* Clayton	1969	4		
MONOCOTS	CYPERACEAE	*Fimbristylis barbata* (Rottb.) Benth.	1878	1		
MONOCOTS	CYPERACEAE	*Fimbristylis dichotoma* (L.) Vahl	1753	6		
MONOCOTS	CYPERACEAE	*Fimbristylis ferruginea* (L.) Vahl	1753	1		
MONOCOTS	COMMELINACEAE	*Floscopa africana* (P.Beauv.) C.B.Clarke	1818	3		
MONOCOTS	ORCHIDACEAE	*Genyorchis apetala* (Lindl.) Senghas	1862	1		
MONOCOTS	ORCHIDACEAE	*Genyorchis micropetala* (Lindl.) Schltr.	1861	3		EN
MONOCOTS	ORCHIDACEAE	*Genyorchis platybulbon* Schltr.	1906	1		
MONOCOTS	COLCHICACEAE	*Gloriosa superba* L.	1753	5		
MONOCOTS	ORCHIDACEAE	*Graphorkis lurida* (Sw.) Kuntze	1805	1		
MONOCOTS	GRAMINEAE	*Guaduella oblonga* Hutch. ex W. D. Clayt.	1962	1		
MONOCOTS	ORCHIDACEAE	*Habenaria attenuata* Hook.f.	1864	2		
MONOCOTS	ORCHIDACEAE	*Habenaria barrina* Ridl.	1887	1		
MONOCOTS	ORCHIDACEAE	*Habenaria bracteosa* Hochst. ex A.Rich.	1850	2		
MONOCOTS	ORCHIDACEAE	*Habenaria mannii* Hook.f.	1864	2		

MONOCOTS	ORCHIDACEAE	*Habenaria microceras* Hook.f.	1864	2		
MONOCOTS	ORCHIDACEAE	*Habenaria procera* (Afzel. ex Sw.) Lindl.	1805	4		
MONOCOTS	AMARYLLIDACEAE	*Haemanthus cinnabarinus* Decne.	1857	1		
MONOCOTS	ZINGIBERACEAE	*Hedychium coronarium* J.König	1783	1		
MONOCOTS	GRAMINEAE	*Helictotrichon mannii* (Pilger) C.E.Hubb.	1926	1		
MONOCOTS	GRAMINEAE	*Hyparrhenia rufa* (Nees) Stapf	1829	1		
MONOCOTS	CYPERACEAE	*Hypolytrum heterophyllum* Boeck.	1888	3		
MONOCOTS	CYPERACEAE	*Hypolytrum purpurascens* Cherm.	1933	3		
MONOCOTS	MARANTACEAE	*Hypselodelphys zenkeriana* (K.Schum.) Milne-Redh.	1902	1		
MONOCOTS	GRAMINEAE	*Ichnanthus pallens* (Sw.) Munro ex Benth.	1788	1		
MONOCOTS	GRAMINEAE	*Imperata cylindrica* (L.) Raeusch.	1759	1		
MONOCOTS	GRAMINEAE	*Isachne buettneri* Hack. ex Buettm.	1889	6		
MONOCOTS	GRAMINEAE	*Isachne mauritiana* Kunth	1830	2		
MONOCOTS	CYPERACEAE	*Kyllinga appendiculata* K.Schum.	1897	4		
MONOCOTS	CYPERACEAE	*Kyllinga bulbosa* P.Beauv.	1805	2		
MONOCOTS	CYPERACEAE	*Kyllinga elatior* Kunth	1837	3		
MONOCOTS	CYPERACEAE	*Kyllinga erecta* Schumach.	1827	3		
MONOCOTS	CYPERACEAE	*Kyllinga odorata* Vahl	1805	4		
MONOCOTS	CYPERACEAE	*Kyllinga peruviana* Lam.	1792	2		
MONOCOTS	CYPERACEAE	*Kyllinga pumila* Michx.	1803	3		
MONOCOTS	CYPERACEAE	*Kyllinga robusta* Boeck.	1868	2		
MONOCOTS	GRAMINEAE	*Leersia hexandra* Sw.	1788	2		
MONOCOTS	GRAMINEAE	*Leptaspis zeylandica* Nees ex Steud.	1853	3		
MONOCOTS	ORCHIDACEAE	*Liparis deistelii* Schltr.	1906	2		
MONOCOTS	ORCHIDACEAE	*Liparis nervosa* (Thunb.) Lindl.	1784	2		
MONOCOTS	ORCHIDACEAE	*Liparis tridens* Kraenzl.	1900	2		
MONOCOTS	JUNCACEAE	*Luzula mannii* (Buchenau) Kirschner & Cheek	1890	2		
MONOCOTS	ORCHIDACEAE	*Malaxis maclaudii* (Finet) Summerh.	1907	2		
MONOCOTS	ORCHIDACEAE	*Malaxis prorepens* (Kraenzl.) Summerh.	1893	1		
MONOCOTS	ORCHIDACEAE	*Malaxis weberbaueriana* (Kraenzl.) Summerh.	1908	1		
MONOCOTS	ORCHIDACEAE	*Manniella gustavi* Rchb.f.	1881	1		

MONOCOTS	CYPERACEAE	*Mapania amplivaginata* K.Schum.	1901	1		
MONOCOTS	CYPERACEAE	*Mapania coriandrum* Nelmes	1952	2		
MONOCOTS	CYPERACEAE	*Mapania mannii* C.B.Clarke	1902	2		
MONOCOTS	MARANTACEAE	*Marantochloa filipes* (Benth.) Hutch.	1849	4		
MONOCOTS	MARANTACEAE	*Marantochloa mannii* (Benth.) Milne-Redh.	1883	1		
MONOCOTS	MARANTACEAE	*Marantochloa purpurea* (Ridl.) Milne-Redh.	1887	1		
MONOCOTS	MARANTACEAE	*Marantochloa ramosissima* (Benth.) Hutch.	1849	4		
MONOCOTS	CYPERACEAE	*Mariscus alternifolius* Vahl	1805	5		
MONOCOTS	CYPERACEAE	*Mariscus cylindristachyus* Steud.	1854	8		
MONOCOTS	CYPERACEAE	*Mariscus flabelliformis* Kunth	1816	7		
MONOCOTS	CYPERACEAE	*Mariscus ligularis* (L.) Urb.	1759	3		
MONOCOTS	CYPERACEAE	*Mariscus longibracteatus* Cherm.	1919	2		
MONOCOTS	CYPERACEAE	*Mariscus luridus* T.Durand & De Wild.	1897	1		
MONOCOTS	CYPERACEAE	*Mariscus rubrotinctus* Cherm.	1919	1		
MONOCOTS	CYPERACEAE	*Mariscus tomaiophyllus* (K.Schum.) C.B.Clarke	1895	2		
MONOCOTS	ERIOCAULACEAE	*Mesanthemum radicans* (Benth.) Körn.	1854	1		
MONOCOTS	COMMELINACEAE	*Murdannia nudiflora* (L.) Brenan	1849	2		
MONOCOTS	MUSACEAE	*Musa textilis* Née	1801	1		
MONOCOTS	ARACEAE	*Nephthytis poissonii* (Engl.) N.E.Br.	1883	4		
MONOCOTS	ORCHIDACEAE	*Nervilia adolphi* Schltr.	1915	1		
MONOCOTS	ORCHIDACEAE	*Nervilia crociformis* (Zoll. & Moritzi) Seidenf.	1846	1		
MONOCOTS	GRAMINEAE	*Olyra latifolia* L.	1759	6		
MONOCOTS	ARECACEAE	*Oncocalamus mannii* (H.Wendl.) H.Wendl.	1878	1		
MONOCOTS	GRAMINEAE	*Oplismenus burmannii* (Retz.) P.Beauv.	1783	3		
MONOCOTS	GRAMINEAE	*Oplismenus hirtellus* (L.) P.Beauv.	1759	7		
MONOCOTS	COMMELINACEAE	*Palisota barteri* Hook.f.	1862	1		
MONOCOTS	COMMELINACEAE	*Palisota hirsuta* (Thunb.) K.Schum.	1808	10		
MONOCOTS	COMMELINACEAE	*Palisota preussiana* K.Schum. ex C.B.Clarke	1901	3		
MONOCOTS	COMMELINACEAE	*Palisota schweinfurthii* C.B.Clarke	1881	1		
MONOCOTS	PANDANACEAE	*Pandanus candelabrum* P.Beauv.	1805	1		
MONOCOTS	GRAMINEAE	*Panicum acrotrichum* Hook. f.	1864	2		

MONOCOTS	GRAMINEAE	*Panicum brevifolium* L.	1753	2		
MONOCOTS	GRAMINEAE	*Panicum hochstetteri* Steud.	1854	2		
MONOCOTS	GRAMINEAE	*Panicum maximum* Jacq.	1864	5		
MONOCOTS	GRAMINEAE	*Panicum monticola* Hook. f.	1864	2		
MONOCOTS	GRAMINEAE	*Paspalum conjugatum* Berg.	1772	3		
MONOCOTS	GRAMINEAE	*Paspalum paniculatum* L.	1759	4		
MONOCOTS	GRAMINEAE	*Paspalum scrobiculatum* L.	1767	3		
MONOCOTS	GRAMINEAE	*Paspalum vaginatum* Sw.	1788	1		
MONOCOTS	GRAMINEAE	*Pennisetum monostigma* Pilger	1901	4		
MONOCOTS	GRAMINEAE	*Pennisetum polystachion* (L.) Schult.	1759	2		
MONOCOTS	GRAMINEAE	*Pennisetum purpureum* Schum.	1827	5		
MONOCOTS	ZINGIBERACEAE	*Phaeomeria magnifica* (Roscoe) K.Schum. (Etlingera elatior (Jack) R.M. Sm.)	1822	1		
MONOCOTS	GRAMINEAE	*Phragmites karka* (Retz.)Trin. ex Steud.	1786	1		
MONOCOTS	ARACEAE	*Pistia stratiotes* L.	1753	2		
MONOCOTS	ORCHIDACEAE	*Platylepis glandulosa* (Lindl.) Rchb.f.	1862	1		
MONOCOTS	GRAMINEAE	*Poa annua* L.	1862	4		
MONOCOTS	GRAMINEAE	*Poa leptoclada* Hochst. ex A. Rich.	1850	1		
MONOCOTS	GRAMINEAE	*Poa schimperiana* Hochst. ex A. Rich.	1850	1		
MONOCOTS	GRAMINEAE	*Poecilostachys oplismenoides* (Hack.) Clayton	1888	2		
MONOCOTS	COMMELINACEAE	*Pollia condensata* C.B.Clarke	1881	4		
MONOCOTS	COMMELINACEAE	*Pollia mannii* C.B.Clarke	1881	1		
MONOCOTS	COMMELINACEAE	*Polyspatha paniculata* Benth.	1849	5		
MONOCOTS	ORCHIDACEAE	*Polystachya albescens* Ridl.	1887	2		
MONOCOTS	ORCHIDACEAE	*Polystachya alpina* Lindl.	1862	2		
MONOCOTS	ORCHIDACEAE	*Polystachya bicalcarata* Kraenzl.	1905	2		
MONOCOTS	ORCHIDACEAE	*Polystachya bifida* Lindl.	1862	3		
MONOCOTS	ORCHIDACEAE	*Polystachya calluniflora* Kraenzl.	1900	1		
MONOCOTS	ORCHIDACEAE	*Polystachya caloglossa* Rchb.f.	1881	2		
MONOCOTS	ORCHIDACEAE	*Polystachya calyptrata* Kraenzl.	1914	1		
MONOCOTS	ORCHIDACEAE	*Polystachya camaridioides* Summerh.	1957	1		
MONOCOTS	ORCHIDACEAE	*Polystachya carnosa* P.J.Cribb & Podz.	1979	2		

MONOCOTS	ORCHIDACEAE	*Polystachya cultriformis* (Thouars) Lindl. ex Spreng.	1822	5		
MONOCOTS	ORCHIDACEAE	*Polystachya elegans* Rchb.f.	1881	2		
MONOCOTS	ORCHIDACEAE	*Polystachya fractiflexa* Summerh.	1956	1		
MONOCOTS	ORCHIDACEAE	*Polystachya fusiformis* (Thouars) Lindl.	1822	2		
MONOCOTS	ORCHIDACEAE	*Polystachya laxiflora* Lindl.	1826	2		
MONOCOTS	ORCHIDACEAE	*Polystachya nyanzensis* Rendle	1905	1		
MONOCOTS	ORCHIDACEAE	*Polystachya odorata* Lindl.	1852	1		
MONOCOTS	ORCHIDACEAE	*Polystachya polychaete* Kraenzl.	1893	6		
MONOCOTS	ORCHIDACEAE	*Polystachya rhodoptera* Rchb.f.	1858	1		
MONOCOTS	ORCHIDACEAE	*Polystachya superposita* Rchb.f.	1881	2		
MONOCOTS	ORCHIDACEAE	*Polystachya tessellata* Lindl.	1862	4		
MONOCOTS	POTAMOGETONACEAE	*Potamogeton octandrus* Poir.	1816	1		
MONOCOTS	GRAMINEAE	*Pseudechinolaena polystachya* (Kunth)Stapf	1816	4		
MONOCOTS	CYPERACEAE	*Pycreus cimicinus* (J.Presl & C.Presl) H.Pfeiff.	1842	1		
MONOCOTS	CYPERACEAE	*Pycreus niger subsp. Elegantulus* (Ruiz & Pav.) Cufod.	1842	1		
MONOCOTS	CYPERACEAE	*Pycreus polystachyos* (Rottb.) P.Beauv.	1772	1		
MONOCOTS	CYPERACEAE	*Pycreus smithianus* (Ridl.) C.B.Clarke	1884	2		
MONOCOTS	STRELITZIACEAE	*Ravenala madagascariensis* Sonn.	1782	2		
MONOCOTS	CYPERACEAE	*Remirea maritima* Aubl.	1775	1		
MONOCOTS	ZINGIBERACEAE	*Renealmia africana* Benth.	1883	3		
MONOCOTS	ZINGIBERACEAE	*Renealmia macrocolea* K.Schum.	1904	1		
MONOCOTS	ZINGIBERACEAE	*Renealmia mannii* Hook.f.	1883	1	ENDEMISM	
MONOCOTS	ARACEAE	*Rhaphidophora africana* N.E.Br.	1897	6		
MONOCOTS	CYPERACEAE	*Rhynchospora corymbosa* (L.) Britton	1756	1		
MONOCOTS	GRAMINEAE	*Rottboellia cochinchinensis* (Lour.) Clayton	1790	1		
MONOCOTS	GRAMINEAE	*Saccharum officinarum* L.	1753	1		
MONOCOTS	MARANTACEAE	*Sarcophrynium brachystachyum* (Benth.) K.Schum.	1849	2		
MONOCOTS	GRAMINEAE	*Schizachyrium brevifolium* (Sw.) Buse	1788	1		
MONOCOTS	GRAMINEAE	*Schizachyrium scintillans* Stapf	1919	1		
MONOCOTS	CYPERACEAE	*Schoenoplectus corymbosus* (Roth ex Roem. & Schult.) J.Raynal	1817	3		
MONOCOTS	CYPERACEAE	*Scirpus brachyceras* Hochst. ex A.Rich.	1850	1		

MONOCOTS	CYPERACEAE	*Scirpus microcephalus* (Steud.) Dandy	1842	1		
MONOCOTS	CYPERACEAE	*Scleria boivinii* Steud.	1855	2		
MONOCOTS	CYPERACEAE	*Scleria pterota* C.Presl	1828	1		
MONOCOTS	CYPERACEAE	*Scleria vogelli* C.B. Clarke	1902	1		
MONOCOTS	GRAMINEAE	*Setaria barbata* (Lam.) Kunth	1791	4		
MONOCOTS	GRAMINEAE	*Setaria megaphylla* (Steud) Th. Dur. & Schinz	1853	8		
MONOCOTS	SMILACACEAE	*Smilax kraussiana* Meisn.	1845	5		
MONOCOTS	GRAMINEAE	*Sorghum arundinaceum* (Desv.) Stapf	1831	2		
MONOCOTS	GRAMINEAE	*Sporobolus indicus* (L.) R. Br.	1753	6		
MONOCOTS	GRAMINEAE	*Sporobolus molleri* Hack.	1925	2		
MONOCOTS	COMMELINACEAE	*Stanfieldiella brachycarpa* (Gilg & Ledermann ex Mildbr.) Brenan	1925	1		
MONOCOTS	COMMELINACEAE	*Stanfieldiella imperforata* (C.B.Clarke) Brenan	1881	1		
MONOCOTS	COMMELINACEAE	*Stanfieldiella oligantha* (Mildbr.) Brenan	1925	2		
MONOCOTS	GRAMINEAE	*Stenotaphrum secundatum* (Walt.) Kuntze	1788	2		
MONOCOTS	GRAMINEAE	*Streblochaete longiarista* (A.Rich.) Pilger	1850	2		
MONOCOTS	STRELITZIACEAE	*Strelitzia reginae* Banks ex Aiton	1789	2		
MONOCOTS	ARACEAE	*Stylochaeton zenkeri* Engl.	1899	1		
MONOCOTS	MARANTACEAE	*Thaumatococcus danielli* (Benn.) Benth.	1855	1		
MONOCOTS	CYPERACEAE	*Torulinium odoratum* (L.) S.S.Hooper,	1753	1		
MONOCOTS	MARANTACEAE	*Trachyphrynium braunianum* (K.Schum.) Baker	1892	3		
MONOCOTS	ORCHIDACEAE	*Tridactyle anthomaniaca* (Rchb.f.) Summerh.	1877	1		
MONOCOTS	ORCHIDACEAE	*Tridactyle bicaudata* (Lindl.) Schltr.	1836	1		
MONOCOTS	ORCHIDACEAE	*Tridactyle exellii* P.J.Cribb & Stévart	2004	1		
MONOCOTS	ORCHIDACEAE	*Tridactyle tridactylites* (Rolfe) Schltr.	1888	2		
MONOCOTS	ORCHIDACEAE	*Vanilla planifolia* Jacks. ex Andrews	1808	2		
MONOCOTS	COLCHICACEAE	*Wurmbea tenuis* (Hook.f.) Baker	1864	1		
MONOCOTS	ARACEAE	*Xanthosoma violaceum* Schott	1853	1		
MONOCOTS	ORCHIDACEAE	*Zeuxine elongata* Rolfe	1891	1		
MONOCOTS	ORCHIDACEAE	*Zeuxine mannii* (Rchb.f.) Geerinck	1881	1		
MONOCOTS	ORCHIDACEAE	*Zeuxine stammleri* Schltr.	1906	2		

DICOTS	MALVACEAE	*Abelmoschus moschatus* (L.) Medik.	1753	2		
DICOTS	LEGUMINOSAE	*Acacia farnesiana* (L.) Willd.	1753	1		
DICOTS	ACANTHACEAE	*Acanthopale decempedalis* C.B. Clarke	1899	1		VU
DICOTS	ACANTHACEAE	*Acanthus montanus* (Nees) T. Anderson	1847	4		
DICOTS	AMARANTHACEAE	*Achyranthes bidentata* Blume	1825	2		
DICOTS	LABIATAE	*Achyrospermum oblongifolium* Baker	1900	2		
DICOTS	CHRYSOBALANACEAE	*Acioa mannii* (Oliv.) Engl.	1871	1		
DICOTS	CHRYSOBALANACEAE	*Acioa pallescens* Baill.	1867	3		
DICOTS	MALPIGHIACEAE	*Acridocarpus longifolius* Acridocarpus longifolius (G. Don) Hook. f.	1831	1		
DICOTS	MALPIGHIACEAE	*Acridocarpus macrocalyx* Engl.	1905	1		
DICOTS	LEGUMINOSAE	*Adenanthera pavonina* L.	1753	1		
DICOTS	PASSIFLORACEAE	*Adenia cissampeloides* (Planch. ex Hook.) Harms	1849	11		
DICOTS	PASSIFLORACEAE	*Adenia cynanchifolia* (Benth.) Harms	1849	1	ENDEMISM	
DICOTS	PASSIFLORACEAE	*Adenia mannii* (Mast.) Engl.	1871	1		
DICOTS	PASSIFLORACEAE	*Adenia reticulata* (De Wild. & T. Durand) Engl.	1899	2		
DICOTS	PASSIFLORACEAE	*Adenia rumicifolia* Engl.	1921	4		
DICOTS	LEGUMINOSAE	*Adenocarpus mannii* (Hook. f.) Hook. f.	1862	1		
DICOTS	COMPOSITAE	*Adenostemma mauritianum* DC.	1836	3		
DICOTS	ACANTHACEAE	*Adhatoda robusta* C.B. Clarke	1900	1		
DICOTS	ACANTHACEAE	*Adhatoda tristis* Nees	1847	1		
DICOTS	AMARANTHACEAE	*Aerva lanata* (L.) Juss. ex Schult.	1753	1		
DICOTS	MYRSINACEAE	*Afrardisia oligantha* Gilg & Schellenb.	1912	1		
DICOTS	MYRSINACEAE	*Afrardisia staudtii* (Gilg) Mez	1901	2		
DICOTS	ERICACEAE	*Agauria salicifolia* (Comm. ex Lam.) Hook. f. ex Oliv.	1783	3		
DICOTS	CONNARACEAE	*Agelaea paradoxa* Gilg	1888	1		
DICOTS	CONNARACEAE	*Agelaea rubiginosa* Gilg	1891	1		
DICOTS	COMPOSITAE	*Ageratum conyzoides* L.	1753	2		
DICOTS	UMBELLIFERAE	*Agrocharis gracilis* Hook. f.	1861	1		
DICOTS	APOCYNACEAE	*Alafia grandis* Stapf	1902	1		
DICOTS	APOCYNACEAE	*Alafia lucida* Stapf	1894	1		
DICOTS	APOCYNACEAE	*Alafia multiflora* (Stapf) Stapf	1894	1		

DICOTS	CORNACEAE	*Alangium chinense* (Lour.) Harms	1790	4		
DICOTS	LEGUMINOSAE	*Albizia lebbeck* (L.) Benth.	1753	6		
DICOTS	LEGUMINOSAE	*Albizia saman* (Jacq.) F. Muell.	1800	1		
DICOTS	ROSACEAE	*Alchemilla cryptantha* Steud. ex A. Rich.	1847	2		
DICOTS	ROSACEAE	*Alchemilla kiwuensis* Engl.	1911	2		
DICOTS	ROSACEAE	*Alchemilla tenuicaulis* Hook. f.	1864	1		
DICOTS	EUPHORBIACEAE	*Alchornea cordifolia* (Schumach. & Thonn.) Müll. Arg.	1827	1		
DICOTS	SCROPHULARIACEAE	*Alectra sessiliflora* (Vahl) Kuntze	1794	4		
DICOTS	EUPHORBIACEAE	*Aleurites triloba* J.R. Forst. & G. Forst.	1776	1		
DICOTS	APOCYNACEAE	*Alstonia boonei* De Wild.	1914	3		
DICOTS	AMARANTHACEAE	*Alternanthera sessilis* (L.) R. Br. ex DC.	1813	3		
DICOTS	AMARANTHACEAE	*Amaranthus dubius* Mart. ex Thell.	1912	1		
DICOTS	AMARANTHACEAE	*Amaranthus hybridus* L.	1753	3		
DICOTS	AMARANTHACEAE	*Amaranthus spinosus* L.	1753	3		
DICOTS	AMARANTHACEAE	*Amaranthus viridis* L.	1763	1		
DICOTS	VITACEAE	*Ampelocissus macrocirrha* Gilg & M. Brandt	1911	3		
DICOTS	MELASTOMATACEAE	*Amphiblemma mildbraedii* Gilg ex Engl.	1921	7		
DICOTS	TILIACEAE	*Ancistrocarpus densispinosus* Oliv.	1867	6		
DICOTS	LOGANIACEAE	*Anthocleista microphylla* Wernham	1913	2		VU
DICOTS	LOGANIACEAE	*Anthocleista scandens* Hook. f.	1861	8		VU
DICOTS	LOGANIACEAE	*Anthocleista vogelii* Planch.	1848	6		
DICOTS	LEGUMINOSAE	*Anthonotha macrophylla* P. Beauv.	1806	4		
DICOTS	POLYGONACEAE	*Antigonon cordatum* M. Martens & Galeotti	1843	1		
DICOTS	PRIMULACEAE	*Ardisiandra sibthorpioides* Hook. f.	1864	2		
DICOTS	RUBIACEAE	*Argostemma africanum* K. Schum.	1896	1		
DICOTS	ANNONACEAE	*Artabotrys stenopetalus* Engl. & Diels	1899	1		
DICOTS	ANNONACEAE	*Artabotrys thomsonii* Oliv.	1868	1		
DICOTS	MORACEAE	*Artocarpus altilis* (Parkinson) Fosberg	1773	1		
DICOTS	ACANTHACEAE	*Ascotheca paucinervia* (T. Anderson ex C.B. Clarke) Heine	1899	1		
DICOTS	ACANTHACEAE	*Asystasia calycina* Benth.	1849	1		
DICOTS	ACANTHACEAE	*Asystasia decipiens* Heine	1962	4		

DICOTS	ACANTHACEAE	*Asystasia gangetica* (L.) T. Anderson	1759	7		
DICOTS	ACANTHACEAE	*Asystasia macrophylla* (T. Anderson) Lindau	1863	2		
DICOTS	ACANTHACEAE	*Asystasia vogeliana* Benth.	1849	4		
DICOTS	VERBENACEAE	*Avicennia africana* P. Beauv.	1809	2		
DICOTS	VERBENACEAE	*Avicennia germinans* (L.) L.	1759	4		
DICOTS	LEGUMINOSAE	*Baikiaea insignis* Benth.	1866	1		
DICOTS	ACANTHACEAE	*Barleria brownii* S. Moore	1908	2		
DICOTS	PASSIFLORACEAE	*Barteria fistulosa* Mast.	1871	1		
DICOTS	BASELLACEAE	*Basella alba* L.	1753	2		
DICOTS	LEGUMINOSAE	*Bauhinia reticulata* DC.	1825	1		
DICOTS	BEGONIACEAE	*Begonia ampla* Hook. f.	1871	6		
DICOTS	BEGONIACEAE	*Begonia bonus-henricus* J.J. de Wilde	1980	1		
DICOTS	BEGONIACEAE	*Begonia eminii* Warb.	1895	1		
DICOTS	BEGONIACEAE	*Begonia furfuracea* Hook. f.	1871	2	ENDEMISM	VU
DICOTS	BEGONIACEAE	*Begonia fusialata* Warb.	1895	2		
DICOTS	BEGONIACEAE	*Begonia mannii* Hook.	1864	7		
DICOTS	BEGONIACEAE	*Begonia oxyanthera* Warb.	1895	6		VU
DICOTS	BEGONIACEAE	*Begonia oxyloba* Welw. ex Hook. f.	1871	3		
DICOTS	BEGONIACEAE	*Begonia poculifera* Hook. f.	1871	4		
DICOTS	BEGONIACEAE	*Begonia preusii* Warb.	1895	1		VU
DICOTS	BEGONIACEAE	*Begonia prismatocarpa* Hook.	1862	2		
DICOTS	BEGONIACEAE	*Begonia quadrialata* Warb.	1894	1		
DICOTS	BEGONIACEAE	*Begonia sessilifolia* Hook. f.	1871	1		
DICOTS	LEGUMINOSAE	*Berlinia bracteosa* Benth.	1866	2		
DICOTS	MELIANTHACEAE	*Bersama abyssinica* Fresen.	1837	2		
DICOTS	RUBIACEAE	*Bertiera laxa* Benth.	1849	1		
DICOTS	RUBIACEAE	*Bertiera racemosa* (G. Don) K. Schum.	1834	2		
DICOTS	ERICACEAE	*Blaeria mannii* (Engl.) Engl.	1892	2		
DICOTS	SAPINDACEAE	*Blighia welwitschii* (Hiern) Radlk	1896	1		
DICOTS	URTICACEAE	*Boehmeria nivea* (L.) Gaudich.	1753	2		
DICOTS	URTICACEAE	*Boehmeria platyphylla* Buch.-Ham. ex D. Don	1825	9		

DICOTS	RUBIACEAE	*Borreria scabra* (Schumach. & Thonn.) K. Schum.	1895	1		
DICOTS	RUBIACEAE	*Borreria verticillata* (L.) G. Mey.	1818	1		
DICOTS	ANNONACEAE	*Boutiquea platypetala* (Engl. & Diels) Le Thomas	1907	2		
DICOTS	EUPHORBIACEAE	*Bridelia micrantha* (Hochst.) Baill.	1862	1		
DICOTS	ACANTHACEAE	*Brillantaisia lamium* (Nees) Benth.	1849	1		
DICOTS	ACANTHACEAE	*Brillantaisia owariensis* P. Beauv.	1818	3		
DICOTS	SIMAROUBACEAE	*Brucea guineensis* G. Don	1831	1		
DICOTS	LEGUMINOSAE	*Caesalpinia bonduc* (L.) Roxb.	1753	1		
DICOTS	LEGUMINOSAE	*Caesalpinia pulcherrima* (L.) Sw.	1753	1		
DICOTS	LABIATAE	*Calamintha simensis* Baker	1900	3		
DICOTS	FLACOURTIACEAE	*Caloncoba echinata* (Oliv.) Gilg	1868	2		
DICOTS	FLACOURTIACEAE	*Caloncoba glauca* (P. Beauv.) Gilg	1805	2		
DICOTS	FLACOURTIACEAE	*Caloncoba mannii* (Oliv.) Gilg	1868	1		
DICOTS	CLUSIACEAE	*Calophyllum inophyllum* L.	1753	3		
DICOTS	MELASTOMATACEAE	*Calvoa hirsuta* Hook. f.	1871	6		
DICOTS	MELASTOMATACEAE	*Calvoa trochainii* Jacq.-Fél.	1938	1		
DICOTS	OCHNACEAE	*Campylospermum elongatum* (Oliv.) Tiegh.	1868	1		
DICOTS	OCHNACEAE	*Campylospermum flavum* (Schumach.) Farron	1827	2		
DICOTS	ANNONACEAE	*Cananga odorata* (Lam.) Hook. f. & Thomson	1785	1		
DICOTS	CANNABACEAE	*Cannabis sativa* L.	1753	1		
DICOTS	SOLANACEAE	*Capsicum annuum* L.	1753	1		
DICOTS	SOLANACEAE	*Capsicum frutescens* L.	1753	1		
DICOTS	MELIACEAE	*Carapa procera* DC.	1824	1		
DICOTS	CRUCIFERAE	*Cardamine africana* L.	1753	4		
DICOTS	CRUCIFERAE	*Cardamine hirsuta* L.	1753	1		
DICOTS	CRUCIFERAE	*Cardamine trichocarpa* Hochst. ex A. Rich.	1847	3		
DICOTS	CARICACEAE	*Carica papaya* L.	1753	1		
DICOTS	POLYGALACEAE	*Carpolobia alba* G. Don	1831	3		
DICOTS	LEGUMINOSAE	*Cassia occidentalis* L.	1753	1		
DICOTS	RHIZOPHORACEAE	*Cassipourea ugandensis* (Stapf) Engl.	1906	5		
DICOTS	LAURACEAE	*Cassytha filiformis* L.	1753	1		

DICOTS	CASUARINACEAE	*Casuarina equisetifolia* L.	1759	1		
DICOTS	APOCYNACEAE	*Catharanthus roseus* (L.) G. Don	1759	1		
DICOTS	UMBELLIFERAE	*Caucalis melanantha* (Hochst.) Hiern	1844	3		
DICOTS	VITACEAE	*Cayratia debilis* (Baker) Suess.	1868	3		
DICOTS	CECROPIACEAE	*Cecropia peltata* L.	1759	2		
DICOTS	BOMBACACEAE	*Ceiba pentandra* (L.) Gaertn.	1753	3		
DICOTS	AMARANTHACEAE	*Celosia isertii* C.C. Towns.	1975	6		
DICOTS	AMARANTHACEAE	*Celosia leptostachya* Benth.	1849	3		
DICOTS	AMARANTHACEAE	*Celosia pseudovirgata* Schinz	1912	1		
DICOTS	SCROPHULARIACEAE	*Celsia densiflora* Hook. f.	1864	1		
DICOTS	ULMACEAE	*Celtis gomphophylla* Baker	1886	1		
DICOTS	ULMACEAE	*Celtis philippensis* Blanco	1837	6		
DICOTS	UMBELLIFERAE	*Centella asiatica* (L.) Urb.	1753	5		
DICOTS	RUBIACEAE	*Cephaelis peduncularis* Salisb.	1808	2		
DICOTS	CARYOPHYLLACEAE	*Cerastium indicum* Wight & Arn.	1834	3		
DICOTS	SOLANACEAE	*Cestrum nocturnum* L.	1753	4		
DICOTS	LEGUMINOSAE	*Chamaecrista kirkii* (Oliv.) Standl.	1871	2		
DICOTS	MENISPERMACEAE	*Chasmanthera dependens* Hochst.	1844	4		
DICOTS	CHENOPODIACEAE	*Chenopodium ambrosioides* L.	1753	1		
DICOTS	ACANTHACEAE	*Chlamydocardia buettneri* Lindau	1894	1		
DICOTS	MORACEAE	*Chlorophora excelsa* (Welw.) Benth.	1869	3		
DICOTS	CHRYSOBALANACEAE	*Chrysobalanus icaco* L.	1753	1		
DICOTS	LAURACEAE	*Cinnamomum zeylanicum* Blume	1825	1		
DICOTS	MENISPERMACEAE	*Cissampelos owariensis* Beauvais ex DC.	1824	3		
DICOTS	VITACEAE	*Cissus aralioides* (Welw. ex Baker) Planch.	1868	2		
DICOTS	VITACEAE	*Cissus barteri* (Baker) Planch.	1868	5		
DICOTS	VITACEAE	*Cissus diffusiflora* (Baker) Planch.	1868	1		
DICOTS	VITACEAE	*Cissus oreophylla* Gilg & M. Brandt	1911	2		
DICOTS	VITACEAE	*Cissus planchoniana* Gilg	1895	1		
DICOTS	VITACEAE	*Cissus polyantha* Gilg & M. Brandt	1911	1		
DICOTS	VITACEAE	*Cissus producta* Afzel.	1753	2		

DICOTS	RUTACEAE	*Clausena anisata* (Willd.) Hook. f. ex Benth.	1799	6		
DICOTS	ANNONACEAE	*Cleistopholis patens* (Benth.) Engl. & Diels	1862	1		
DICOTS	RANUNCULACEAE	*Clematis altissima* Hutch.	1923	1		
DICOTS	RANUNCULACEAE	*Clematis grandiflora* DC.	1818	1		
DICOTS	RANUNCULACEAE	*Clematis simensis* Fresen.	1837	3		
DICOTS	CAPPARACEAE	*Cleome rutidosperma* DC.	1824	3		
DICOTS	CAPPARACEAE	*Cleome spinosa* Jacq.	1760	1		
DICOTS	VERBENACEAE	*Clerodendrum bipindense* Gürke	1900	2		
DICOTS	VERBENACEAE	*Clerodendrum buchholzii* Gürke	1893	1		
DICOTS	VERBENACEAE	*Clerodendrum cabrae* De Wild.	1909	1		
DICOTS	VERBENACEAE	*Clerodendrum capitatum* (Willd.) Schumach. & Thonn.	1800	1		
DICOTS	VERBENACEAE	*Clerodendrum dusenii* Gürke	1900	4		
DICOTS	VERBENACEAE	*Clerodendrum formicarum* Gürke	1893	2		
DICOTS	VERBENACEAE	*Clerodendrum globuliflorum* B. Thomas	1936	2		
DICOTS	VERBENACEAE	*Clerodendrum japonicum* (Thunb.) Sweet	1780	2		
DICOTS	VERBENACEAE	*Clerodendrum melanocrater* Gürke	1893	3		
DICOTS	VERBENACEAE	*Clerodendrum paniculatum* L.	1767	2		
DICOTS	VERBENACEAE	*Clerodendrum silvanum* Henriq.	1892	2		
DICOTS	VERBENACEAE	*Clerodendrum splendens* G. Don	1824	5		
DICOTS	VERBENACEAE	*Clerodendrum thonneri* Gürke	1900	1		
DICOTS	VERBENACEAE	*Clerodendrum umbellatum* Poir.	1804	6		
DICOTS	VERBENACEAE	*Clerodendrum violaceum* Gürke	1900	1		
DICOTS	APOCYNACEAE	*Clitandra cymulosa* Benth.	1849	1		
DICOTS	CONNARACEAE	*Cnestis corniculata* Lam.	1789	1		
DICOTS	CONNARACEAE	*Cnestis mannii* (Baker) Schellenb.	1868	1		
DICOTS	CUCURBITACEAE	*Coccinia subhastata* Keraudren	1967	1		
DICOTS	STERCULIACEAE	*Cola acuminata* (P. Beauv.) Schott & Endl.	1805	3		
DICOTS	LECYTHIDACEAE	*Combretodendron africanum* (Welw. ex Benth. & Hook. f.) Exell	1867	2		
DICOTS	COMBRETACEAE	*Conocarpus erectus* L.	1753	1		
DICOTS	COMPOSITAE	*Conyza clarenceana* (Hook. f.) Oliv. & Hiern	1862	1	ENDEMISM	
DICOTS	COMPOSITAE	*Conyza persicifolia* (Benth.) Oliv. & Hiern	1849	2		

DICOTS	COMPOSITAE	*Conyza steudelii* Sch. Bip. ex A. Rich.	1848	1		
DICOTS	COMPOSITAE	*Conyza subscaposa* O. Hoffm.	1894	1		
DICOTS	TILIACEAE	*Corchorus olitorius* L.	1753	3		
DICOTS	BORAGINACEAE	*Cordia aurantiaca* Baker	1894	6		
DICOTS	BORAGINACEAE	*Cordia platythyrsa* Baker	1894	4		
DICOTS	BORAGINACEAE	*Cordia senegalensis* Juss.	1806	1		
DICOTS	COMPOSITAE	*Crassocephalum biafrae* (Oliv. & Hiern) S. Moore	1877	5		
DICOTS	COMPOSITAE	*Crassocephalum bougheyanum* C.D. Adams	1957	1		LR/nt
DICOTS	COMPOSITAE	*Crassocephalum carvalhoanum* Fern. Casas	Unknown	1		
DICOTS	COMPOSITAE	*Crassocephalum crepidioides* (Benth.) S. Moore	1849	2		
DICOTS	COMPOSITAE	*Crassocephalum mannii* (Hook. f.) Milne-Redh.	1861	2		
DICOTS	COMPOSITAE	*Crassocephalum montuosum* (S. Moore) Milne-Redh.	1902	3		
DICOTS	COMPOSITAE	*Crassocephalum vitellinum* (Benth.) S. Moore	1849	1		
DICOTS	LEGUMINOSAE	*Crotalaria retusa* L.	1753	1		
DICOTS	LEGUMINOSAE	*Crudia klainei* Pierre ex De Wild.	1920	1		
DICOTS	LEGUMINOSAE	*Crudia senegalensis* Planchon ex Benth.	1866	1		
DICOTS	UMBELLIFERAE	*Cryptotaenia africana* (Hook. f.) Drude	1864	1		
DICOTS	CUCURBITACEAE	*Cucumeropsis mannii* Naudin	1866	1		
DICOTS	CUCURBITACEAE	*Cucumis metuliferus* E. Mey. ex Naudin	1859	1		
DICOTS	RUBIACEAE	*Cuviera subuliflora* Benth.	1849	1		
DICOTS	EUPHORBIACEAE	*Cyathogyne viridis* Müll. Arg.	1864	1		
DICOTS	AMARANTHACEAE	*Cyathula cylindrica* Moq.	1849	3		
DICOTS	AMARANTHACEAE	*Cyathula pedicellata* C.B. Clarke	1909	3		
DICOTS	AMARANTHACEAE	*Cyathula prostrata* (L.) Blume	1762	3		
DICOTS	ASCLEPIADACEAE	*Cynanchum adalinae* (K. Schum.) K. Schum.	1893	5		
DICOTS	BORAGINACEAE	*Cynoglossum lanceolatum* Forssk.	1775	3		
DICOTS	VITACEAE	*Cyphostemma adenopodum* (Sprague) Desc.	1906	1		
DICOTS	VITACEAE	*Cyphostemma lageniflorum* (Gilg & Brandt) Desc.	1912	2		
DICOTS	VITACEAE	*Cyphostemma mannii* (Baker) Desc.	1868	1		
DICOTS	VITACEAE	*Cyphostemma vogelii* (Hook. f.) Desc.	1849	1		
DICOTS	CHRYSOBALANACEAE	*Dactyladenia pallescens* (Baill.) Prance & F. White	1867	3		

DICOTS	LEGUMINOSAE	*Dalbergia ecastaphyllum* (L.) Taub.	1759	2		
DICOTS	LEGUMINOSAE	*Daniellia oblonga* Oliv.	1871	1		VU
DICOTS	LEGUMINOSAE	*Daniellia ogea* (Harms) Rolfe ex Holland	1899	1		
DICOTS	LEGUMINOSAE	*Daniellia oliveri* (Rolfe) Hutch. & Dalziel	1911	2		
DICOTS	LEGUMINOSAE	*Daniellia thurifera* Benn.	1854	1		
DICOTS	LEGUMINOSAE	*Delonix regia* (Bojer ex Hook.) Raf.	1829	2		
DICOTS	SIMAROUBACEAE	*Desbordesia glaucescens* (Engl.) Tiegh.	1902	2		
DICOTS	LEGUMINOSAE	*Desmanthus virgatus* (L.) Willd.	1753	1		
DICOTS	MELASTOMATACEAE	*Dicellandra barteri* Hook. f.	1867	6		
DICOTS	MELASTOMATACEAE	*Dichaetanthera africana* (Hook. f.) Jacq.-Fél.	1871	6		
DICOTS	DICHAPETALACEAE	*Dichapetalum heudelotii* (Planch. ex Oliv.) Baill.	1868	1		
DICOTS	DICHAPETALACEAE	*Dichapetalum madagascariense* Poir.	1812	5		
DICOTS	DICHAPETALACEAE	*Dichapetalum oblongum* (Hook.f. ex Benth.) Engl.	1896	5		
DICOTS	DICHAPETALACEAE	*Dichapetalum tomentosum* Engl.	1896	2		
DICOTS	DICHAPETALACEAE	*Dichapetalum unguiculatum* Engl.	1912	3		
DICOTS	COMPOSITAE	*Dichrocephala chrysanthemifolia* (Blume) DC.	1826	1		
DICOTS	ACANTHACEAE	*Dicliptera umbellata* (Vahl) Juss.	1804	1		
DICOTS	THYMELAEACEAE	*Dicranolepis disticha* Planch.	1848	1		
DICOTS	MELASTOMATACEAE	*Dinophora spenneroides* Benth.	1849	1		
DICOTS	LEGUMINOSAE	*Dioclea reflexa* Hook. f.	1849	2		
DICOTS	MENISPERMACEAE	*Dioscoreophyllum cumminsii* (Stapf) Diels	1910	1		
DICOTS	SAPOTACEAE	*Diospyros elliotii* (Hiern) F. White	1894	2		
DICOTS	EBENACEAE	*Diospyros melocarpa* F. White	1963	1		
DICOTS	EBENACEAE	*Diospyros piscatoria* Gürke	1911	2		
DICOTS	ACANTHACEAE	*Dischistocalyx thunbergiiflorus* (T. Anderson) Benth. ex C.B. Clarke	1863	2		
DICOTS	EUPHORBIACEAE	*Discoglypremna caloneura* (Pax) Prain	1909	1		
DICOTS	SOLANACEAE	*Discopodium penninervium* Hochst.	1844	3		
DICOTS	MELASTOMATACEAE	*Dissotis fruticosa* (Brenan) Brenan & Keay	1950	5		
DICOTS	MELASTOMATACEAE	*Dissotis multiflora* (Sm.) Triana	1813	2		
DICOTS	MELASTOMATACEAE	*Dissotis rotundifolia* (Sm.) Triana	1813	4		
DICOTS	LEGUMINOSAE	*Distemonanthus benthamianus* Baill.	1870	1		

DICOTS	SAPINDACEAE	*Dodonaea viscosa* Jacq.	1760	1		
DICOTS	MORACEAE	*Dorstenia elliptica* Bureau	1873	3		
DICOTS	MORACEAE	*Dorstenia subtriangularis* Engl.	1898	1		
DICOTS	URTICACEAE	*Droguetia iners* (Forssk.) Schweinf.	1775	2		
DICOTS	CARYOPHYLLACEAE	*Drymaria cordata* (L.) Willd. ex Schult.	1753	6		
DICOTS	BORAGINACEAE	*Ehretia cymosa* Thonn.	1827	1		
DICOTS	ELATINACEAE	*Elatine triandra* Schkuhr	1791	1		
DICOTS	URTICACEAE	*Elatostema mannii* Wedd.	1869	3		
DICOTS	URTICACEAE	*Elatostema monticola* Hook. f.	1864	1		
DICOTS	URTICACEAE	*Elatostema paivaeanum* Wedd.	1869	3		
DICOTS	URTICACEAE	*Elatostema welwitschii* Engl.	1902	2		
DICOTS	COMPOSITAE	*Elephantopus mollis* Kunth	1820	3		
DICOTS	COMPOSITAE	*Elephantopus spicatus* B. Juss. ex Aubl.	1775	1		
DICOTS	ACANTHACEAE	*Elytraria marginata* Vahl	1804	2		
DICOTS	MYRSINACEAE	*Embelia guineensis* Baker	1877	2		
DICOTS	COMPOSITAE	*Emilia coccinea* (Sims) G. Don	1802	3		
DICOTS	COMPOSITAE	*Emilia praetermissa* Milne-Redh.	1951	1		
DICOTS	LEGUMINOSAE	*Entada africana* Guill. & Perr.	1832	1		
DICOTS	LEGUMINOSAE	*Entada gigas* (L.) Fawc. & Rendle	1759	1		
DICOTS	LEGUMINOSAE	*Entada mannii* (Oliv.) Tisser.	1871	2		
DICOTS	LEGUMINOSAE	*Entada rheedii* Spreng.	1825	1		
DICOTS	GESNERIACEAE	*Epithema tenue* C.B. Clarke	1883	2		
DICOTS	ACANTHACEAE	*Eremomastax speciosa* (Hochst.) Cufod.	1844	1		
DICOTS	STERCULIACEAE	*Eribroma oblonga* Pierre ex A. Chev.	1917	2		VU
DICOTS	COMPOSITAE	*Erigeron floribundus* (Kunth) Sch. Bip.	1820	1		
DICOTS	UMBELLIFERAE	*Eryngium foetidum* L.	1753	9		
DICOTS	LEGUMINOSAE	*Erythrina gilletii* De Wild.	1905	1		
DICOTS	LEGUMINOSAE	*Erythrophleum suaveolens* (Guill. & Perr.) Brenan	1832	1		
DICOTS	RUTACEAE	*Fagara poggei* Engl.	1896	1		
DICOTS	RUTACEAE	*Fagara welwitschii* Engl.	1896	3		
DICOTS	MORACEAE	*Ficus ardisioides* Warb.	1894	4		

DICOTS	MORACEAE	*Ficus artocarpoides* Warb.	1904	5		
DICOTS	MORACEAE	*Ficus asperifolia* Miq.	1848	3		
DICOTS	MORACEAE	*Ficus conraui* Warb.	1904	1		
DICOTS	MORACEAE	*Ficus craterostoma* Warb. ex Mildbr. & Burret	1911	3		
DICOTS	MORACEAE	*Ficus cyathistipula* Warb.	1894	3		
DICOTS	MORACEAE	*Ficus dryepondtiana* Gentil ex De Wild.	1913	1		
DICOTS	MORACEAE	*Ficus exasperata* Vahl	1805	4		
DICOTS	MORACEAE	*Ficus lingua* Warb. ex De Wild. & T. Durand	1901	2		
DICOTS	MORACEAE	*Ficus lutea* Vahl	1805	3		
DICOTS	MORACEAE	*Ficus mucuso* Welw. ex Ficalho	1884	3		
DICOTS	MORACEAE	*Ficus natalensis* Hochst.	1845	2		
DICOTS	MORACEAE	*Ficus oreodryadum* Mildbr.	1911	2		
DICOTS	MORACEAE	*Ficus ottoniifolia* (Miq.) Miq.	1854	3		
DICOTS	MORACEAE	*Ficus ovata* Vahl	1805	5		
DICOTS	MORACEAE	*Ficus polita* Vahl	1805	3		
DICOTS	MORACEAE	*Ficus preussii* Warb.	1894	2		
DICOTS	MORACEAE	*Ficus recurvata* De Wild.	1913	2		
DICOTS	MORACEAE	*Ficus sansibarica* Warb.	1894	2		
DICOTS	MORACEAE	*Ficus saussureana* DC.	1841	1		
DICOTS	MORACEAE	*Ficus sur* Forssk.	1775	5		
DICOTS	MORACEAE	*Ficus tessellata* Warb.	1911	1		
DICOTS	MORACEAE	*Ficus thonningii* Blume	1836	11		
DICOTS	MORACEAE	*Ficus umbellata* Vahl	1805	3		
DICOTS	MORACEAE	*Ficus vogeliana* (Miq.) Miq.	1849	2		
DICOTS	ANNONACEAE	*Friesodielsia montana* (Engler & Diels) Steenis	1899	1		
DICOTS	APOCYNACEAE	*Funtumia africana* (Benth.) Stapf	1879	3		
DICOTS	APOCYNACEAE	*Funtumia elastica* (Preuss) Stapf	1899	1		
DICOTS	COMPOSITAE	*Galinsoga ciliata* (Raf.) S.F. Blake	1836	4		
DICOTS	RUBIACEAE	*Galium simense* Fresen.	1837	1		
DICOTS	RUBIACEAE	*Galium thunbergianum* Eckl. & Zeyh.	1837	1		
DICOTS	GUTTIFERAE	*Garcinia kola* Heckel	1883	1		

DICOTS	GUTTIFERAE	*Garcinia mannii* Oliv.	1868	1		
DICOTS	GERANIACEAE	*Geranium arabicum* Forssk.	1775	3		
DICOTS	GERANIACEAE	*Geranium simense* Hochst. ex A. Rich.	1847	1		
DICOTS	LORANTHACEAE	*Globimetula braunii* (Engl.) Danser	1894	2		
DICOTS	TILIACEAE	*Glyphaea brevis* (Spreng.) Monach.	1807	5		
DICOTS	TILIACEAE	*Glyphaea lateriflora* (G. Don) Hutch. & Dalziel	1831	2		
DICOTS	COMPOSITAE	*Gnaphalium luteo-album* L.	1753	1		
DICOTS	OCHNACEAE	*Gomphia affinis* Hook. f.	1849	2		
DICOTS	OCHNACEAE	*Gomphia calophylla* Hook. f.	1849	1		
DICOTS	AMARANTHACEAE	*Gomphrena vermicularis* L.	1753	2		
DICOTS	MALVACEAE	*Gossypium barbadense* L.	1753	2		
DICOTS	RHAMNACEAE	*Gouania longipetala* Hemsl.	1868	1		
DICOTS	ANNONACEAE	*Greenwayodendron suaveolens* (Engl. & Diels) Verdc.	1969	1		
DICOTS	TILIACEAE	*Grewia coriacea* Mast.	1868	1		
DICOTS	TILIACEAE	*Grewia malacocarpa* Mast.	1868	3		
DICOTS	LEGUMINOSAE	*Griffonia physocarpa* Baill.	1865	1		
DICOTS	MELASTOMATACEAE	*Guyonia ciliata* Hook. f.	1871	3		
DICOTS	CAPPARACEAE	*Gynandropsis gynandra* (L.) Briq.	1753	1		
DICOTS	SIMAROUBACEAE	*Hannoa klaineana* Pierre ex Engl.	1911	3		
DICOTS	GUTTIFERAE	*Harungana madagascariensis* Lam. ex Poir.	1804	3		
DICOTS	GUTTIFERAE	*Harungana paniculata* Pers.	1807	3		
DICOTS	MELIACEAE	*Heckeldora staudtii* (Harms) Staner	1896	1		
DICOTS	OLACACEAE	*Heisteria parvifolia* Sm.	1811	2		
DICOTS	COMPOSITAE	*Helianthus annuus* L.	1753	1		
DICOTS	COMPOSITAE	*Helichrysum cymosum* (L.) Less.	1753	1		
DICOTS	COMPOSITAE	*Helichrysum foetidum* (L.) Moench	1753	1		
DICOTS	COMPOSITAE	*Helichrysum globosum* A. Rich.	1848	1		
DICOTS	COMPOSITAE	*Helichrysum mannii* Hook. f.	1862	1		LR/nt
DICOTS	BORAGINACEAE	*Heliotropium indicum* L.	1753	1		
DICOTS	HERNANDIACEAE	*Hernandia beninensis* Welw. ex Henriq.	1892	2		
DICOTS	MALPIGHIACEAE	*Heteropterys leona* (Cav.) Exell	1790	1		

DICOTS	MELASTOMATACEAE	*Heterotis decumbens* (P. Beauv.) Jacq.-Fél.	1806	3		
DICOTS	MELASTOMATACEAE	*Heterotis prostrata* Benth.	1849	7		
DICOTS	ANNONACEAE	*Hexalobus crispiflorus* A. Rich.	1845	1		
DICOTS	MALVACEAE	*Hibiscus rosa-sinensis* L.	1753	1		
DICOTS	MALVACEAE	*Hibiscus rostellatus* Guill. & Perr.	1830	1		
DICOTS	MALVACEAE	*Hibiscus surattensis* L.	1753	4		
DICOTS	MALVACEAE	*Hibiscus tiliaceus* L.	1753	3		
DICOTS	PHYTOLACCACEAE	*Hilleria latifolia* (Lam.) H. Walter	1791	2		
DICOTS	FLACOURTIACEAE	*Homalium africanum* (Hook. f.) Benth.	1849	1		
DICOTS	FLACOURTIACEAE	*Homalium letestui* Pellegr.	1921	2		
DICOTS	FLACOURTIACEAE	*Homalium stipulaceum* Welw. ex Mast.	1871	1		
DICOTS	LABIATAE	*Homalocheilos ramosissimus* (Hook. f.) J.K. Morton	1862	7		
DICOTS	LABIATAE	*Hoslundia opposita* Vahl	1805	4		
DICOTS	LINACEAE	*Hugonia platysepala* Welw. ex Oliv.	1868	4		
DICOTS	LINACEAE	*Hugonia spicata* Oliv.	1868	2	ENDEMISM	
DICOTS	VIOLACEAE	*Hybanthus enneaspermus* (L.) F. Muell.	1753	1		
DICOTS	UMBELLIFERAE	*Hydrocotyle bonariensis* Lam.	1789	1		
DICOTS	UMBELLIFERAE	*Hydrocotyle hirta* R. Br. ex A. Rich.	1820	2		
DICOTS	GUTTIFERAE	*Hypericum lanceolatum* Lam.	1797	2		
DICOTS	GUTTIFERAE	*Hypericum peplidifolium* A. Rich.	1847	1		
DICOTS	GUTTIFERAE	*Hypericum revolutum* Vahl	1790	2		
DICOTS	ACANTHACEAE	*Hypoestes aristata* (Vahl) Sol. ex Roem. & Schult.	1791	1		
DICOTS	ACANTHACEAE	*Hypoestes rosea* P. Beauv.	1818	1		
DICOTS	ACANTHACEAE	*Hypoestes triflora* (Forssk.) Roem. & Schult.	1775	2		
DICOTS	LABIATAE	*Hyptis lanceolata* Poir.	1813	3		
DICOTS	AQUIFOLIACEAE	*Ilex mitis* (L.) Radlk.	1767	3		
DICOTS	HERNANDIACEAE	*Illigera pentaphylla* Welw.	1869	2		
DICOTS	BALSAMINACEAE	*Impatiens filicornu* Hook. f.	1862	4		
DICOTS	BALSAMINACEAE	*Impatiens hians* Hook. f.	1862	3		
DICOTS	BALSAMINACEAE	*Impatiens kamerunensis* Warb.	1895	2		
DICOTS	BALSAMINACEAE	*Impatiens macroptera* Hook. f.	1864	5		

DICOTS	BALSAMINACEAE	*Impatiens mannii* Hook. f.	1861	7		
DICOTS	BALSAMINACEAE	*Impatiens niamniamensis* Gilg	1909	2		
DICOTS	BALSAMINACEAE	*Impatiens sakeriana* Hook. f.	1864	1		
DICOTS	LEGUMINOSAE	*Inga edulis* Mart.	1837	2		
DICOTS	CONVOLVULACEAE	*Ipomoea aquatica* Forssk.	1775	1		
DICOTS	CONVOLVULACEAE	*Ipomoea batatas* (L.) Lam.	1753	4		
DICOTS	CONVOLVULACEAE	*Ipomoea cairica* (L.) Sweet	1759	6		
DICOTS	CONVOLVULACEAE	*Ipomoea indica* (Burm.) Merr.	1755	1		
DICOTS	CONVOLVULACEAE	*Ipomoea involucrata* P. Beauv.	1817	4		
DICOTS	CONVOLVULACEAE	*Ipomoea mauritiana* Jacq.	1790	1		
DICOTS	CONVOLVULACEAE	*Ipomoea pes-caprae* (L.) R. Br.	1753	2		
DICOTS	CONVOLVULACEAE	*Ipomoea pileata* Roxb.	1824	1		
DICOTS	CONVOLVULACEAE	*Ipomoea triloba* L.	1753	1		
DICOTS	ACANTHACEAE	*Isoglossa glandulifera* Lindau	1894	1		
DICOTS	MENISPERMACEAE	*Jateorhiza macrantha* (Hook. f.) Exell & Mendonca	1848	6		
DICOTS	CONNARACEAE	*Jollydora duparquetiana* (Baill.) Pierre	1867	1		
DICOTS	ACANTHACEAE	*Justicia insularis* T. Anderson	1863	6		
DICOTS	ACANTHACEAE	*Justicia laxa* T. Anderson	1863	2		
DICOTS	ACANTHACEAE	*Justicia nigerica* S. Moore	1913	1		
DICOTS	ACANTHACEAE	*Justicia preussii* (Lindau) C.B. Clarke	1894	2		
DICOTS	ACANTHACEAE	*Justicia tenella* (Nees) T. Anderson	1847	2		
DICOTS	CRASSULACEAE	*Kalanchoe laciniata* (L.) DC.	1753	1		
DICOTS	SAPINDACEAE	*Laccodiscus ferrugineus* (Baker) Radlk.	1868	1		
DICOTS	COMPOSITAE	*Lactuca glandulifera* Hook. f.	1864	3		
DICOTS	COMPOSITAE	*Laggera alata* (D. Don) Sch. Bip. ex Oliv.	1825	1		
DICOTS	COMBRETACEAE	*Laguncularia racemosa* (L.) C.F. Gaertn.	1759	2		
DICOTS	APOCYNACEAE	*Landolphia landolphioides* (Hallier f.) A. Chev.	1900	1		
DICOTS	ANACARDIACEAE	*Lannea welwitschii* (Hiern) Engl.	1896	1		
DICOTS	VERBENACEAE	*Lantana camara* L.	1753	1		
DICOTS	URTICACEAE	*Laportea aestuans* (L.) Chew	1763	4		
DICOTS	URTICACEAE	*Laportea alatipes* Hook. f.	1864	3		

DICOTS	URTICACEAE	*Laportea ovalifolia* (Schum. & Thonn.) Chew	1827	5		
DICOTS	ICACINACEAE	*Lasianthera africana* P. Beauv.	1806	1		
DICOTS	RUBIACEAE	*Lasianthus batangensis* K. Schum.	1899	1		
DICOTS	RHAMNACEAE	*Lasiodiscus fasciculiflorus* Engl.	1908	4		
DICOTS	URTICACEAE	*Lecanthus peduncularis* (Wall. ex Royle) Wedd.	1839	4		
DICOTS	VITACEAE	*Leea guineensis* G. Don	1831	5		
DICOTS	LABIATAE	*Leonotis nepetifolia* (L.) R. Br.	1753	2		
DICOTS	CONVOLVULACEAE	*Lepistemon owariense* (P. Beauv.) Hallier f.	1816	1		
DICOTS	ICACINACEAE	*Leptaulus daphnoides* Benth.	1862	1		
DICOTS	LEGUMINOSAE	*Leucaena leucocephala* (Lam.) de Wit	1783	4		
DICOTS	LABIATAE	*Leucas deflexa* Hook. f.	1864	2		
DICOTS	LABIATAE	*Leucas martinicensis* (Jacq.) R. Br.	1760	1		
DICOTS	FLACOURTIACEAE	*Lindackeria dentata* (Oliv.) Gilg	1868	6		
DICOTS	SCROPHULARIACEAE	*Lindernia diffusa* (L.) Wettst.	1767	1		
DICOTS	SCROPHULARIACEAE	*Lindernia nummularifolia* (D. Don) Wettst.	1825	1		
DICOTS	SCROPHULARIACEAE	*Lindernia senegalensis* (Benth.) Skan	1846	1		
DICOTS	CAMPANULACEAE	*Lobelia columnaris* Hook. f.	1862	6		LR/nt
DICOTS	CAMPANULACEAE	*Lobelia molleri* Henriq.	1893	2		
DICOTS	ONAGRACEAE	*Ludwigia octovalvis* (Jacq.) P.H. Raven	1760	2		
DICOTS	CUCURBITACEAE	*Luffa aegyptiaca* Mill.	1768	2		
DICOTS	CUCURBITACEAE	*Luffa cylindrica* M. Roem.	1846	1		
DICOTS	LEGUMINOSAE	*Machaerium lunatum* (L. f.) Ducke	1782	3		
DICOTS	CAPPARACEAE	*Maerua duchesnei* (De Wild.) F. White	1905	1		
DICOTS	CAPPARACEAE	*Maesa borjeana* Henriq.	1892	2		
DICOTS	MYRSINACEAE	*Maesa lanceolata* Forssk.	1775	10		
DICOTS	RHAMNACEAE	*Maesopsis eminii* Engl.	1895	2		
DICOTS	ANACARDIACEAE	*Mangifera indica* L.	1753	1		
DICOTS	EUPHORBIACEAE	*Manihot esculenta* Crantz	1766	2		
DICOTS	EUPHORBIACEAE	*Manihot glaziovii* Müll. Arg.	1874	1		
DICOTS	EUPHORBIACEAE	*Manihot utilissima* Pohl	1827	1		
DICOTS	EUPHORBIACEAE	*Maprounea africana* Müll. Arg.	1866	1		

DICOTS	BIGNONIACEAE	*Markhamia lutea* (Benth.) K. Schum.	1844	3		
DICOTS	CELASTRACEAE	*Maytenus undata* (Thunb.) Blakelock	1794	1		
DICOTS	MELASTOMATACEAE	*Medinilla mannii* Hook. f.	1871	3	ENDEMISM	
DICOTS	MELASTOMATACEAE	*Medinilla mirabile* (Gilg) Jacq.-Fél.	1897	1		
DICOTS	COMPOSITAE	*Melanthera scandens* (Schumach. & Thonn.) Roberty	1827	2		
DICOTS	MELIACEAE	*Melia azedarach* L.	1753	1		
DICOTS	MELASTOMATACEAE	*Memecylon fernandianum* Gilg ex Engl.	1921	2	ENDEMISM	
DICOTS	MELASTOMATACEAE	*Memecylon tessmanii* Gilg ex Engl.	1921	1		
DICOTS	MELASTOMATACEAE	*Memecylon vogelii* Naudin	1852	1		
DICOTS	CONVOLVULACEAE	*Merremia pterygocaulos* (Steud. ex Choisy) Hallier f.	1845	1		
DICOTS	CONVOLVULACEAE	*Merremia tuberosa* (L.) Rendle	1753	1		
DICOTS	CONVOLVULACEAE	*Merremia umbellata* (L.) Hallier f.	1753	6		
DICOTS	PANDACEAE	*Microdesmis puberula* Hook. f. ex Planch.	1848	4		
DICOTS	COMPOSITAE	*Microglossa densiflora* Hook. f.	1864	3		
DICOTS	COMPOSITAE	*Microglossa pyrifolia* (Lam.) Kuntze	1786	3		
DICOTS	LABIATAE	*Micromeria punctata* Benth.	1834	1		
DICOTS	COMPOSITAE	*Mikania cordata* (Burm. f.) B.L. Rob.	1768	6		
DICOTS	COMPOSITAE	*Mikania scandens* (L.) Willd.	1753	1		
DICOTS	COMPOSITAE	*Mikaniopsis maitlandii* C.D. Adams	1961	2		VU
DICOTS	COMPOSITAE	*Mikaniopsis paniculata* Milne-Redh.	1956	2		
DICOTS	LEGUMINOSAE	*Millettia macrophylla* Benth.	1848	1		
DICOTS	LEGUMINOSAE	*Millettia sanagana* Harms	1899	1		
DICOTS	LEGUMINOSAE	*Mimosa pudica* L.	1753	2		
DICOTS	ACANTHACEAE	*Mimulopsis solmsii* Schweinf.	1868	2		
DICOTS	CUCURBITACEAE	*Momordica charantia* L.	1753	3		
DICOTS	CUCURBITACEAE	*Momordica cissoides* Planch. ex Benth.	1849	4		
DICOTS	CUCURBITACEAE	*Momordica foetida* Schumach.	1827	6		
DICOTS	ANNONACEAE	*Monodora brevipes* auct.	1862	1		
DICOTS	ANNONACEAE	*Monodora myristica* (Gaertn.) Dunal	1791	3		
DICOTS	CAMPANULACEAE	*Monopsis stellarioides* (C. Presl) Urb.	1881	1		
DICOTS	LEGUMINOSAE	*Mucuna gracilipes* Craib	1927	2		

DICOTS	CECROPIACEAE	*Musanga cecropioides* R. Br. ex Tedlie	1819	6		
DICOTS	RUBIACEAE	*Mussaenda arcuata* Lam. ex Poir.	1797	1		
DICOTS	RUBIACEAE	*Mussaenda elegans* Schumach. & Thonn.	1827	1		
DICOTS	RUBIACEAE	*Mussaenda erythrophylla* Schumach. & Thonn.	1827	1		
DICOTS	RUBIACEAE	*Mussaenda isertiana* DC.	1830	2		
DICOTS	RUBIACEAE	*Mussaenda tenuiflora* Benth.	1849	3		
DICOTS	CECROPIACEAE	*Myrianthus arboreus* P. Beauv.	1804	1		
DICOTS	MYRICACEAE	*Myrica arborea* Hutch.	1917	5		
DICOTS	MYRISTICACEAE	*Myristica fragrans* Houtt.	1774	1		
DICOTS	LECYTHIDACEAE	*Napoleonaea mannii* Miers	1875	1	ENDEMISM	
DICOTS	ACANTHACEAE	*Nelsonia canescens* (Lam.) Spreng.	1791	1		
DICOTS	ACANTHACEAE	*Nelsonia smithii* Oerst.	1854	4		
DICOTS	LABIATAE	*Nepeta robusta* Hook. f.	1864	1		
DICOTS	CONVOLVULACEAE	*Neuropeltis acuminata* (P. Beauv.) Benth.	1805	2		
DICOTS	BIGNONIACEAE	*Newbouldia laevis* (P. Beauv.) Seem. ex Bureau	1805	1		
DICOTS	OCHNACEAE	*Ochna rhizomatosa* (Tiegh.) Keay	1902	1		
DICOTS	LINACEAE	*Ochthocosmus africanus* Hook. f.	1849	1		
DICOTS	LABIATAE	*Ocimum gratissimum* L.	1753	4		
DICOTS	ACANTHACEAE	*Odontonema cuspidatum* (Nees) Kuntze	1847	2		
DICOTS	RUBIACEAE	*Oldenlandia corymbosa* L.	1753	1		
DICOTS	RUBIACEAE	*Oldenlandia lancifolia* (Schumach.) DC.	1827	1		
DICOTS	FLACOURTIACEAE	*Oncoba dentata* Oliv.	1868	7		
DICOTS	FLACOURTIACEAE	*Oncoba glauca* (P. Beauv.) Planch.	1805	5		
DICOTS	FLACOURTIACEAE	*Oncoba mannii* Oliv.	1868	2		
DICOTS	FLACOURTIACEAE	*Oncoba spinosa* Forssk.	1775	2		
DICOTS	FLACOURTIACEAE	*Oncoba welwitschii* Oliv.	1868	1		
DICOTS	ACANTHACEAE	*Oreacanthus mannii* Benth.	1870	1		
DICOTS	RUBIACEAE	*Otomeria cameronica* (Bremek.) Hepper	1952	2		
DICOTS	OXALIDACEAE	*Oxalis corniculata* L.	1753	3		
DICOTS	OXALIDACEAE	*Oxalis corymbosa* DC.	1824	2		
DICOTS	OXALIDACEAE	*Oxalis debilis* Kunth	1821	3		

DICOTS	OXALIDACEAE	*Oxalis violacea* L.	1753	1		
DICOTS	RUBIACEAE	*Oxyanthus laxiflorus* K. Schum. ex Hutch. & Dalziel	1931	2		
DICOTS	PANDACEAE	*Panda oleosa* Pierre	1896	1		
DICOTS	RUBIACEAE	*Parapentas setigera* (Hiern) Verdc.	1871	1		
DICOTS	ARISTOLOCHIACEAE	*Pararistolochia goldieana* (Hook. f.) Hutch. & Dalziel	1865	2		VU
DICOTS	URTICACEAE	*Parietaria debilis* G. Forst.	1786	2		
DICOTS	URTICACEAE	*Parietaria laxiflora* Engl.	1911	1		
DICOTS	LEGUMINOSAE	*Parkia biglobosa* (Jacq.) R. Br. ex G. Don	1763	1		
DICOTS	ASCLEPIADACEAE	*Parquetina nigrescens* (Afzel.) Bullock	1818	2		
DICOTS	PASSIFLORACEAE	*Passiflora foetida* L.	1753	1		
DICOTS	SAPINDACEAE	*Paullinia pinnata* L.	1753	7		
DICOTS	MALVACEAE	*Pavonia urens* Cav.	1787	5		
DICOTS	THYMELAEACEAE	*Peddiea parviflora* Hook. f.	1862	1	ENDEMISM	
DICOTS	LEGUMINOSAE	*Peltophorum ferrugineum* (Decne.) Benth.	1834	1		
DICOTS	LEGUMINOSAE	*Peltophorum pterocarpum* (DC.) Backer ex K. Heyne	1825	3		
DICOTS	LEGUMINOSAE	*Pentaclethra macrophylla* Benth.	1841	1		
DICOTS	RUBIACEAE	*Pentas schimperiana* (A. Rich.) Vatke	1847	2		
DICOTS	PIPERACEAE	*Peperomia bangroana* C. DC.	1866	1		
DICOTS	PIPERACEAE	*Peperomia fernandopoiana* C. DC.	1866	10		
DICOTS	PIPERACEAE	*Peperomia kamerunana* C. DC.	1894	2		EN
DICOTS	PIPERACEAE	*Peperomia laeteviridis* Engl.	1899	5		
DICOTS	PIPERACEAE	*Peperomia molleri* C. DC.	1892	2		
DICOTS	PIPERACEAE	*Peperomia pellucida* (L.) Kunth	1753	5		
DICOTS	PIPERACEAE	*Peperomia retusa* (L. f.) A. Dietr.	1782	7		
DICOTS	PIPERACEAE	*Peperomia rotundifolia* (L.) Kunth	1753	2		
DICOTS	PIPERACEAE	*Peperomia tetraphylla* (G. Forst.) Hook. & Arn.	1786	7		
DICOTS	PIPERACEAE	*Peperomia thomeana* C. DC.	1892	4		LR/nt
DICOTS	PIPERACEAE	*Peperomia vulcanica* Baker & C. H. Wright	1913	3		
DICOTS	ASCLEPIADACEAE	*Pergularia daemia* Forssk.) Chiov.	1775	2		
DICOTS	LAURACEAE	*Persea americana* Mill.	1768	2		
DICOTS	UMBELLIFERAE	*Peucedanum townsendii* A.Charpin & Fern.Casas	1996	2		

DICOTS	ACANTHACEAE	*Phaulopsis falcisepala* C.B. Clarke	1899	1		
DICOTS	ERICACEAE	*Philippia mannii* (Hook. f.) Alm & R.E. Fr.	1862	2		
DICOTS	AMARANTHACEAE	*Philoxerus vermicularis* (L.) Sm.	1753	2		
DICOTS	LORANTHACEAE	*Phragmanthera capitata* (Spreng.) Balle	1821	6		
DICOTS	LORANTHACEAE	*Phragmanthera nigritana* (Hook. f. ex Benth.) Balle	1849	2		
DICOTS	LORANTHACEAE	*Phragmanthera polycrypta* (Didr.) Balle	1854	3		
DICOTS	EUPHORBIACEAE	*Phyllanthus muellerianus* (Kuntze) Exell	1891	3		
DICOTS	SOLANACEAE	*Physalis angulata* L.	1753	2		
DICOTS	URTICACEAE	*Pilea microphylla* (L.) Liebm.	1759	1		
DICOTS	URTICACEAE	*Pilea rivularis* Wedd.	1856	2		
DICOTS	URTICACEAE	*Pilea sublucens* Wedd.	1869	6		
DICOTS	URTICACEAE	*Pilea tetraphylla* (Steud.) Blume	1850	2		
DICOTS	PIPERACEAE	*Piper capense* L. f.	1781	12		
DICOTS	PIPERACEAE	*Piper guineense* Schumach. & Thonn.	1827	13		
DICOTS	PIPERACEAE	*Piper umbellatum* L.	1753	10		
DICOTS	LEGUMINOSAE	*Piptadeniastrum africanum* (Hook. f.) Brenan	1849	2		
DICOTS	PITTOSPORACEAE	*Pittosporum mannii* Hook. f.	1862	5		
DICOTS	LABIATAE	*Platostoma africanum* P. Beauv.	1818	7		
DICOTS	LABIATAE	*Plectranthus assurgens* (Baker) J.K. Morton	1900	2		
DICOTS	LABIATAE	*Plectranthus cataractarum* B.J. Pollard	2001	1		VU
DICOTS	LABIATAE	*Plectranthus decurrens* (Gürke) J.K. Morton	1894	7		
DICOTS	LABIATAE	*Plectranthus glandulosus* Hook. f.	1861	4		
DICOTS	LABIATAE	*Plectranthus monostachyus* (P. Beauv.) B.J. Pollard	1818	5		
DICOTS	LABIATAE	*Plectranthus punctatus* (L. f.) L'Hér.	1781	2		
DICOTS	PLUMBAGINACEAE	*Plumbago zeylanica* L.	1753	1		
DICOTS	ANISOPHYLLEACEAE	*Poga oleosa* Pierre	1896	1		
DICOTS	ANNONACEAE	*Polyalthia suaveolens* Engl. & Diels	1901	1		
DICOTS	ICACINACEAE	*Polycephalium lobatum* Pierre	1898	1		
DICOTS	POLYGALACEAE	*Polygala cabrae* Chodat	1898	2		
DICOTS	POLYGONACEAE	*Polygonum nepalense* Meisn.	1826	1		
DICOTS	POLYGONACEAE	*Polygonum nyikense* Baker	1897	4		

DICOTS	ARALIACEAE	*Polyscias fulva* (Hiern) Harms	1877	3		
DICOTS	PORTULACACEAE	*Portulaca oleracea* L.	1753	4		
DICOTS	PIPERACEAE	*Pothomorphe umbellata* (L.) Miq.	1753	15		
DICOTS	URTICACEAE	*Pouzolzia denudata* De Wild. & Th. Dur.	1900	1		
DICOTS	URTICACEAE	*Pouzolzia guineensis* Benth.	1849	5		
DICOTS	URTICACEAE	*Pouzolzia parasitica* (Forssk.) Schweinf.	1775	2		
DICOTS	VERBENACEAE	*Premna angolensis* Gürke	1893	2		
DICOTS	MELASTOMATACEAE	*Preussiella kamerunensis* Gilg	1897	4		
DICOTS	URTICACEAE	*Procris crenata* C.B. Rob.	1911	2		
DICOTS	ACANTHACEAE	*Pseuderanthemum ludovicianum* (Büttner) Lindau	1890	2		
DICOTS	ACANTHACEAE	*Pseuderanthemum tunicatum* (Afzel.) Milne-Redh.	1813	4		
DICOTS	ANACARDIACEAE	*Pseudospondias microcarpa* (A. Rich.) Engl.	1831	2		
DICOTS	MYRTACEAE	*Psidium guajava* L.	1753	1		
DICOTS	GUTTIFERAE	*Psorospermum febrifugum* Spach	1836	1		
DICOTS	RUBIACEAE	*Psychotria brachyantha* Hiern	1877	2		
DICOTS	RUBIACEAE	*Psychotria latistipula* Benth.	1849	2		
DICOTS	MYRISTICACEAE	*Pycnanthus angolensis* (Welw.) Warb.	1862	3		
DICOTS	LABIATAE	*Pycnostachys meyeri* Gürke	1892	4		
DICOTS	LABIATAE	*Pycnostachys volkensii* Gürke	1895	1		
DICOTS	MYRSINACEAE	*Rapanea neurophylla* (Gilg) Mez	1894	1		
DICOTS	CUCURBITACEAE	*Raphidiocystis mannii* Hook. f.	1871	1		
DICOTS	APOCYNACEAE	*Rauvolfia vomitoria* Afzel.	1817	16		
DICOTS	OCHNACEAE	*Rhabdophyllum affine* (Hook. f.) Tiegh.	1849	2		
DICOTS	OCHNACEAE	*Rhabdophyllum calophyllum* (Hook. f.) Tiegh.	1849	1		
DICOTS	ICACINACEAE	*Rhaphiostylis ferruginea* Engl.	1909	1		
DICOTS	ACANTHACEAE	*Rhinacanthus virens* (Nees) Milne-Redh.	1847	2		
DICOTS	RHIZOPHORACEAE	*Rhizophora mangle* L.	1753	2		
DICOTS	RHIZOPHORACEAE	*Rhizophora racemosa* G. Mey.	1818	1		
DICOTS	ASCLEPIADACEAE	*Rhynchostigma racemosum* Benth.	1876	3		
DICOTS	VIOLACEAE	*Rinorea dentata* (P. Beauv.) Kuntze	1808	6		
DICOTS	CAPPARACEAE	*Ritchiea erecta* Hook. f.	1831	1	ENDEMISM	

DICOTS	CONNARACEAE	*Rourea coccinea* (Schumach. & Thonn.) Benth.	1827	2		
DICOTS	CONNARACEAE	*Rourea solanderi* Baker	1868	2		
DICOTS	ROSACEAE	*Rubus idaeus* L.	1753	1		
DICOTS	ROSACEAE	*Rubus pinnatus* Willd.	1799	6		
DICOTS	ROSACEAE	*Rubus rosifolius* Sm.	1791	3		
DICOTS	ACANTHACEAE	*Rungia paxiana* (Lindau) C.B. Clarke	1894	4		
DICOTS	RUBIACEAE	*Rutidea decorticata* Hiern	1877	1		
DICOTS	RUBIACEAE	*Sabicea calycina* Benth.	1849	1		
DICOTS	HUMIRIACEAE	*Sacoglottis gabonensis* (Baill.) Urb.	1862	2		
DICOTS	RUBIACEAE	*Sacosperma paniculatum* (Benth.) G. Taylor	1849	1		
DICOTS	CARYOPHYLLACEAE	*Sagina abyssinica* Hochst. ex A. Rich.	1847	2		
DICOTS	UMBELLIFERAE	*Sanicula elata* Buch.-Ham. ex D. Don	1825	6		
DICOTS	RUBIACEAE	*Sarcocephalus esculentus* Afzel. ex Sabine	1824	1		
DICOTS	ARALIACEAE	*Schefflera barteri* (Seem.) Harms	1865	6		
DICOTS	ARALIACEAE	*Schefflera mannii* (Hook. f.) Harms	1862	1		VU
DICOTS	RUBIACEAE	*Schumanniophyton magnificum* (K. Schum.) Harms	1896	1		
DICOTS	SCROPHULARIACEAE	*Scoparia dulcis* L.	1753	1		
DICOTS	LEGUMINOSAE	*Scorodophloeus zenkeri* Harms	1901	2		
DICOTS	GENTIANACEAE	*Sebaea brachyphylla* Griseb.	1839	1		
DICOTS	GENTIANACEAE	*Sebaea multinodis* N.E. Br.	1903	3		
DICOTS	ASCLEPIADACEAE	*Secamone afzelii* (Schult.) K. Schum.	1819	2		
DICOTS	POLYGALACEAE	*Securidaca welwitschii* Oliv.	1868	1		
DICOTS	COMPOSITAE	*Senecio clarenceanus* Hook. f.	1862	1		
DICOTS	LEGUMINOSAE	*Senna alata* (L.) Roxb.	1753	4		
DICOTS	LEGUMINOSAE	*Senna occidentalis* (L.) Link	1753	1		
DICOTS	LEGUMINOSAE	*Senna podocarpa* (Guill. & Perr.) Lock	1832	1		
DICOTS	LEGUMINOSAE	*Senna septemtrionalis* (Viv.) H.S. Irwin & Barneby	1802	1		
DICOTS	LEGUMINOSAE	*Senna sophera* (L.) Roxb.	1753	1		
DICOTS	LEGUMINOSAE	*Senna spectabilis* (DC.) H.S. Irwin & Barneby	1813	1		
DICOTS	LEGUMINOSAE	*Senna tora* (L.) Roxb.	1753	1		
DICOTS	AMARANTHACEAE	*Sericostachys scandens* Gilg & Lopr.	1899	1		

DICOTS	SCROPHULARIACEAE	*Sibthorpia australis* Hutch.	1931	4		
DICOTS	MALVACEAE	*Sida acuta* Burm. f.	1768	5		
DICOTS	MALVACEAE	*Sida rhombifolia* L.	1753	2		
DICOTS	CRUCIFERAE	*Sisymbrium erysimoides* Desf.	1798	1		
DICOTS	COMPOSITAE	*Solanecio lainzii* Fern. Casas	1996	2		
DICOTS	SOLANACEAE	*Solanum americanum* Mill.	1768	6		
DICOTS	SOLANACEAE	*Solanum anguivi* Lam.	1794	1		
DICOTS	SOLANACEAE	*Solanum incanum* L.	1753	2		
DICOTS	SOLANACEAE	*Solanum nigrum* L.	1753	1		
DICOTS	SOLANACEAE	*Solanum pseudospinosum* C.H. Wright	1906	1		
DICOTS	SOLANACEAE	*Solanum terminale* Forssk.	1775	7		
DICOTS	SOLANACEAE	*Solanum torvum* Sw.	1788	1		
DICOTS	LABIATAE	*Solenostemon decumbens* (Hook. f.) Baker	1864	3		
DICOTS	LABIATAE	*Solenostemon mannii* (Hook. f.) Baker	1864	5		
DICOTS	LABIATAE	*Solenostemon monostachyus* (P. Beauv.) Briq.	1818	4		
DICOTS	LABIATAE	*Solenostemon repens* (Gürke) J.K. Morton	1894	1		
DICOTS	ANACARDIACEAE	*Sorindeia juglandifolia* (A. Rich.) Planch. ex Oliv.	1831	3		
DICOTS	BIGNONIACEAE	*Spathodea campanulata* P. Beauv.	1805	3		
DICOTS	LOGANIACEAE	*Spigelia anthelmia* L.	1753	4		
DICOTS	COMPOSITAE	*Spilanthes filicaulis* (Schumach. & Thonn.) C.D. Adams	1827	1		
DICOTS	EUPHORBIACEAE	*Spondianthus preussii* Engl.	1905	3		
DICOTS	LABIATAE	*Stachys aculeolata* Hook. f.	1861	1		
DICOTS	LABIATAE	*Stachys pseudohumifusa* Sebsebe	1993	1		
DICOTS	LABIATAE	*Stachys scabrida* Skan	1753	1		
DICOTS	VERBENACEAE	*Stachytarpheta indica* (L.) Vahl	1759	2		
DICOTS	VERBENACEAE	*Stachytarpheta jamaicensis* (L.) Vahl	1753	3		
DICOTS	MYRISTICACEAE	*Staudtia kamerunensis* Warb.	1897	1		
DICOTS	CARYOPHYLLACEAE	*Stellaria mannii* Hook. f.	1864	1		
DICOTS	SCROPHULARIACEAE	*Stemodia verticillata* (Mill.) Hassl.	1768	1		
DICOTS	LEGUMINOSAE	*Stemonocoleus micranthus* Harms	1907	1		
DICOTS	ACANTHACEAE	*Stenandrium talbotii* (S. Moore) Vollesen	1913	3		

DICOTS	MENISPERMACEAE	*Stephania abyssinica* (Quart.-Dill. & A. Rich.) Walp.	1840	3		
DICOTS	MENISPERMACEAE	*Stephania cyanantha* Welw. ex Hiern	1896	7		
DICOTS	MENISPERMACEAE	*Stephania laetificata* (Miers) Benth. & Hook. f.	1867	2		
DICOTS	STERCULIACEAE	*Sterculia oblonga* Mast.	1868	6		
DICOTS	STERCULIACEAE	*Sterculia tragacantha* Lindl.	1830	1		
DICOTS	BIGNONIACEAE	*Stereospermum acuminatissimum* K. Schum.	1895	3		
DICOTS	GESNERIACEAE	*Streptocarpus insularis* Hutch. & Dalziel	1931	1	ENDEMISM	
DICOTS	OLACACEAE	*Strombosia grandifolia* Hook. f.	1849	2		
DICOTS	OLACACEAE	*Strombosia scheffleri* Engl.	1909	4		
DICOTS	APOCYNACEAE	*Strophanthus preussii* Engl. & Pax	1892	2		
DICOTS	COMPOSITAE	*Struchium sparganophorum* (L.) Kuntze	1763	2		
DICOTS	LOGANIACEAE	*Strychnos aculeata* Soler.	1892	1		
DICOTS	LOGANIACEAE	*Strychnos elaeocarpa* Gilg ex Leeuwenberg	1753	3		
DICOTS	LOGANIACEAE	*Strychnos johnsonii* Hutch. & M.B. Moss	1931	1		
DICOTS	LOGANIACEAE	*Strychnos mimfiensis* Gilg ex Leeuwenberg	1753	2		
DICOTS	LOGANIACEAE	*Strychnos ndengensis* Pellegr.	1927	3		
DICOTS	LOGANIACEAE	*Strychnos tricalysioides* Hutch. & M.B. Moss	1931	1		
DICOTS	GENTIANACEAE	*Swertia abyssinica* Hochst.	1844	1		
DICOTS	GENTIANACEAE	*Swertia clarenceana* Hook. f.	1862	1		
DICOTS	GUTTIFERAE	*Symphonia globulifera* L. f.	1782	4		
DICOTS	COMPOSITAE	*Synedrella nodiflora* (L.) Gaertn.	1755	2		
DICOTS	MENISPERMACEAE	*Syntriandrium preussii* Engl.	1899	5		
DICOTS	APOCYNACEAE	*Tabernaemontana brachyantha* Stapf	1894	1		
DICOTS	APOCYNACEAE	*Tabernaemontana crassa* Benth.	1849	2		
DICOTS	APOCYNACEAE	*Tabernaemontana eglandulosa* Stapf	1894	1		
DICOTS	PORTULACACEAE	*Talinum triangulare* (Jacq.) Willd.	1760	1		
DICOTS	LEGUMINOSAE	*Tamarindus indica* L.	1753	6		
DICOTS	LORANTHACEAE	*Tapinanthus bangwensis* (Engl. & K. Krause) Danser	1909	1		
DICOTS	LORANTHACEAE	*Tapinanthus brunneus* (Engl.) Danser	1894	2		
DICOTS	LORANTHACEAE	*Tapinanthus preussii* (Engl.) Tiegh.	1894	1		
DICOTS	RUBIACEAE	*Tarenna conferta* (Benth.) Hiern	1849	1		

DICOTS	CUCURBITACEAE	*Telfairia batesii* Keraudren	1965	1		
DICOTS	CUCURBITACEAE	*Telfairia occidentalis* Hook. f.	1871	1		
DICOTS	LEGUMINOSAE	*Tephrosia vogelii* Hook. f.	1849	1		
DICOTS	COMBRETACEAE	*Terminalia catappa* L.	1767	2		
DICOTS	RANUNCULACEAE	*Thalictrum mannii* Hutch. ex Hutch. & Dalziel	1927	2		
DICOTS	RANUNCULACEAE	*Thalictrum rhynchocarpum* Quart.-Dill. & A. Rich.	1840	1		
DICOTS	SANTALACEAE	*Thesium tenuissimum* Hook. f.	1862	1		
DICOTS	MENISPERMACEAE	*Tiliacora funifera* (Miers) Oliv.	1864	1		
DICOTS	SCROPHULARIACEAE	*Torenia dinklagei* Engl.	1922	3		
DICOTS	ASCLEPIADACEAE	*Toxocarpus racemosus* N.E. Br.	1876	8		
DICOTS	ULMACEAE	*Trema orientalis* (L.) Blume	1753	2		
DICOTS	MALPIGHIACEAE	*Triaspis stipulata* Oliv.	1824	1		
DICOTS	RUBIACEAE	*Tricalysia pallens* Hiern	1877	1		
DICOTS	COMPOSITAE	*Tridax procumbens* L.	1753	2		
DICOTS	LEGUMINOSAE	*Trifolium rueppellianum* Fresen.	1839	2		
DICOTS	LEGUMINOSAE	*Trifolium simense* Fresen.	1839	3		
DICOTS	MELASTOMATACEAE	*Tristemma demeusei* De Wild.	1789	5		
DICOTS	MELASTOMATACEAE	*Tristemma hirtum* P. Beauv.	1806	2		
DICOTS	MELASTOMATACEAE	*Tristemma incompletum* R. Br.	1818	11		
DICOTS	MELASTOMATACEAE	*Tristemma littorale* Benth.	1849	13	ENDEMISM	
DICOTS	MELASTOMATACEAE	*Tristemma mauritianum* J.F. Gmel.	1791	2	ENDEMISM	
DICOTS	MELASTOMATACEAE	*Tristemma mildbraedii* Gilg ex Engl.	1921	2		
DICOTS	MELASTOMATACEAE	*Tristemma oreophilum* Gilg	1899	11		
DICOTS	TILIACEAE	*Triumfetta cordifolia* A. Rich.	1831	3		
DICOTS	TILIACEAE	*Triumfetta rhomboidea* Jacq.	1760	4		
DICOTS	MELIACEAE	*Turraea vogelii* Hook. f. ex Benth.	1849	3		
DICOTS	ASCLEPIADACEAE	*Tylophora sylvatica* Decne.	1838	2		
DICOTS	MALVACEAE	*Urena lobata* L.	1753	10		
DICOTS	URTICACEAE	*Urera batesii* Rendle	1916	1		
DICOTS	URTICACEAE	*Urera gabonensis* Pierre	Unknown	1		
DICOTS	URTICACEAE	*Urera mannii* (Wedd.) Benth. & Hook. f. ex Rendle	1869	1		

DICOTS	URTICACEAE	*Urera repens* (Wedd.) Rendle	1869	2		
DICOTS	URTICACEAE	*Urera thonneri* T. Durand	1917	2		
DICOTS	LENTIBULARIACEAE	*Utricularia mannii* Oliv.	1865	1		
DICOTS	LENTIBULARIACEAE	*Utricularia striatula* Sm.	1819	1		
DICOTS	ANNONACEAE	*Uvariodendron connivens* (Benth.) R.E. Fr.	1862	1		
DICOTS	RHAMNACEAE	*Ventilago africana* Exell	1927	6		
DICOTS	COMPOSITAE	*Vernonia amygdalina* Delile	1826	6		
DICOTS	COMPOSITAE	*Vernonia biafrae* Oliv. & Hiern	1877	3		
DICOTS	COMPOSITAE	*Vernonia conferta* Benth.	1849	1		
DICOTS	COMPOSITAE	*Vernonia guineensis* Benth.	1849	1		
DICOTS	COMPOSITAE	*Vernonia mokaensis* Mildbr. & Mattf.	1924	2	ENDEMISM	
DICOTS	COMPOSITAE	*Vernonia myriantha* Hook. f.	1864	2		
DICOTS	SCROPHULARIACEAE	*Veronica abyssinica* Fresen.	1844	1		
DICOTS	SCROPHULARIACEAE	*Veronica mannii* Hook. f.	1861	4		LR/nt
DICOTS	VIOLACEAE	*Viola abyssinica* Steud. ex Oliv.	1868	1		
DICOTS	RUBIACEAE	*Virectaria major* (K. Schum.) Verdc.	1895	1		
DICOTS	VISCACEAE	*Viscum decurrens* (Engl.) Baker & Sprague	1894	1		
DICOTS	GUTTIFERAE	*Vismia rubescens* Oliv.	1871	1		
DICOTS	VERBENACEAE	*Vitex doniana* Sweet	1827	3		
DICOTS	VERBENACEAE	*Vitex rivularis* Gürke	1904	3		
DICOTS	APOCYNACEAE	*Voacanga africana* Stapf	1894	5		
DICOTS	APOCYNACEAE	*Voacanga bracteata* Stapf	1894	1		
DICOTS	APOCYNACEAE	*Voacanga psilocalyx* Pierre ex Stapf	1902	1		
DICOTS	CAMPANULACEAE	*Wahlenbergia arguta* Hook. f.	1861	1		
DICOTS	CAMPANULACEAE	*Wahlenbergia krebsii* Cham.	1833	2		
DICOTS	CAMPANULACEAE	*Wahlenbergia silenoides* Hochst. ex A. Rich.	1851	1		
DICOTS	MELASTOMATACEAE	*Warneckea membranifolia* (Hook. f.) Jacq.-Fél.	1871	2		
DICOTS	MELASTOMATACEAE	*Warneckea memecyloides* (Benth.) Jacq.-Fél.	1849	2		
DICOTS	OLACACEAE	*Ximenia americana* L.	1753	4		
DICOTS	MONIMIACEAE	*Xymalos monospora* (Harv.) Baill. ex Warb.	1863	2		
DICOTS	CUCURBITACEAE	*Zehneria capillacea* (Schumach.) C. Jeffrey	1827	3		

DICOTS	CUCURBITACEAE	*Zehneria keayana* R. & A. Fernandes	1962	3		
DICOTS	CUCURBITACEAE	*Zehneria minutiflora* (Cogn.) C. Jeffrey	1881	3		
DICOTS	CUCURBITACEAE	*Zehneria scabra* (L. f.) Sond.	1781	2		
DICOTS	LEGUMINOSAE	*Zenkerella citrina* Taub.	1894	1		
DICOTS	LEGUMINOSAE	*Zenkerella pauciflora* Harms	1894	1		

BIRDS	ACCIPITRIDAE	*Accipiter toussenelii lopezi*	1800	12	ENDEMISM	
BIRDS	ALCEDINIDAE	*Alcedo leucogaster leucogaster*	1843	15	ENDEMISM	
BIRDS	TURDIDAE	*Alethe diademata castanea*	1850	14		
BIRDS	TURDIDAE	*Alethe poliocephala compsonata*	1850	12		
BIRDS	PYCNONOTIDAE	*Andropadus curvirostris curvirostris*	1859	10		
BIRDS	PYCNONOTIDAE	*Andropadus gracilirostris gracilirostris*	1844	2		
BIRDS	PYCNONOTIDAE	*Andropadus latirostris latirostris*	1844	21		
BIRDS	PYCNONOTIDAE	*Andropadus tephrolaemus tephrolaemus*	1862	11		
BIRDS	PYCNONOTIDAE	*Andropadus virens virens*	1858	21	ENDEMISM	
BIRDS	NECTARINIIDAE	*Anthreptes collaris hypodilus*	1851	9	ENDEMISM	
BIRDS	NECTARINIIDAE	*Anthreptes fraseri fraseri*	1843	4	ENDEMISM	
BIRDS	NECTARINIIDAE	*Anthreptes rectirostris amadoni*	1811	3	ENDEMISM	
BIRDS	SYLVIIDAE	*Apalis cirenea cirenea*	1851	5		
BIRDS	SYLVIIDAE	*Apalis nigriceps nigriceps*	1873	2		
BIRDS	SYLVIIDAE	*Apalis rufogularis rufogularis*	1843	5		
BIRDS	TROGONIDAE	*Apaloderma vittatum*	1882	2		
BIRDS	COLUMBIDAE	*Aplopelia larvata*	1810	4		
BIRDS	PYCNONOTIDAE	*Bleda eximia notata*	1855	4		
BIRDS	THRESKIORNITHIDAE	*Bostrychia hagedash brevirostris*	1790	6		
BIRDS	SYLVIIDAE	*Bradypterus barratti lopesi*	1903	9	ENDEMISM	
BIRDS	STRIGIDAE	*Bubo poensis poensis*	1853	4		
BIRDS	PYCNONOTIDAE	*Calyptocichla serina*	1855	2		
BIRDS	SYLVIIDAE	*Camaroptera superciliaris superciliaris*	1843	3	ENDEMISM	
BIRDS	PICIDAE	*Campethera nivosa poensis*	1837	2	ENDEMISM	
BIRDS	BUCEROTIDAE	*Ceratogymna atrata*	1835	6		

BIRDS	CUCULIDAE	*Ceuthmochares aereus aereus*	1817	7		
BIRDS	CUCULIDAE	*Chrysococcyx caprius*	1783	4		
BIRDS	CUCULIDAE	*Chrysococcys klass*	1815	2		
BIRDS	CUCULIDAE	*Chrysosoccyx cupreus cupreus*	1792	9		
BIRDS	COLUMBIDAE	*Columba arquatrix*	1809	2		
BIRDS	MUSOPHAGIDAE	*Corythaeola cristata*	1816	8		
BIRDS	TURDIDAE	*Cossyphicula roberti roberti*	1903	7		
BIRDS	ESTRILDIDAE	*Cryptospiza reichenovii reichenovii*	1874	5		
BIRDS	CUCULIDAE	*Cuculus solitarius magnirostris*	1815	5	ENDEMISM	
BIRDS	PICIDAE	*Dendropicos ellioti johnstoni*	1863	3		
BIRDS	DICRURIDAE	*Dicrurus adsimilis coracinus*	1749	2		
BIRDS	MUSCICAPIDAE	*Dyaphorophyia castanea*	1842	16		
BIRDS	MUSCICAPIDAE	*Dyaphorophyia chalybea*	1897	8		
BIRDS	ARDEIDAE	*Egretta gularis gularis*	1792	5		
BIRDS	MUSCICAPIDAE	*Elminia albiventris*	1893	6		
BIRDS	ESTRILDIDAE	*Estrilda astrild occidentalis*	1758	5		
BIRDS	ESTRILDIDAE	*Estrilda nonnula elizae*	1883	4	ENDEMISM	
BIRDS	PLOCEIDAE	*Euplectes capensis phoenicomerus*	1766	4		
BIRDS	ACCIPITRIDAE	*Gypohierax angolensis*	1788	10		
BIRDS	ALCEDINIDAE	*Halcyon badia*	1851	6		
BIRDS	ALCEDINIDAE	*Halcyon senegalensis fuscopilea*	1766	4		
BIRDS	SYLVIIDAE	*Hylia prasina prasina*	1855	16		
BIRDS	TIMALIIDAE	*Illadopsis cleaveri poensis*	1874	3		
BIRDS	TIMALIIDAE	*Illadopsis rufipennis bocagei*	1872	6	ENDEMISM	
BIRDS	INDICATORIDAE	*Indicator exilis poensis*	1903	3	ENDEMISM	
BIRDS	TIMALIIDAE	*Kakamega poliothorax*	1900	4		
BIRDS	STURNIDAE	*Lamprotornis splendidus lessoni*	1822	6	ENDEMISM	
BIRDS	LANIIDAE	*Laniarus fuelleborni poensis*	1900	10	ENDEMISM	
BIRDS	FRINGILLIDAE	*Linurgus olivaceus olivaceus*	1842	10		
BIRDS	SYLVIIDAE	*Macrosphenus concolor*	1857	7		
BIRDS	SYLVIIDAE	*Macrosphenus flavicans flavicans*	1920	3		

BIRDS	PLOCEIDAE	*Malimbus rubricollis rufovelatus*	1838	3	ENDEMISM	
BIRDS	ESTRILDIDAE	*Mandingoa nitidula*	1865	10		
BIRDS	MEROPIDAE	*Merops muelleri mentalis*	1908	4	ENDEMISM	
BIRDS	MOTACILLIDAE	*Motacilla clara chapini*	1857	2		
BIRDS	MUSCICAPIDAE	*Muscicapa adusta poensis*	1828	4	ENDEMISM	
BIRDS	NECTARINIIDAE	*Nectarinia chloropygia chloropygia*	1842	4		
BIRDS	NECTARINIIDAE	*Nectarinia cyanolaema cyanolaema*	1851	6	ENDEMISM	
BIRDS	NECTARINIIDAE	*Nectarinia minulla amadoni*	1899	3	ENDEMISM	
BIRDS	NECTARINIIDAE	*Nectarinia olivacea obscura*	1840	20	ENDEMISM	
BIRDS	NECTARINIIDAE	*Nectarinia oritis poensi*	1892	11	ENDEMISM	
BIRDS	NECTARINIIDAE	*Nectarinia preussi parvirostris*	1892	12	ENDEMISM	
BIRDS	NECTARINIIDAE	*Nectarinia rubescens stangerii*	1819	6	ENDEMISM	
BIRDS	NECTARINIIDAE	*Nectarinia seimundi seimundi*	1908	2	ENDEMISM	
BIRDS	NECTARINIIDAE	*Nectarinia ursulae*	1902	2		LR/nt
BIRDS	TURDIDAE	*Neocossyphus poensis poensis*	1844	14		
BIRDS	ESTRILDIDAE	*Nesocharis ansorgei shelleyi*	1903	2		
BIRDS	ESTRILDIDAE	*Nigrita canicapilla canicapilla*	1841	15		
BIRDS	ESTRILDIDAE	*Nigrita fusconota*	1842	3		
BIRDS	ESTRILDIDAE	*Nigrita luteifrons alexanderi*	1851	3	ENDEMISM	
BIRDS	STURNIDAE	*Onychognathus walleri*	1880	3		
BIRDS	PYCNONOTIDAE	*Phyllastrephus icterinus tricolor*	1850	12		
BIRDS	PYCNONOTIDAE	*Phyllastrephus poensis*	1903	4		
BIRDS	SYLVIIDAE	*Phylloscopus herbeti herbeti*	1903	6	ENDEMISM	
BIRDS	PLOCEIDAE	*Ploceus bicolor tephronotus*	1819	6		
BIRDS	PLOCEIDAE	*Ploceus cucullatus cucullatus*	1776	3		
BIRDS	PLOCEIDAE	*Ploceus insignis*	1891	3		
BIRDS	PLOCEIDAE	*Ploceus melanogaster melanogaster*	1887	5		
BIRDS	CAPITONIDAE	*Pogoniulus bilineatus poensis*	1850	7		
BIRDS	CAPITONIDAE	*Pogoniulus subsulphureus subsulphureus*	1843	9	ENDEMISM	
BIRDS	HIRUNDINIDAE	*Psalidoprocne fuliginosa*	1887	8		
BIRDS	TIMALIIDAE	*Pseudoalcippe abyssinca claudei*	1840	9	ENDEMISM	

BIRDS	PSITTACIDAE	*Psittacus erithacus erithacus*	1758	12		
BIRDS	TURDIDAE	*Saxicola torquata salax*	1766	3		
BIRDS	TURDIDAE	*Sheppardia bocagei poensis*	1870	14		
BIRDS	ZOSTEROPIDAE	*Speirops brunneus*	1903	3	ENDEMISM	VU
BIRDS	TURDIDAE	*Stiphrornis erythrothorax gabonensis*	1855	13		
BIRDS	TURDIDAE	*Stizorhina fraseri*	1844	8		
BIRDS	COLUMBIDAE	*Streptopelia semitorquata*	1837	5		
BIRDS	STRIGIDAE	*Strix woodfordii nuchalis*	1834	3		
BIRDS	PODICIPITIDAE	*Tachybaptus ruficollis poensis*	1764	3		
BIRDS	MUSOPHAGIDAE	*Tauraco macrorhynchus*	1839	7		
BIRDS	MUSCICAPIDAE	*Terpsiphone rufiventer tricolor*	1837	16	ENDEMISM	
BIRDS	COLUMBIDAE	*Treron calva calva*	1808	8		
BIRDS	TURDIDAE	*Turdus pelios poensis*	1850	9	ENDEMISM	
BIRDS	COLUMBIDAE	*Turtur tympanistria*	1810	6		
BIRDS	TYTONIDAE	*Tyto alba affinis*	1769	2		
BIRDS	SYLVIIDAE	*Urolais epichlora*	1892	9		
BIRDS	ZOSTEROPIDAE	*Zosterops senegalensis poensis*	1850	8	ENDEMISM	

MONKEYS	CERCOPITHECIDAE	*Cercopithecus erythrotis erythrotis*	1838	33	ENDEMISM	VU
MONKEYS	CERCOPITHECIDAE	*Cercopithecus nictitans martini*	1766	6	ENDEMISM	
MONKEYS	CERCOPITHECIDAE	*Cercopithecus pogonias*	1833	12		
MONKEYS	CERCOPITHECIDAE	*Cercopithecus preussi insularis*	1898	4	ENDEMISM	EN
MONKEYS	CERCOPITHECIDAE	*Colobus satanas*	1838	6		VU
MONKEYS	CERCOPITHECIDAE	*Mandrilus leucophaeus poensis*	1807	6	ENDEMISM	EN
MONKEYS	CERCOPITHECIDAE	*Procolobus pennanti pennanti*	1792	6	ENDEMISM	EN