

2023 BELGIAN GRAND PRIX

28 - 30 July 2023

From	The FIA Formula One Technical Delegate	Document	56
To	The Stewards	Date	30 July 2023
		Time	12:55

Technical Delegate's Report

The following parts and parameters have been replaced / changed during the Parc Fermé Friday, yesterday and today:

Red Bull Racing Honda RBPT:

- Car 01: LHS front upper wishbone shroud
- Car 11: RHS water cooler
Water feed and return pipework, associated O-ring and Wiggins clamps
RHS lower engine cover
Floor assembly (excluding skids and plank)
Seat belts

Ferrari:

- Car 16: Clutch shim
Parameters associated with the change of clutch shim
Gearbox RNC assembly (previously used)
Parameters associated with the change of gearbox RNC
Exhaust lambda probes
Parameters associated with the change of exhaust lambda probes
Lower beam wing assembly
- Car 55: Clutch shim
Parameters associated with the change of clutch shim
Exhaust lambda probes
Parameters associated with the change of exhaust lambda probes

Mercedes:

- Car 63: LHS RWEP LED
LHS and RHS front corner dampers
RHS rear brake drum duct
- Car 44: LHS and RHS front corner dampers
LHS front brake caliper outboard bleed nipple
RHS rear brake drum duct

Alpine Renault:

- Car 31: RHS sidepod
RHS rear upper wishbone
RHS rear lower wishbone
Rearward floor plank
- Car 10: LHS rear brake duct bonded assembly
Forward floor plank
Wastegate actuators
LHS sidepod

McLaren Mercedes:

- Car 81: RHS engine pneumatic heatshield
Gearbox control hydraulics
Parameters associated with the change of gearbox hydraulics
RHS front brake duct
Headrest
- Car 04: Forward floor keel panel
Forward floor BIB structure
Floor assembly (excluding skids and plank)

Alfa Romeo Racing Ferrari:

- Car 77: Clutch shim
Parameters associated with the change of clutch shim
Exhaust lambda probes
Parameters associated with the change of exhaust lambda probes
ERS water pump
LHS and RHS HIU cooling pipework

LHS front brake temperature sensor

Car 24: Exhaust lambda probes
Parameters associated with the change of exhaust lambda probes
HALO assembly
LHS front brake duct fixing bracket
Rear wing assembly

Aston Martin Mercedes:

Car 18: RHS front outboard suspension assembly
RHS front inboard suspension assembly
PAS steering rack assembly
RHS front brake caliper
Floor assembly (excluding skids and plank)
LHS and RHS sidepods (different specification, appropriately declared)
Steering wheel
Parameters associated with change of crash damaged parts

Car 14: Lower legbox panel lens
LHS drivers mirror glass

Haas Ferrari:

Car 20: Rear wing assembly
Floor assembly
ERS oil line O-ring
Exhaust lambda probes
Parameters associated with the change of exhaust lambda probes

Car 27: Exhaust lambda probes
Parameters associated with the change of exhaust lambda probes
G-valve actuator

AlphaTauri Honda RBPT

Car 03: Rear transponder
Rear transponder electronic connector

Car 22: RHS rear tether fixings

Williams Mercedes:

- Car 23: LHS driver mirror glass
 Front brake reservoir bellow
- Car 02: Parameters associated with the suspension pushrods
 High speed camera unit
 LHS engine loom bracket
 RHS front brake duct inlet

All above parts have been replaced with the approval of the FIA technical delegate following a written request from the team concerned, this being in accordance with Article 40.3 of the 2023 Formula One Sporting Regulations.

Jo Bauer

The FIA Formula One Technical Delegate