Medical diagnostics over video

Extracting the pulse and oxygen levels in blood from video of a subject

D Deriso, A Fallou & N Banerjee

Abstract

In both developing and developed countries, reducing the cost of medical care is a primary goal of science and government. In this project we seek to find and extract information from a video of a human that tells us the pulse rate and the oxygen level saturation of the blood. We therefore aim to create a virtual pulse oximeter: the ultimate non-invasive, equipment-free medical diagnostics tool, which could be deployed to anyone with video recording capabilities. Features were chosen to be related to the three color channel intensity values, with the idea that changing color of the video would relate to blood flow around the body. Specifically we chose to consider the largest amplitude fourier components of the time course of the data from each pixel. Extensive preprocessing was required on both the video data and the pulse oximeter data to enable training. INSERT MORE HERE WHEN WE HAVE RESULTS.

Introduction

Cardiovascular health is the *sin qua non* of human life. Early detection of cardiovascular disease is of paramount importance in public health. This project aims to develop a method to visualize the perfusion of blood through the skin via pulse oximetry. Pulse oximetry is a technique that exploits the fact that oxygenated and deoxygenated hemoglobin changes the color of red blood cells. The technique maps these changes in rgb color of the visible skin to the invisible presence of oxygenated vs deoxygenated blood in the local vasculature underneath the skin.

Previous studies have shown that video obtained from an ordinary webcam can be used to visualize perfusion by selectively amplifying temporal frequencies in video http://people.csail.mit.edu/mrub/vidmag/. A study by the MIT CSAIL showed that this technique can also be used to infer heart rate from the person being taped. The present project aims to extend this work to detect the relative changes in oxygenated vs deoxygenated blood and reconstruct the pulse oximeter waveform from an ordinary webcam video.

Main Objectives

- 1. Extract pixel time course information from a video.
- 2. Extract pulse oximeter wave information from a pulse oximeter.
- 3. Build software that can simultaneously record pulse oximeter wave values and time values while recording from a video.
- 4. Estimate the number of training examples needed to implement linear regression using learning theory.
- 5. Implement regression in a variety of ways and the train the weight matrix for the features from the video.
- 6. Test the newly learned weight matrices on further videos.
- 7. Create an error vs technique graph to compare techniques.
- 8. Conclude with the best technique.

Feature selection and pre-processing

Data processing




Figure 1: Chart showing the steps involved in pre-processing and summary of supervised learning methods used.

ϵ -Support Vector Regression

As well as basic stochastic gradient descent, we used ϵ -Support Vector Regression.


The basic idea behind ϵ -Support Vector Regression is to find a function f(x) that has at most ϵ deviation from the training data y_i and is also as flat as possible. We pursued a soft margin approach, which allowed us to have training examples outside of the ϵ tube at a cost.

An interesting conceptual difference between this and the Support Vector Machines is that the support vectors in our case are those that lie outside the ϵ -tube. In the SVM the support vectors are those that ultimately lie closest to the classifying line. Naturally the dual optimization problem is different to the SVM optimization.

A radial basis function of the form: $exp(-\frac{||\mathbf{x}-\mathbf{x}'||_2^2}{2\sigma^2})$ was used as the Kernel, as is common in Machine Learning applications.

In summary, we evaluate the Kernel function with the test data and add the dot products with relevant weights. Finally we add the constant intercept term for the final prediction.

Eulerian Video Magnification: where we fit



- Which frequencies should we amplify if if want to obtain a pulse?
- Smaller range of amplification reduces noise and makes video look more natural




Figure 2: Flow chart showing how our pulse frequency can be used to augment Eulerian Video Magnification

Results

Donec faucibus purus at tortor egestas eu fermentum dolor facilisis. Maecenas tempor dui eu neque fringilla rutrum. Mauris *lobortis* nisl accumsan. Aenean vitae risus ante. Pellentesque condimentum dui. Etiam sagittis purus non tellus tempor volutpat. Donec et dui non massa tristique adipiscing.

Treatments	Response 1	Response
Treatment 1	0.0003262	0.562
Treatment 2	0.0015681	0.910
Treatment 3	0.0009271	0.296

Phasellus imperdiet, tortor vitae congue bibendum, felis enim sagittis lorem, et volutpat ante orci sagittis mi. Morbi rutrum laoreet semper. Morbi accumsan enim nec tor-

tor consectetur non commodo nisi sollicitudin. Proin sollic-

itudin. Pellentesque eget orci eros. Fusce ultricies, tellus et pellentesque fringilla, ante massa luctus libero, quis tristique purus urna nec nibh.

Nulla ut porttitor enim. Suspendisse venenatis dui eget eros gravida tempor. Mauris feugiat elit et augue placerat ultrices. Morbi accumsan enim nec tortor consectetur non commodo. Pellentesque condimentum dui. Etiam sagittis purus non tellus tempor volutpat. Donec et dui non massa tristique adipiscing. Quisque vestibulum eros eu. Phasellus imperdiet, tortor vitae congue bibendum, felis enim sagittis lorem, et volutpat ante orci sagittis mi. Morbi rutrum laoreet semper. Morbi accumsan enim nec tortor consectetur non commodo nisi sollicitudin.




Figure 3: Figure caption

In hac habitasse platea dictumst. Etiam placerat, risus ac. Adipiscing lectus in magna blandit:

Treatments	Response 1	Response 2
Treatment 1	0.0003262	0.562
Treatment 2	0.0015681	0.910
Treatment 3	0.0009271	0.296

Table 2: Table caption

Vivamus sed nibh ac metus tristique tristique a vitae ante. Sed lobortis mi ut arcu fringilla et adipiscing ligula rutrum. Aenean turpis velit, placerat eget tincidunt nec, ornare in nisl. In placerat.




Figure 4: Figure caption

 Table 1: Table caption

Conclusions

- Pellentesque eget orci eros. Fusce ultricies, tellus et pellentesque fringilla, ante massa luctus libero, quis tristique purus urna nec nibh. Phasellus fermentum rutrum elementum. Nam quis justo lectus.
- Vestibulum sem ante, hendrerit a gravida ac, blandit quis magna.
- Donec sem metus, facilisis at condimentum eget, vehicula ut massa. Morbi consequat, diam sed convallis tincidunt, arcu nunc.
- Nunc at convallis urna. isus ante. Pellentesque condimentum dui. Etiam sagittis purus non tellus tempor volutpat. Donec et dui non massa tristique adipiscing.

Forthcoming Research

Vivamus molestie, risus tempor vehicula mattis, libero arcu volutpat purus, sed blandit sem nibh eget turpis. Maecenas rutrum dui blandit lorem vulputate gravida. Praesent venenatis mi vel lorem tempor at varius diam sagittis. Nam eu leo id turpis interdum luctus a sed augue. Nam tellus.

Acknowledgements

Etiam fermentum, arcu ut gravida fringilla, dolor arcu laoreet justo, ut imperdiet urna arcu a arcu. Donec nec ante a dui tempus consectetur. Cras nisi turpis, dapibus sit amet mattis sed, laoreet.