Université d'Ottawa Faculté de génie

Département de génie civil



University of Ottawa Faculty of Engineering

Department of Civil Engineering

L'Université canadienne Canada's university

GNG 1105 – ENGINEERING MECHANICS

Supplemental Examination February, 2011.

Time: 3 hrs.


Profs. Skaff, Van Blaeren and Flores-Vera.

Page 1 of 2


Closed Book Examination. Programmable calculators are not allowed.

Free-body diagrams must be drawn wherever appropriate.

1. (12 marks) Block A in the sketch has a mass of 20 kg and is attached to the wall by means of a cord at an angle of 60° to the vertical, while Block B has a mass of 40 kg. The static friction coefficient between A and B is $\mu_{SA} = 0.2$, while the static friction coefficient between B and the floor is $\mu_{SB} = 0.3$. Determine the minimum force P required to cause Block B to slide.



2. (12 marks) A mast is supported by a frictionless ball and socket joint at O and by two cables AB and AC. Determine the tensions in the two cables if the applied load P = 20 kN. Point B lies in the x-z plane, while point C lies 4 m above the x-z plane.




- 3. (12 marks) The sketch shows a pinjointed truss, loaded with a single force P as shown.
- (a) Identify all zero-force members.
- (b) If the force in member GH is 0.6 kN in compression, and the force in member BC is 4.8 kN in tension, calculate the values of P and the angle α . Hint: use a section that cuts members BC, CF, CG and GH.


Trigonometric identities:

$$sin(\theta \pm \phi) = sin\theta cos\phi \pm cos\theta sin\phi$$

 $cos(\theta \pm \phi) = cos\theta cos\phi \mp sin\theta sin\phi$



4. (12 marks) Two skiers, A and B, are skiing down a 1:2 slope. Skier A has a mass of 60 kg and B a mass of 80 kg. Owing to differences in ski wax, the friction coefficients are different: skier A has a coefficient $\mu_{KA} = 0.1$, while B has $\mu_{KB} = 0.2$. In order to keep together, the skiers are connected by a ski pole. Neglect the weight of the pole, and assume that the connections of the pole to the skiers' hands are pin joints.




- (a) Calculate the force in the pole (specify tension or compression).
- (b) Determine the acceleration of the skiers.
- (c) If the initial velocity of the skiers is 10 m/s, determine the velocity of the skiers after they have traveled 100 m from the initial position.

5-(12 marks)

Consider the frame to the right. Joints B, E and C are pinned.

- a) Find the components of the reaction at the fixed support D.
- b) Calculate the components of the forces at joints B, C and E.



Answers to the problems of the Supplemental Examination of GNG1105 (FALL'2010) – Supplemental Examination Date: February 2011.

Problem 1: P=228.62 N

Problem 2: Tab = 24 kN and Tac = 18 kN

Problem 3:

- a) Zero-force member are: BF, CG and DH.
- b) P = 3.91 kN and alfa = 40.60 degrees.

Problem 4:

- a) P = 30.60 N (T)
- b) a = 3 m/s 2
- c) v = 26.50 m/s

Problem 5:

- a) Md = 0.50 kN.m (ccw); Dx = 0 and Dy = 0.50 kN
- b) Bx = 0.50 kN; By = 0.51 kN and Fec = 1.43 kN in direction of the two-force member EC.