

Database Programming with PL/SQL

2-6: Nested Blocks and Variable Scope

Practice Activities

Vocabulary

Identify the vocabulary word for each definition below.

	A name given to a block of code which allows access to the variables that have scope, but are not visible.
	Consists of all the blocks in which the variable is either local (the declaring block) or global (nested blocks within the declaring block) .
	The portion of the program where the variable can be accessed without using a qualifier.

Try It / Solve It

1. Evaluate the PL/SQL block below and determine the value of each of the following variables according to the rules of scoping.

DECLARE

weight NUMBER(3) := 600;

message VARCHAR2(255) := 'Product 10012';

BEGIN

DECLARE

weight NUMBER(3) := 1;

message VARCHAR2(255) := 'Product 11001';

new_locn VARCHAR2(50) := 'Europe';

BEGIN

weight := weight + 1;

new_locn := 'Western ' || new_locn;

```

-- Position 1 --
END;

weight := weight + 1;
message := message || ' is in stock';
-- Position 2 --
END;

```

- A. The value of weight at position 1 is:
 - B. The value of new_locn at position 1 is:
 - C. The value of weight at position 2 is:
 - D. The value of message at position 2 is:
 - E. The value of new_locn at position 2 is:
2. Enter and run the following PL/SQL block, which contains a nested block. Look at the output and answer the questions.

```

DECLARE
    v_employee_id      employees.employee_id%TYPE;
    v_job              employees.job_id%TYPE;
BEGIN
    SELECT employee_id, job_id INTO v_employee_id, v_job
    FROM employees
    WHERE employee_id = 100;

    DECLARE
        v_employee_id      employees.employee_id%TYPE;
        v_job              employees.job_id%TYPE;
    BEGIN
        SELECT employee_id, job_id INTO v_employee_id, v_job
        FROM employees
        WHERE employee_id = 103;
        DBMS_OUTPUT.PUT_LINE(v_employee_id || ' is a(n) ' || v_job);
    END;
END;

```

```
END;  
  
DBMS_OUTPUT.PUT_LINE(v_employee_id || ' is a(n) ' || v_job);  
END;
```

- A. Why does the inner block display the job_id of employee 103, not employee 100?
- B. Why does the outer block display the job_id of employee 100, not employee 103?
- C. Modify the code to display the details of employee 100 in the inner block. Use block labels.