




Acute MI Incidence: 25\_to\_29 female




Acute MI Incidence: 30\_to\_34 female




Acute MI Incidence: 35\_to\_39 female




Acute MI Incidence: 40\_to\_44 female




Acute MI Incidence: 45\_to\_49 female




Acute MI Incidence: 50\_to\_54 female



Acute MI Incidence: 55\_to\_59 female




Acute MI Incidence: 60\_to\_64 female







Acute MI Incidence: 65\_to\_69 female




Acute MI Incidence: 70\_to\_74 female




Acute MI Incidence: 75\_to\_79 female




Acute MI Incidence: 80\_to\_84 female




Acute MI Incidence: 85\_to\_89 female




Acute MI Incidence: 90\_to\_94 female



Acute MI Incidence: 95\_plus female




Acute MI Incidence: 25\_to\_29 male







Acute MI Incidence: 30\_to\_34 male




Acute MI Incidence: 35\_to\_39 male




Acute MI Incidence: 40\_to\_44 male




Acute MI Incidence: 45\_to\_49 male




Acute MI Incidence: 50\_to\_54 male




Acute MI Incidence: 55\_to\_59 male



Acute MI Incidence: 60\_to\_64 male




Acute MI Incidence: 65\_to\_69 male







Acute MI Incidence: 70\_to\_74 male




Acute MI Incidence: 75\_to\_79 male




Acute MI Incidence: 80\_to\_84 male



Acute MI Incidence: 85\_to\_89 male



Acute MI Incidence: 90\_to\_94 male



Acute MI Incidence: 95\_plus male

