The ABC of Computational Text Analysis

#9 INTRODUCTION TO PYTHON

Alex Flückiger

Faculty of Humanities and Social Sciences
University of Lucerne

27 April 2023

Recap last Lecture

from unique words to embeddings



recontextualized word meaning

today's data-driven NLP is both powerful and biased



data is never raw but depends on many decisions

Outline

enter the shiny world of Python

programming basics

get familiar with Visual Basic Code



Python is ...

a programming language that is...

- general-purpose
 not specific to any domain
- interpreted no compiling
- very popular in data science



Common (programming) languages


How to learn programming?

Three inconvenient truths (22)

- programming cannot be learnt in a course alone
 - I try to make the start as easy as possible!
- frustration is part of learning
 - fight your way!
- the Python ecosystem is huge
 - grow skills by step-by-step

Programming can be absolutely captivating!





Programming Concepts & Python Syntax

Variables

Variables are kind of storage boxes



```
# define variables
x = "at your service"
y = 2
z = ", most of the time."
# combine variables
int_combo = y * y  # for numbers any mathematical operation
str\_combo = x + z # for text only concatenation with +
# show content of variable
print(str_combo)
```

Data Types

The type defines the object's properties

Name	What for?	Туре	Examples
String	Text	str	"Hi!"
Integer, Float	Numbers	int, float	20,4.5
Boolean	Truth values	bool	True,False
:		:	:
List	List of items (ordered, mutable)	list	["Good", "Afternoon", "Everybody"]
Tuple	List of items (ordered, immutable)	tuple	(1, 2)
Dictionary	Relations of items (unordered, mutable)	dict	{"a":1, "b": 2, "c": 3}

Data Type Conversion

Combine variables of the same type only

```
# check the type
type(YOUR_VARIABLE)
# convert types (similar for other types)
int('100') # convert to integer
str(100) # convert to string
# easiest way to use a number in a text
x = 3
mixed = f''x has the value: \{x\}''
print(mixed)
```

Confusing Equal-Sign

= vs. == contradicts the intuition

```
# assign a value to a variable
x = 1
word = "Test"

# compare two values if they are identical
1 == 2  # False
word == "Test"  # True
```

Comments

- lines ignored by Python
- write comments, it helps you...



to learn initially


to understand later

```
# single line comment
11 11 11
comment across
multiple
lines
```

Visual Studio Code

The (best) editor to program in Python

- VS Code features
 - interactive programming integrated development environment (IDE) similar to RStudio
- 3 views in editor
 - programming (left)
 output (right)
 additional information (bottom)
- use tab for autocompletion



Interface of Visual Studio Code

In-class: Get started for Python

- 1. Make sure that your local copy of the Github repository KED2023 is up-todate with git pull in your command-line.
- 2. Open the Visual Studio Editor.
- 3. Windows User only: Make sure that you are connected to WSL: Ubuntu (green badge lower-left corner, see image on the slide after the next). If not, click on the badge and select New WSL Window.

In-class: Run your first Python Program


1. Create a new file with the following content, save it as hello_world.py.

Then, execute it by a right click on the code and select Run current file in interactive window.

```
# print out a message
msg = "Hello World!"
print(msg)
```

2. Does the output looks like the screenshot on the next slide? If the execution doesn't work as expected, ask me or your neighbour. There might be a technical issue.

In-class: Expected Output



The Output "Hello World!" on the right side should look like in the screenshot

Iterations

for-loop

do something with each element of a collection

```
sentence = ['This', 'is', 'a', 'sentence']

# iterate over each element
for token in sentence:

# do something with the element
print(token)
```

Conditionals

if-else statement

condition action on variable content

```
sentence = ['This', 'is', 'a', 'sentence']

if len(sentence) < 3:
    print('This sentence is shorter than 3 tokens')

elif len(sentence) == 3:
    print('This sentence has exactly 3 tokens')

else:
    print('This sentence is longer than 3 tokens')</pre>
```

Indentation matters!

- intend code within code blocks loops, if-statements etc.
- press tab to intend



```
if 5 > 2:
    print('5 is greater than 2

if 5 > 2:
print('5 is greater than 2')
```

Methods: Create new Objects



```
sentence = 'This is a sentence'

# split at whitespace and save result in new variable
tokens = sentence.split(' ')

# check the content and type variables
print(sentence, type(sentence), tokens, type(tokens))
```

Methods: Change Objects

Depending on the object, you can do different things



```
# add something to a list
tokens.append('.')
# concatenate elements to string
tokens = ' '.join(tokens)
print(tokens, type(tokens))
```

Functions and Arguments

DRY: Don't Repeat Yourself

functions have a name and optional arguments

```
function_name(arg1, ..., argn)
```

some functions are predefined

```
print(), len() and sorted()
```

```
def get_word_properties(word): # define function
    """
    Print properties for a word given as an argument.
    """
    length = len(word)
    sorted_letters = sorted(word, reverse=True)
    print(f"{word} has {length} letters ({sorted_letters})".)

get_word_properties('computer') # call function with any word
```

Indexing

Computers start counting from zero! (**)

```
sentence = ['This', 'is', 'a', 'sentence']

# element at position X
first_tok = sentence[0]  # 'This'

# elements of subsequence [start:end]
sub_seq = sentence[0:3]  # ['This', 'is', 'a']

# elements of subsequence backwards
sub_seq_back = sentence[-2:]  # ['a', 'sentence']
```

Errors

A myriad of things can go wrong 🤵



- 1. read the message
- 2. find the source of the error

script name + line number

3. paste message into Google



Learning by doing, doing by googling

Modules/Packages

No programming from scratch

- packages provide more objects and functions
- packages need to be installed additionally

```
# import third-party package
import pandas
import spacy
import plotnine
```

Jupyter Notebooks

- combine text and code in a single document
 - similar to R Markdown
- open in VS Code
- run code with the play button left to the cell or with CTRL+Enter

In-class: Exercises I

- 1. Open the script with the basics of Python in your Visual Studio Editor: KED2023/materials/code/python_basics.ipynb
- 2. Try to understand the code in each cell and run them by clicking the play symbol left to them. Check the output. Modify some code as well as data and see how the output changes. Initially, this try-and-error is good strategy to learn. Some ideas:

Combine a string and an integer variable without converting it. What error do you get? How can you avoid it?

Select is a from the variable sentence using the right index.

In-class: Exercises II

1. Write a Python script that

takes text (a string)

splits it into words (a list)

iterates over all the tokens and print all tokens that are longer than 5 characters

Bonus: wrap your code in a function.

2. Go to the next slide. Start with some of the great interactive exercises out there in the web.

Resources

Get more explanations

- Google's Python Class
- Introduction of Python for Social Scientists (Walsh 2021)
- Official Python introduction

Learn basics interactively

- Introduction to Python by IBM Cognitive Class
- LearnPython



References

Walsh, Melanie. 2021. *Introduction to Cultural Analytics & Python* (version 1.1.0). Zenodo. https://doi.org/10.5281/ZENODO.4411250.