

# Setting up your Development Environment

Seminar KED2025

Alex Flückiger

10 January 2025

## Contents

<b>1</b>	<b>Introduction</b>	<b>2</b>
<b>2</b>	<b>Installation Guide for macOS</b>	<b>3</b>
2.1	Install Command Line Tools . . . . .	3
2.2	Install Package Manager Homebrew . . . . .	3
2.3	Install Python 3 with Homebrew . . . . .	3
2.4	Install additional command-line tools . . . . .	4
2.5	Install VS Code . . . . .	4
<b>3</b>	<b>Installation Guide for Windows</b>	<b>5</b>
3.1	Install Ubuntu in a Windows Subsystem . . . . .	5
3.2	Install additional command-line tools . . . . .	6
3.3	Install the editor VS Code . . . . .	6
3.4	Show file extensions . . . . .	7
<b>4</b>	<b>Installation Guide for Linux</b>	<b>7</b>
<b>5</b>	<b>Getting started with Python (all Systems)</b>	<b>8</b>
5.1	Install Python packages . . . . .	8
5.2	First Steps in Python . . . . .	8

# 1 Introduction

**IMPORTANT NOTE:** When you use a Mac and have Python 3/Anaconda installed already, let me know first before proceeding. Installing naively multiple Python versions may cause problems.

This guide aims to ease setting up your development environment for Windows 11 and macOS. Depending on your operating system, you have to install additional components to program in Python and perform common data wrangling tasks in the command-line. The instructions cover the installation of the following components:

- Python 3
- [VS Code Editor](#)
- various Bash tools
- [Tesseract](#) (Optical Character Recognition)

The proposed installation strikes a good balance between relative simplicity and cross-platform usage of the tools. Be aware that the installation and setup of software are sometimes more difficult and poorer documented than its usage. Beyond potential problems during the installation, there are also different ways to set up the development environment.

We write Python code using the VS Code. Although lightweight, it is a fully-fledged integrated development environment (IDE) supporting all major operating systems and many programming languages. Other than competing editors, it doesn't require much configuration and, out-of-the-box, it comes with indispensable features like auto-completion, code formatting, linting (error flagging) and debugging. In VS Code, you can even open and run [Jupyter Notebooks](#) to perform interactive data science showing the output next to the code that created it.

Before you proceed with the installation, back up your files<sup>1</sup> and make sure that your computer fulfils the following two requirements:

- runs the most current version of your operating system (Windows, macOS). If not, update your system.
- has at least 15 GB of free disk space.

**Keep in mind that you will not get *any* feedback in the command-line unless there is an issue.** At first, the lack of feedback after a successful action may be confusing as it runs counter the general experience when working with graphical interfaces. However, the lack of feedback just means the command was executed as expected; thus, there is no need to bother you with further messages.

Let me know if you are struggling with any of the installation steps.

---

<sup>1</sup>“Better save than sorry.” Backing up files is a must and may save you tears as a computer is a delicate piece of hardware that does not live forever. Moreover, users are also prone to mess up files or software at any point. In these cases, you just want to go back one step and restore your data.

## 2 Installation Guide for macOS

### 2.1 Install Command Line Tools

Despite being Unix-based, macOS is lacking some essential command-line tools out-of-the-box. In this section, we install the Command Line Tools first since these tools are also a requirement for the subsequent installation of the package manager Homebrew.

1. Open a Terminal to get a command-line interface. When you cannot find the application in your system tray, press the **CMD + Spacebar** keys to search and type **Terminal** to search for it.
2. Type the following command and press enter:

```
xcode-select --install
```

3. In the dialogue that pops up, click **Install** and accept the terms and conditions.
4. As soon as the installer goes away, Command Line Tools should be installed successfully. To ensure that everything works as expected, run the following command:

```
git --version
```

When you see something like this `git version 2.x`, the installation was successful.

Source: [OSXDaily](#)

### 2.2 Install Package Manager Homebrew

Homebrew is a powerful package manager for macOS systems. With Homebrew, you can easily install programmes using the Terminal.

1. To install Homebrew, type the following command into your Terminal window:

```
/bin/bash -c "$(curl -fsSL https://raw.githubusercontent.com/Homebrew/install/HEAD/install.sh)"
```

When there is an issue executing this command (i.e., unprintable characters), copy the identical looking installation command from the [official website](#) into your Terminal.

2. You can make sure that Homebrew was successfully installed by typing:

```
brew doctor
```

3. To ensure that your installation of Homebrew is up to date, run:

```
brew update
```

4. Although it is not needed for now, you can upgrade outdated packages altogether with:

```
brew upgrade
```

5. Once you've installed Homebrew, make Homebrew's Python the primary environment by setting the PATH variable. In a Terminal, run the following commands to add a new PATH variable to the `~/.profile` file:

```
echo 'export PATH="/usr/local/opt/python/libexec/bin:$PATH"' > ~/.profile
source ~/.profile
```

Source: [Homebrew](#)

### 2.3 Install Python 3 with Homebrew

Homebrew makes it easy to install Python 3.

1. Run the following command in a Terminal:

```
brew install python
```

2. When Python 3 has been installed correctly on your system, you should see version 3.x after issuing the following command:

```
python3 --version
```

Source: [The Hitchhiker's Guide to Python](#)

### 2.3.1 Enable auto-completion

Turn on auto-completion for names using the tabulator key:

```
echo 'autoload -Uz compinit && compinit' >> ~/.zshrc && . ~/.zshrc
```

## 2.4 Install additional command-line tools

### 2.4.1 Tesseract

1. Install the text recognition engine Tesseract, which allows extracting text from images, with:

```
brew install tesseract
```

2. Install the various language models for Tesseract with:

```
brew install tesseract-lang
```

Source: [Tesseract](#)

### 2.4.2 More tools

1. Install the tool wget that allows you to retrieve content from web servers via the command-line with:

```
brew install wget
```

2. Install poppler that allows you to render PDFs via the command-line:

```
brew install poppler
```

## 2.5 Install VS Code

Unless you have another favourite coding editor, install and customize VS Code editor.

1. Download and install VS Code from the official website: <https://code.visualstudio.com/Download>. You may want to add a shortcut icon to the desktop.
2. Open VS Code. You can skip the initial configuration of VS Code by clicking *Next Section*.
3. To make programming in Python easier, you should install two more extensions: VS Code Python extension and Tabnine. Launch the *VS Code Quick Open* again by pressing **CMD + P**, paste the command, and press enter:

```
ext install ms-python.python
```

Similarly, install the extension Tabnine using the following command:

```
ext install tabnine.tabnine-vscode
```

## 3 Installation Guide for Windows

### 3.1 Install Ubuntu in a Windows Subsystem

To use the powerful Bash tools on your Windows computer, we install a Ubuntu Linux system within the Windows environment using WSL1.

1. Open **PowerShell** as administrator by right-clicking on the application icon in the start menu and run the following command in the shell:

```
wsl --set-default-version 1
wsl --install -d Ubuntu
```

If something doesn't work, search for **Turn Windows feature on or off** in the menu, and ensure that **Windows Subsystem for Linux** is enabled (see fig. 1).

2. Reboot your computer to complete the installation of WSL and Ubuntu.
3. The installation should be completed automatically after the reboot. If not, you can launch Ubuntu from your Windows start menu. When you have any problems, let me know and I will gladly assist. It may require [additional configuration](#) of your BIOS.
4. Once the installation is complete, you will be prompted to create a new user account and set a password. **IMPORTANT:** Remember these credentials as they are used to switch to the administrator mode on your Linux system. You may choose the same account name and password as on your host Windows system.
5. Annoyingly, the copy/paste behaviour is different in command lines on Windows. Open the menu with a **right-click** on the Windows title bar → **Properties** → **Options** ) and enable **Use Ctrl+Shift+C and Ctrl+Shift+V as Copy/Paste**. For the following steps, you can simply copy the commands using the keyboard shortcut. Please note, that using **Ctrl+C** is not possible as it is used to cancel a running program.
6. After the login, update your freshly installed Ubuntu system with the following commands and confirm with Y:

```
sudo apt update && sudo apt upgrade
```

7. Create a symbolic link in the Bash to easily access your files on Windows. For example, you may want to link the folder **Documents** on Windows to the symbolic folder **documents** on Ubuntu. For people using OneDrive, they can also set a symbolic link to this directory. For this, replace the **USERNAME** with the actual username on your Windows computer and run the following commands:

```
cd ~
ln -s "/mnt/c/Users/USERNAME/Documents" documents
ln -s "/mnt/c/Users/USERNAME/OneDrive/" onedrive
```

Your **Documents** on Windows can be accessed like this:

```
ls documents
```

Source: [Microsoft](#)




Figure 1: Ensure correct configuration

### 3.2 Install additional command-line tools

1. Open Ubuntu from your start menu in Windows.
2. Install essential tools via the command-line:
 

```
sudo apt-get install build-essential
```
3. Install the Python package manager PIP:
 

```
sudo apt install python3-pip
```
4. Install poppler that allows you to render PDFs via the command-line:
 

```
sudo apt install poppler-utils
```
5. Close and reopen Ubuntu.

#### 3.2.1 Tesseract

1. Install the text recognition engine Tesseract, which allows extracting text from images, with:
 

```
sudo add-apt-repository -y ppa:alex-p/tesseract-ocr5
sudo apt install -y tesseract-ocr
```
2. Install the German language model for Tesseract with:
 

```
sudo apt install tesseract-ocr-deu
```

Source: [Tesseract](#)

### 3.3 Install the editor VS Code

Unless you have another favourite coding editor, install and customize VS Code editor.

1. Download and install VS Code from the official website: <https://code.visualstudio.com/Download>. You may want to add a shortcut icon to the desktop.
2. Open VS Code. You can skip all the configuration of VS Code by clicking *Next Section*.
3. We want to execute all the Python code within the Ubuntu subsystem. For this, we need to install a particular extension. Launch the *VS Code Quick Open* by pressing **CTRL+P**, paste the following command, and press enter:

```
ext install ms-vscode-remote.vscode-remote-extensionpack
```

4. In the left lower corner, you should now see a green label with `WSL: Ubuntu` (see fig. 2). If not, press **F1**, select *WSL: New WSL Window* to connect the subsystem.
5. To make programming in Python easier, you should install two more extensions: VS Code Python extension and Tabnine. Launch again the *VS Code Quick Open* by pressing **CTRL+P**, paste the command, and press enter:

```
ext install ms-python.python
```

Similarly, install the extension Tabnine using the following command:

```
ext install tabnine.tabnine-vscode
```

You can ignore the sign-in request.

Source: [Microsoft](#)




Figure 2: WSL Ubuntu is successfully connected

### 3.4 Show file extensions

You may not see the file extensions on Windows by default. For example, a document named `test.docx` is shown as `test` in Explorer. If this is the case, enable the file extensions.

1. Open File Explorer (**Windows key + E**).
2. Click on “View”, select “Show”, and choose the “File name extensions”

## 4 Installation Guide for Linux

You presumably have installed some of the required tools already or you have the necessary knowledge to do so. Otherwise, ask me anytime or just google for a manual. Anyways, you are lucky as it is simpler than on the other platforms. Linux rules them all when it comes to development.

## 5 Getting started with Python (all Systems)

### 5.1 Install Python packages

We need to install some additional packages that are not included in the Python standard library.

Using the dependency management `poetry`, we can install all the dependencies needed in a project at once and fully reproducible on any machine. All dependencies are specified in a file called `pyproject.toml` that is provided in the [repository of this seminar](#), available on GitHub. We will learn more about GitHub and the installed packages later in the course. For now, you can think of a GitHub repository as a publicly available project folder that is versioned.

1. Open a command-line (Mac: Terminal; Windows: Ubuntu) and download the GitHub repository of this course.

```
# Windows user only:  
# change into the `Documents` folder for better accessibility  
# replace USERNAME with your actual username  
cd /mnt/c/Users/USERNAME/Documents  
  
# everyone  
git clone https://github.com/aflueckiger/KED2025.git  
cd KED2025
```

2. Install the dependency management for Python:

```
curl -sSL https://install.python-poetry.org | python3 -  
  
echo 'export PATH="$HOME/.local/bin:$PATH"' >> ~/.profile  
source ~/.profile
```

3. Configure poetry to use the project directory for its virtual environment:

```
poetry config virtualenvs.in-project true
```

4. Now, you can install the necessary packages with a single command:

```
poetry install
```

### 5.2 First Steps in Python

As a kind of initiation ritual of coding, say hello to the programming world in Python and check if everything is installed successfully.

1. Open the VS Code editor.
2. Windows only: Ensure that you connected to WSL: Ubuntu (green or blue patch in the lower-left corner, see fig. 2)
3. Open the folder KED2025 via the menu.
4. Create a new file called `hello_world.py`.
5. Copy the following code in that file (see fig. 3):

```
msg = "Hello World!"  
print(msg)  
  
import spacy  
print(f"spaCy is installed correctly and runs at version: {spacy.__version__}")
```


6. Execute the code by right-clicking in the window and choosing Run Python File in Terminal.



7. When you see the version number of spaCy, everything works fine. If you get a `ModuleNotFoundError`, let me know.

Congrats, you wrote your first little program in Python. It may not be as impressive as you would have imagined, but you can go along and learn by practising more. The list of tutorials below provides a great starting point to learn the basics of Python by solving little exercises interactively:

- [Python Principles](#)
- [LearnPython](#)



```
File Edit Selection View Go Run Terminal Help
hello_world.py - KED2023_new [WSL: Ubuntu] - Visual Studio Code

EXPLORER
KED2023_NEW [WSL: UBUNTU]
  .venv
  docs
  KED2023
  lib
  .gitignore
  .nojekyll
  dodo.py
  hello_world.py
  LICENSE
  poetry.lock
  pyproject.toml
  README.md
  requirements.txt

hello_world.py > ...
1 msg = "Hello World!"
2 print(msg)
3
4 import spacy
5 print(f'spaCy is install correctly and runs at version: {spacy.__version__}')
```

Figure 3: Write your first Python script in VS Code