

Package ‘g4sr’

August 30, 2020

Type Package

Title Go4Schools API Wrapper

Version 0.4.0

Author Afsar Chowdhury

Description An API wrapper for Go4Schools. Allows you to manage school data.
Authentication is required for all requests. See your school's
administrator for an API key.

License GPLv3

Encoding UTF-8

LazyData true

Imports data.table,
httr,
jsonlite,
tidyr

RoxygenNote 7.1.0

Roxygen list(markdown = TRUE)

Suggests testthat,
knitr

VignetteBuilder knitr

R topics documented:

gfs_assessment_markbooks	2
gfs_assessment_marks	3
gfs_assessment_marksheets	3
gfs_attainment_exam_results	4
gfs_attainment_grades	4
gfs_attainment_grade_types	5
gfs_attendance_codes	5
gfs_behaviour_classification	6
gfs_behaviour_events	6
gfs_behaviour_events_range	7
gfs_behaviour_event_types	7
gfs_behaviour_followup	8
gfs_behaviour_immediate	8
gfs_calendar	9

gfs_classes 9

gfs_contacts_parental 10

gfs_school 10

gfs_setup 10

gfs_student_classes 11

gfs_student_demographics 11

gfs_student_details 12

gfs_student_edu_details 12

gfs_student_general 13

gfs_student_medical 13

gfs_student_send 14

gfs_student_sensitive 14

gfs_teaching_departments 15

gfs_teaching_groups 15

gfs_teaching_groups_students 16

gfs_teaching_groups_teachers 16

gfs_teaching_subjects 17

gfs_teaching_teachers 17

gfs_timetables 18

gfs_users_parent 18

gfs_users_staff 18

Index 19

gfs_assessment_markbooks
<i>Get markbooks.</i>

Description

Returns the structure of markbooks in the chosen academic year, in terms of the marksheets they contain, and the markslots within each marksheet.

Usage

gfs_assessment_markbooks(academicYear)

Arguments

academicYear academic year as integer.

Examples

gfs_assessment_markbooks(2020)

gfs_assessment_marks *Get marks.*

Description

Returns details of the marks achieved by students for individual marks.

- Use gfs_assessment_markbooks() to resolve markbooks.
- Use gfs_student_details() to resolve student personal details.

Usage

```
gfs_assessment_marks(academicYear)
```

Arguments

academicYear academic year as integer.

Examples

```
gfs_assessment_marks(2020)
```

gfs_assessment_marksheets
 Get marksheets.

Description

Returns details of the grades achieved by students for individual marksheets.

- Use gfs_assessment_markbooks() to resolve markbooks.
- Use gfs_student_details() to resolve student personal details.

Usage

```
gfs_assessment_marksheets(academicYear)
```

Arguments

academicYear academic year as integer.

Examples

```
gfs_assessment_marksheet_grades(2020)
```

`gfs_attainment_exam_results`*Get exam results.*

Description

Returns details of the exam results achieved by students.

- Use `gfs_student_details()` to resolve student personal details.
- Use `gfs_teaching_subjects()` to resolve subject details.

Usage

```
gfs_attainment_exam_results(academicYear, yearGroup)
```

Arguments

<code>academicYear</code>	academic year as integer.
<code>yearGroup</code>	year group as string.

Examples

```
gfs_attainment_exam_results(2020, "11")
```

`gfs_attainment_grades` *Get grades.*

Description

Returns details of the headline grades for students.

- Use `gfs_attainment_grade_types()` to resolve grade names.
- Use `gfs_student_details()` to resolve student personal details.
- Use `gfs_teaching_subjects()` to resolve subject details.

Usage

```
gfs_attainment_grades(academicYear, yearGroup)
```

Arguments

<code>academicYear</code>	academic year as integer.
<code>yearGroup</code>	year group as string.

Examples

```
gfs_attainment_grades(2020, "11")
```

gfs_attainment_grade_types
Get grade types.

Description

Returns details of the available types of headline grades.

Usage

```
gfs_attainment_grade_types(academicYear, yearGroup)
```

Arguments

academicYear	academic year as integer.
yearGroup	year group as string.

Examples

```
gfs_attainment_grade_types(2020, "11")
```

gfs_attendance_codes *Get attendance codes.*

Description

Returns the Attendance codes and any aliases being used for the academic year.

Usage

```
gfs_attendance_codes(academicYear)
```

Arguments

academicYear	academic year as integer.
--------------	---------------------------

Examples

```
gfs_attendance_codes(2020)
```

gfs_behaviour_classification
Get classifications.

Description

Returns the current behaviour classification groups for the supplied academic year.

Usage

```
gfs_behaviour_classification(academicYear)
```

Arguments

academicYear academic year as integer.

Examples

```
gfs_behaviour_classification(2020)
```

gfs_behaviour_events *Get events.*

Description

Returns lists of events for a particular date within an academic year.

- Use gfs_behaviour_event_types() to resolve event characteristics.
- Use gfs_student_details() to resolve student personal details.

Usage

```
gfs_behaviour_events(academicYear, goDate)
```

Arguments

academicYear academic year as integer.
goDate date as string in the form yyyy-mm-dd.

Examples

```
gfs_behaviour_events(2020, "2020-03-19")
```

`gfs_behaviour_events_range`*Get events over a range of dates.*

Description

Returns list of events over a range of dates within an academic year.

- Use `gfs_behaviour_event_types()` to resolve event characteristics.
- Use `gfs_student_details()` to resolve student personal details.

Usage

```
gfs_behaviour_events_range(academicYear, goDateStart, goDateEnd)
```

Arguments

<code>academicYear</code>	academic year as integer.
<code>goDateStart</code>	start date of range as string in the form yyyy-mm-dd.
<code>goDateEnd</code>	end date of range as string in the form yyyy-mm-dd.

Examples

```
gfs_behaviour_events_range(2020, "2020-03-16", "2020-03-19")
```

`gfs_behaviour_event_types`*Get event types.*

Description

Returns the current definition of the behaviour types for the supplied academic year.

Usage

```
gfs_behaviour_event_types(academicYear)
```

Arguments

<code>academicYear</code>	academic year as integer.
---------------------------	---------------------------

Examples

```
gfs_behaviour_event_types(2020)
```

`gfs_behaviour_followup`*Get follow-up actions.*

Description

Returns the current definitions for follow up behaviour actions for the supplied academic year.

Usage

```
gfs_behaviour_followup(academicYear)
```

Arguments

`academicYear` academic year as integer.

Examples

```
gfs_behaviour_followup(2020)
```

`gfs_behaviour_immediate`*Get immediate actions.*

Description

Returns the current definitions for immediate behaviour actions for the supplied academic year.

Usage

```
gfs_behaviour_immediate(academicYear)
```

Arguments

`academicYear` academic year as integer.

Examples

```
gfs_behaviour_immediate(2020)
```

`gfs_calendar`*Get calendar.*

Description

Returns details of when the school is open, closed or open for staff training only in the chosen academic year.

- Use `gfs_timetables()` to resolve date, week, and period details.

Usage

```
gfs_calendar(academicYear)
```

Arguments

`academicYear` academic year as integer.

Examples

```
gfs_calendar(2020)
```

`gfs_classes`*Get classes.*

Description

Returns details of all timetabled classes in the chosen academic year.

- Use `gfs_timetables()` to resolve date, week, and period details.
- Use `gfs_teaching_teachers()` to resolve teacher details.

Usage

```
gfs_classes(academicYear)
```

Arguments

`academicYear` academic year as integer.

Examples

```
gfs_classes(2020)
```

gfs_contacts_parental	<i>Get parental contacts.</i>
-----------------------	-------------------------------

Description

Returns details of parental contacts for students.

Usage

```
gfs_contacts_parental()
```

gfs_school	<i>Get school details.</i>
------------	----------------------------

Description

Returns details of the school and the available academic years.

Usage

```
gfs_school()
```

gfs_setup	<i>Run set up for gfs functions.</i>
-----------	--------------------------------------

Description

Use this function to store your API key for use with gfs functions. Authentication is required for all requests. See your school's administrator for an API key.

Usage

```
gfs_setup(api_key)
```

Arguments

api_key	API key as string.
---------	--------------------

Examples

```
gfs_setup("a96650481f0245eea396726f85ac7049")
```

gfs_student_classes *Get student classes.*

Description

Returns details of which students are linked to which timetabled classes in the chosen academic year.

- Use gfs_classes() to resolve class details.
- Use gfs_student_details() to resolve student personal details.

Usage

```
gfs_student_classes(academicYear)
```

Arguments

academicYear academic year as integer.

Examples

```
gfs_student_classes(2020)
```

gfs_student_demographics
 Get demographic attributes.

Description

Returns the following attributes for students for the chosen academic year: country of birth, home language, first language, and nationality.

- Use gfs_student_details() to resolve student personal details.

Usage

```
gfs_student_demographics(academicYear)
```

Arguments

academicYear academic year as integer.

Examples

```
gfs_student_demographics(2020)
```

`gfs_student_details` *Get students details.*

Description

Returns the current personal details (DOB, gender, names) of the students that were at school in the chosen academic year.

Usage

```
gfs_student_details(academicYear)
```

Arguments

`academicYear` academic year as integer.

Examples

```
gfs_student_details(2020)
```

`gfs_student_edu_details`
 Get education details.

Description

Returns education details for students.

- Use `gfs_student_details()` to resolve student personal details.

Usage

```
gfs_student_edu_details(academicYear)
```

Arguments

`academicYear` academic year as integer.

Examples

```
gfs_student_edu_details(2020)
```

`gfs_student_general` *Get general attributes.*

Description

Returns general student attributes for the chosen academic year. This will include all custom attributes and also system attributes not returned by other endpoints.

- Use `gfs_student_details()` to resolve student personal details.

Usage

```
gfs_student_general(academicYear)
```

Arguments

`academicYear` academic year as integer.

Examples

```
gfs_student_general(2020)
```

`gfs_student_medical` *Get student medical conditions.*

Description

Returns medical conditions for students.

- Use `gfs_student_details()` to resolve student personal details.

Usage

```
gfs_student_medical(academicYear)
```

Arguments

`academicYear` academic year as integer.

Examples

```
gfs_student_medical(2020)
```

gfs_student_send	<i>Get SEND attributes.</i>
------------------	-----------------------------

Description

Returns the following attributes for students for the chosen academic year: SEN code, SEN status, educational needs, gifted/talented, gifted/talented subject.

- Use gfs_student_details() to resolve student personal details.

Usage

```
gfs_student_send(academicYear)
```

Arguments

academicYear academic year as integer.

Examples

```
gfs_student_send(2020)
```

gfs_student_sensitive	<i>Get sensitive attributes.</i>
-----------------------	----------------------------------

Description

Returns the following attributes for students for the chosen academic year: FSM, FSMEver6, EAL, disadvantaged, ethnicity, ethnicity code, ever in care, looked after, pupil premium indicator, service child, traveller type.

- Use gfs_student_details() to resolve student personal details.

Usage

```
gfs_student_sensitive(academicYear)
```

Arguments

academicYear academic year as integer.

Examples

```
gfs_student_sensitive(2020)
```

gfs_teaching_departments
Get departments.

Description

Returns details of departments in the chosen academic year.

Usage

gfs_teaching_departments(academicYear)

Arguments

academicYear academic year as integer.

Examples

gfs_teaching_departments(2020)

gfs_teaching_groups *Get groups.*

Description

Returns details of teaching groups for each subject in the chosen academic year.

- Use gfs_teaching_subjects() to resolve subject details.

Usage

gfs_teaching_groups(academicYear)

Arguments

academicYear academic year as integer.

Examples

gfs_teaching_groups(2020)

`gfs_teaching_groups_students`*Get groups and students.*

Description

Returns details of the students in each teaching group in the chosen academic year.

- Use `gfs_teaching_groups()` to resolve group details.
- Use `gfs_student_details()` to resolve student personal details.

Usage

```
gfs_teaching_groups_students(academicYear)
```

Arguments

`academicYear` academic year as integer.

Examples

```
gfs_teaching_groups_students(2020)
```

`gfs_teaching_groups_teachers`*Get groups and teachers.*

Description

Returns details of teachers assigned to each teaching group in the chosen academic year.

- Use `gfs_teaching_groups()` to resolve group details.
- Use `gfs_teaching_teachers()` to resolve teacher details.

Usage

```
gfs_teaching_groups_teachers(academicYear)
```

Arguments

`academicYear` academic year as integer.

Examples

```
gfs_teaching_groups_teachers(2020)
```

`gfs_teaching_subjects` *Get subjects.*

Description

Returns all subjects in the chosen academic year.

- Use `gfs_teaching_departments()` to resolve department details.

Usage

```
gfs_teaching_subjects(academicYear)
```

Arguments

`academicYear` academic year as integer.

Examples

```
gfs_teaching_subjects(2020)
```

`gfs_teaching_teachers` *Get teachers.*

Description

Returns details of the teachers in the chosen academic year.

Usage

```
gfs_teaching_teachers(academicYear)
```

Arguments

`academicYear` academic year as integer.

Examples

```
gfs_teaching_teachers(2020)
```

gfs_timetables	<i>Get timetables.</i>
----------------	------------------------

Description

Returns details of the timetables and their associated periods for the chosen academic year.

Usage

```
gfs_timetables(academicYear)
```

Arguments

academicYear academic year as integer.

Examples

```
gfs_timetables(2020)
```

gfs_users_parent	<i>Get parents.</i>
------------------	---------------------

Description

Returns details of parent user accounts.

Usage

```
gfs_users_parent()
```

gfs_users_staff	<i>Get staff.</i>
-----------------	-------------------

Description

Returns details of staff user accounts.

Usage

```
gfs_users_staff()
```

Index

gfs_assessment_markbooks, 2
gfs_assessment_marks, 3
gfs_assessment_marksheets, 3
gfs_attainment_exam_results, 4
gfs_attainment_grade_types, 5
gfs_attainment_grades, 4
gfs_attendance_codes, 5
gfs_behaviour_classification, 6
gfs_behaviour_event_types, 7
gfs_behaviour_events, 6
gfs_behaviour_events_range, 7
gfs_behaviour_followup, 8
gfs_behaviour_immediate, 8
gfs_calendar, 9
gfs_classes, 9
gfs_contacts_parental, 10
gfs_school, 10
gfs_setup, 10
gfs_student_classes, 11
gfs_student_demographics, 11
gfs_student_details, 12
gfs_student_edu_details, 12
gfs_student_general, 13
gfs_student_medical, 13
gfs_student_send, 14
gfs_student_sensitive, 14
gfs_teaching_departments, 15
gfs_teaching_groups, 15
gfs_teaching_groups_students, 16
gfs_teaching_groups_teachers, 16
gfs_teaching_subjects, 17
gfs_teaching_teachers, 17
gfs_timetables, 18
gfs_users_parent, 18
gfs_users_staff, 18