Demonstration of Michigan Colors for R Graphs

Andrew Grogan-Kaylor

2021-01-05

Contents

1	Installation	1
2	Usage	1
3	Allowable Colors	2
1	Help	2
5	Examples 5.1 Base R 5.2 ggplot2	

1 Installation

You will need to install devtools if you have not already done so:

install.packages("devtools")

Then use devtools to install michigancolors.

devtools::install_github("agrogan1/michigancolors")

2 Usage

library(michigancolors)

3 Allowable Colors

Colors are drawn from https://brand.umich.edu/design-resources/colors/.

Allowable colors are: "blue", "maize", "tappan red", "ross school orange", "wave field green", "taubman teal", "arboretum blue", "ann arbor amethyst", "matthaei violet", "umma tan", "burton tower beige", "angell hall ash", and "law quad stone"

4 Help


help(michigancolors)

5 Examples

5.1 Base R


hist(iris\$Petal.Length, col = michigancolors())

Histogram of iris\$Petal.Length




hist(iris\$Petal.Length, col = michigancolors("matthaei violet"))

Histogram of iris\$Petal.Length




```
plot(iris$Petal.Length,
    iris$Sepal.Length,
    pch = 19,
    col = michigancolors("tappan red"))
```



5.2 ggplot2

Density Plot of Species in Iris Data Set



```
ggplot(iris,
    aes(x = Petal.Length,
        y = Sepal.Length,
        color = Species)) +
geom_point() +
geom_smooth() +
ggtitle("Scatterplot of Iris Data Set") +
theme_minimal() +
scale_color_manual(values = michigancolors())
```

Scatterplot of Iris Data Set

