

Data Visualization With Stata (The Basics)

Andy Grogan-Kaylor

2025-10-02

Table of contents

1	Introduction	1
2	Setup	2
3	Histogram: <code>histogram x</code>	2
4	Bar Graph: <code>graph bar</code>	3
4.1	Counting Up Numbers In Each Group: <code>graph bar, over(x)</code>	3
4.2	Average Of A Continuous Variable Across Groups: <code>graph bar y, over(x)</code> . .	3
5	Scatterplot: <code>twoway scatter y x</code>	3
6	Linear Fit: <code>twoway lfit y x</code>	4


1 Introduction

99% of data visualization work seems to consist of creating bar graphs (`graph bar y, over(x)`) and scatterplots (`twoway scatter y x`). (For the sake of completeness, I am also going to mention histograms (`histogram x`).)

Multiline Commands With `///`

In some commands, I use `///` so that Stata commands can be on multiple lines.

This is a quick guide to these ideas using the [Palmer Penguins Data](#).



2 Setup

```
clear all

use "penguins.dta", clear
```

Or, click [here](#) to download the data.

💡 Graph Schemes

I am not a particular fan of the default `s2color` graph scheme in earlier versions of Stata. In earlier versions of Stata, I might use the `s1color` scheme by typing `set scheme s1color`. This handout makes use of the `stcolor` graph scheme which is the default in newer versions of Stata.

3 Histogram: histogram x

```
histogram body_mass_g, title("Body Mass of Penguins") xtitle("Body Mass")
```




Figure 1: histogram

4 Bar Graph: graph bar

4.1 Counting Up Numbers In Each Group: graph bar, over(x)

```
graph bar, over(species) title("Penguin Species")
```




Figure 2: bar graph

4.2 Average Of A Continuous Variable Across Groups: graph bar y, over(x)

```
graph bar body_mass_g, over(species) title("Body Mass of Penguin Species")
```




Figure 3: bar graph

5 Scatterplot: twoway scatter y x

```
twoway scatter culmen_length_mm body_mass_g, ///  
title("Penguin Culmen Length by Body Mass") ///  
xtitle("Body Mass") ///  
ytitle("Culmen Length")
```




Figure 4: scatterplot

6 Linear Fit: twoway lfit y x

```
twoway lfit culmen_length_mm body_mass_g, ///
title("Penguin Culmen Length by Body Mass") ///
xtitle("Body Mass") ///
yttitle("Culmen Length")
```




Figure 5: scatterplot