

Better Graphing in Stata

Andy Grogan-Kaylor

28 May 2019

Introduction

- Stata is a powerful and intuitive data analysis program.
- Learning how to graph in Stata is an important part of learning how to use Stata. Yet, the default graphs in Stata can sometimes be less than optimal.
- This document is an introduction to (a) basic graphing ideas in Stata; and (b) some simple ways to make your Stata graphs look more professional.
- Navigation links are in the corner of this slide deck.
- You can also generate a printable version of these slides, by clicking on the “Ø”, and a PDF version is available.

Data

We are going to use the famous “iris” data collected by Ronald Fisher.

```
.  
. use "iris.dta", clear  
.  
. summarize
```

Variable	Obs	Mean	Std. Dev.	Min	Max
Sepal_Length	150	5.843333	.8280661	4.3	7.9
Sepal_Width	150	3.057333	.4358663	2	4.4
Petal_Length	150	3.758	1.765298	1	6.9
Petal_Width	150	1.199333	.7622377	.1	2.5
Species	150	2	.8192319	1	3

```
.
```

Basic Graphs

Continuous Variable histogram

```
.  
. histogram Petal_Length  
(bin=12, start=1, width=.49166667)  
.
```




Figure 1: Histogram of Petal Width

Categorical Variable graph bar

```
.  
. graph bar, over(Species)  
.
```




Figure 2: Bar Graph of Species

Continuous by Continuous twoway

```
.
. twoway scatter Petal_Length Petal_Width
.
```

Categorical by Categorical graph bar

```
.
. recode Petal_Length ///
> (min/3.758 = 0 "below mean") ///
> (3.758/max = 1 "above mean"), ///
> generate(Petal_Group) // dichotomize Petal_Length
(150 differences between Petal_Length and Petal_Group)
.
. graph bar, over(Species) over(Petal_Group)
.
```




Figure 3: Scatterplot




Figure 4: Bar Graph of Species by Category of Petal Length

Continuous by Categorical graph bar

```
.  
. graph bar Petal_Length, over(Species)  
.
```




Figure 5: Bar Graph of Petal Length by Species

Titles and Labels , title(...) xtitle(...) ytitle(...)

```
.  
. twoway scatter Petal_Length Petal_Width, scheme(sircolor) ///  
> title("Petal Length by Petal Width") ///  
> xtitle("Petal Width") ytitle("Petal Width") ///  
> caption("Iris Data")  
.
```




Figure 6: Graph With Titles and Labels

Better Graphing With Schemes `,scheme(...)`

The easiest method to make better Stata graphs is through the use of predefined Stata graphing schemes.

Pre-Defined Schemes

Some schemes, e.g. `economist`, `sj` and `sjrcolor` are pre-installed with Stata.

Economist Scheme

```
.
. twoway scatter Petal_Length Petal_Width, scheme(economist)
.
```

Stata Journal Scheme

```
.
```




Figure 7: Scatterplot with Economist Scheme

```
. twoway scatter Petal_Length Petal_Width, scheme(sj)
.
```




Figure 8: Scatterplot with *Stata Journal* Scheme

s1rcolor Scheme

```
. twoway scatter Petal_Length Petal_Width, scheme(s1rcolor)
.
```

User Written Schemes

Two of the best user written schemes are `plottig` and `lean2`.

Use the `findit` command e.g. `findit lean2` to find these schemes.




Figure 9: Scatterplot with `s1rcolor` Scheme

lean2 Scheme

```
.
. twoway scatter Petal_Length Petal_Width, scheme(lean2)
.
```

Michigan graph scheme

I have written a `michigan` graph scheme described [here](#).

```
.
. twoway (scatter Petal_Length Petal_Width) ///
> (lfit Petal_Length Petal_Width), scheme(michigan)
.
```

Schemes as a Base for Further Tweaking

Schemes can be used as a base that can then be further modified.




Figure 10: Scatterplot with `lean2` Scheme




Figure 11: Scatterplot with `michigan` Scheme

```

. twoway (scatter Petal_Length Petal_Width, msymbol(0) mcolor(red)) ///
> (lfit Petal_Length Petal_Width), ///
> scheme(lean2)
(note: named style 0 not found in class symbol, default attributes used)
.

```




Figure 12: Modified Scatterplot with `lean2` Scheme as a Base

Even More Tweaks

Based upon an example at <https://blog.stata.com/2018/10/02/scheming-your-way-to-your-favorite-graph-style/>

```

. twoway scatter Sepal_Length Sepal_Width Petal_Width Petal_Length, ///
> color(%50 %50 %50) /// transparency
> title("Multiple Iris Characteristics") /// title
> scheme(sircolor) // scheme
.

```

More Information

See also Two Page Stata




Figure 13: Modified Scatterplot with `s1rcolor` Scheme as a Base

Created by agrogan@umich.edu