

Telling Stories With Data: Visualizing Categorical Data in R

true

2022-02-19

Contents

1	Introduction	1
2	Some Data	1
3	Call The Graphing Library	2
4	Bar Graphs	2
4.1	Stacked Bar Graph	2
4.2	Unstacked Bar Graph	3
4.3	Faceted Bar Graph	3
5	Pie Chart	4
6	Jittered Points	5
7	Mosaic Plot	5
8	Waffle Plot	6
8.1	Call The Libraries	6
8.2	Make A Data Set Of Counts	6
8.3	Make The Waffle Plot	7
9	Alluvial Diagram	7

1 Introduction

Visualizing categorical data presents unique challenges. A common solution is a bar graph, which may often be the best data visualization solution.

However there are also some alternatives to bar graphs.

Below we present some options for bar graphs, and some possible alternative strategies.

Note that the outcomes—which you could think of as a *good* outcome, or a *bad* outcome, are unevenly distributed by group. Therefore, these data represent *inequities* or *disparities*.

2 Some Data

We create some simulated data with the `tribble` function. The data are created so that the two groups experience the outcomes unequally.

```

library(tibble) # rowwise data frame (tibble) creation

library(tidyr) # data wrangling

mydata <- tribble(
  ~group, ~outcome, ~count,
  "Group A", "beneficial outcome", 55,
  "Group A", "undesirable outcome", 40,
  "Group B", "beneficial outcome", 50,
  "Group B", "undesirable outcome", 75
)

mydata$group <- factor(mydata$group) # data wrangling

mydata$outcome <- factor(mydata$outcome) # data wrangling

# duplicate the observations by count

mydata <- mydata %>% uncount(count)

pander(table(mydata)) # nice table of data

```

	beneficial outcome	undesirable outcome
Group A	55	40
Group B	50	75

3 Call The Graphing Library

I use University of Michigan colors in these graphs, which is completely optional. You can find installation instructions for the Michigan graph scheme [here](#).

```

library(ggplot2)

library(michigancolors)

```

4 Bar Graphs

Bar graphs are often the simplest and best option for displaying categorical data. When used with an aesthetically pleasing color scheme, bar graphs can be an effective way of displaying data.


There are several different types of bar graph.

4.1 Stacked Bar Graph

```


ggplot(mydata, aes(x = group, # x is group
  fill = outcome)) + # color fill is outcome
  geom_bar() + # bars
  scale_fill_manual(values = michigancolors()) + # Michigan colors
  theme_minimal() # nice theme

```



4.2 Unstacked Bar Graph


```
ggplot(mydata, aes(x = group, # x is group
                    fill = outcome)) + # color fill is outcome
  geom_bar(position = position_dodge()) + # "dodged" bars
  scale_fill_manual(values = michigancolors()) + # Michigan colors
  theme_minimal() # nice theme
```



4.3 Faceted Bar Graph

```
ggplot(mydata, aes(x = outcome, # x is outcome
                    fill = outcome)) + # color fill is outcome
  geom_bar() + # bars
  scale_fill_manual(values = michigancolors()) + # Michigan colors
  theme_minimal() + # nice theme
```


```
theme(axis.text.x = element_text(size = rel(.75))) + # smaller x axis text
facet_wrap(~group) # facet on group
```



5 Pie Chart

In ggplot terms, pie charts are bar graphs displayed with *polar coordinates*.

```
ggplot(mydata, aes(x = 1, # x is always 1
                    fill = outcome)) + # color fill is outcome
  geom_bar(position = "fill") + # bars
  scale_fill_manual(values = michigancolors()) + # Michigan colors
  theme_void() + # void theme for pie charts
  coord_polar(theta = "y") + # polar coordinates
  facet_wrap(~group) # facet on group
```




6 Jittered Points

Jittered points may be a good choice because every point represents an individual in the data set. However, it may be difficult to draw exact conclusions from jittered points.

Jittered points *may* (or may not) benefit from having an outline in a different color to make them more distinct.

```
ggplot(mydata, aes(x = group, # x is group
                    fill = outcome,
                    y = outcome)) + # color fill is outcome
  geom_jitter(size = 3, # jittered points
              pch = 21, # Point Character 21; filled points
              color = "grey") + # outline color
  scale_fill_manual(values = michigancolors()) + # Michigan colors
  theme_minimal() # nice theme
```




7 Mosaic Plot

Mosaic plots are another way to display data. They are especially effective for being clear about the relative membership in different groups, and about the proportion of each group experiencing each outcome.

```
library(ggmosaic) # mosaic plots

ggplot(mydata) +
  geom_mosaic(aes(x = product(group), # "mosaic" geometry
                  fill = outcome)) +
  scale_fill_manual(values = michigancolors()) + # Michigan colors
  theme_minimal() # nice theme
```



8 Waffle Plot

Lastly, waffle plots may be a useful way to display information. Waffle plots are aesthetically appealing. The aesthetic appeal of a waffle plot may, however, obscure the fact that they may not provide the clearest presentation of quantitative information. Waffle plots work best when the sample size is several hundred or fewer.

Waffle plots require some data wrangling.

8.1 Call The Libraries

```
library(waffle) # waffle geometry
```

```
library(dplyr) # data wrangling
```

8.2 Make A Data Set Of Counts

```
# make a data set of counts
```

```
mycounts <- mydata %>%
  group_by(group, outcome) %>% # group by group & outcome
  tally() # count up observations
```


```
pander(mycounts) # replay this data
```

group	outcome	n
Group A	beneficial outcome	55
Group A	undesirable outcome	40
Group B	beneficial outcome	50
Group B	undesirable outcome	75

8.3 Make The Waffle Plot

```
# use geom_waffle with this data set of counts

ggplot(mycounts, # use this new data
       aes(fill = outcome, # color fill is outcome
           values = n)) + # values are n
  geom_waffle(color = "grey") + # waffle geometry w/ grey separator
  facet_wrap(~group) + # facet on group
  coord_equal() + # squares!
  scale_fill_manual(values = michigancolors()) + # Michigan colors
  theme_void() # nice theme
```



9 Alluvial Diagram

Lastly, an alluvial diagram may be useful to illustrate a *flow* from one status to another.

We will use the data set of mycounts that we generated above.

```
library(ggalluvial)

ggplot(mycounts,
       aes(y = n,
           axis1 = group,
           axis2 = outcome)) +
  geom_alluvium(aes(fill = outcome), # alluvia; flows
               alpha = .75) +
  geom_stratum(width = 1/3, # end "strata"
              color = "black", # outline color
              fill = "grey",
              color = "grey") +
  geom_label(stat = "stratum", # textual labels
            aes(label = after_stat(stratum))) +
  scale_fill_manual(values = michigancolors()) + # Michigan colors
  theme_void() # nice theme
```

