Multilevel Visualization

Andrew Grogan-Kaylor

2024-03-24

Table of contents

1	Mul	level Visualization	5
	1.1	ntroduction	5
	1.2	Γhe Data	5
2	Gra	us .	6
	2.1	Scatterplots	6
		2.1.1 Stata	6
		2.1.2 R	6
		2.1.3 Julia	8
	2.2	Line Graph	9
		2.2.1 Stata	9
		2.2.2 R	10
		2.2.3 Julia	11
	2.3	Spaghetti Plots	13
		2.3.1 Stata	13
		2.3.2 R	13
		2.3.3 Julia	13
R	foron	os 1	1 1

List of Figures

2.1	Outcome by Parental Warmth (Stata)	7
2.2	Outcome by Parental Warmth (R)	8
2.3	Outcome by Parental Warmth (Julia)	Ç
2.4	Outcome by Parental Warmth (Stata)	10
2.5	Outcome by Parental Warmth (Stata)	11
2.6	Outcome by Parental Warmth (Julia)	13

List of Tables

	1.1	Sample of Simulate	d Multilevel Data																	F
--	-----	--------------------	-------------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	---

1 Multilevel Visualization

1.1 Introduction

Below, I describe the use of Stata (StataCorp 2021), R (R Core Team 2023), and Julia (Bezanson et al. 2017) to visualize multilevel models.

1.2 The Data

The examples use the simulated_multilevel_data.dta file from *Multilevel Thinking*. Here is a direct link to download the data.

Table 1.1: Sample of Simulated Multilevel Data

country	HDI	family	id	group	physical_punishment	warmth	outcome
1	69	1	1.1	2	2	3	59.18
1	69	2	1.2	2	4	0	61.54
1	69	3	1.3	1	4	4	51.87
1	69	4	1.4	2	0	6	51.71
1	69	5	1.5	2	3	2	55.88
1	69	6	1.6	1	5	3	60.78

2 Graphs

2.1 Scatterplots

2.1.1 Stata

2.1.1.1 Get The Data

```
use simulated_multilevel_data.dta
```

2.1.1.2 Scatterplot

```
twoway scatter outcome warmth, ///
   xtitle("warmth") ytitle("outcome") ///
   title("Outcome by Parental Warmth")

quietly graph export scatter.png, replace
```

2.1.2 R

2.1.2.1 Get The Data

```
library(haven)

df <- read_dta("simulated_multilevel_data.dta")</pre>
```

2.1.2.2 Scatterplot




Figure 2.1: Outcome by Parental Warmth (Stata)

```
library(ggplot2)

ggplot(df,
    aes(x = warmth,
        y = outcome)) +
    geom_point() +
    labs(title = "Outcome by Parental Warmth")
```

Outcome by Parental Warmth




Figure 2.2: Outcome by Parental Warmth (R)

2.1.3 Julia

2.1.3.1 Get The Data

```
using Tables, MixedModels, StatFiles, DataFrames, CategoricalArrays, DataFramesMeta

df = DataFrame(load("simulated_multilevel_data.dta"))
```

2.1.3.2 Scatterplot

Outcome by Parental Warmth




Figure 2.3: Outcome by Parental Warmth (Julia)

2.2 Line Graph

2.2.1 Stata

2.2.1.1 Get The Data

```
use simulated_multilevel_longitudinal_data.dta
```

2.2.1.2 Line Graph

```
twoway lfit outcome t, ///
   xtitle("time") ytitle("outcome") ///
   title("Outcome by Time")

quietly graph export lfitlongitudinal.png, replace
```




Figure 2.4: Outcome by Parental Warmth (Stata)

2.2.2 R

2.2.2.1 Get The Data

```
use simulated_multilevel_longitudinal_data.dta
```

2.2.2.2 Line Graph

```
twoway lfit outcome t, ///
   xtitle("time") ytitle("outcome") ///
   title("Outcome by Time")

quietly graph export lfitlongitudinal.png, replace
```




Figure 2.5: Outcome by Parental Warmth (Stata)

2.2.3 Julia

2.2.3.1 Get The Data

```
using Tables, MixedModels, StatFiles, DataFrames, CategoricalArrays, DataFramesMeta

dfL = DataFrame(load("simulated_multilevel_longitudinal_data.dta"))
```

2.2.3.2 Line Graph

To make our plot with a smoother in Julia, we set the markercolor and markerstrokecolor to be *white*, and the smooth option to :true.




Figure 2.6: Outcome by Parental Warmth (Julia)

2.3 Spaghetti Plots

- 2.3.1 Stata
- 2.3.2 R
- 2.3.3 Julia

References

Bezanson, Jeff, Alan Edelman, Stefan Karpinski, and Viral B. Shah. 2017. "Julia: A Fresh Approach to Numerical Computing." *SIAM Review* 59 (1): 65–98. https://doi.org/10.1137/141000671.

R Core Team. 2023. R: A Language and Environment for Statistical Computing. Vienna, Austria: R Foundation for Statistical Computing. https://www.R-project.org/. StataCorp. 2021. Stata 17 Graphics Reference Manual. Stata Press.