


Results: Environmental contour



Results: Extreme environmental design conditions



#	significant wave heigh	ntp[eফ] k period [s]
0	1.00	3.00
1	1.00	3.50
2	1.00	4.00
3	1.00	4.50
4	1.00	5.00
5	1.00	5.50
6	1.00	6.00
7	1.00	6.50
8	1.00	7.00
9	1.00	7.50
10	1.00	8.00
11	1.00	8.50
12	1.00	9.00
13	1.00	9.50
14	1.00	10.00
15	1.00	10.50
16	1.00	11.00
17	1.00	11.50
18	1.00	12.00
19	1.00	12.50
20	1.00	13.00
21	1.00	13.50
22	1.50	3.00
23	1.50	13.50



	_	
24	1.50	14.00
25	2.00	3.00
26	2.00	14.00
27	2.50	3.00
28	2.50	14.00
29	3.00	3.00
30	3.00	14.00
31	3.50	3.00
32	3.50	14.00
33	4.00	3.00
34	4.00	14.00
35	4.50	3.00
36	4.50	13.50
37	4.50	14.00
38	5.00	3.00
39	5.00	13.50
40	5.50	3.00
41	5.50	13.50
42	6.00	3.00
43	6.00	13.50
44	6.50	3.00
45	6.50	13.50
46	7.00	3.00
47	7.00	13.00
48	7.00	13.50



49	7.50	3.00
50	7.50	13.00
51	8.00	3.00
52	8.00	13.00
53	8.50	3.00
54	8.50	13.00
55	9.00	3.00
56	9.00	12.50
57	9.00	13.00
58	9.50	3.00
59	9.50	12.50
60	10.00	3.00
61	10.00	12.50
62	10.50	3.00
63	10.50	12.00
64	10.50	12.50
65	11.00	3.00
66	11.00	12.00
67	11.50	3.00
68	11.50	3.50
69	11.50	11.50
70	11.50	12.00
71	12.00	3.50
72	12.00	11.50
73	12.50	3.50



74	12.50	11.00
75	12.50	11.50
76	13.00	3.50
77	13.00	11.00
78	13.50	3.50
79	13.50	4.00
80	13.50	10.50
81	13.50	11.00
82	14.00	4.00
83	14.00	10.00
84	14.00	10.50
85	14.50	4.00
86	14.50	4.50
87	14.50	9.50
88	14.50	10.00
89	15.00	4.50
90	15.00	5.00
91	15.00	9.00
92	15.00	9.50
93	15.50	5.00
94	15.50	5.50
95	15.50	6.00
96	15.50	8.00
97	15.50	8.50
98	15.50	9.00



	- 1	
99	16.00	6.00
100	16.00	6.50
101	16.00	7.00
102	16.00	7.50
103	16.00	8.00