Probability(NCERT)

Ahilan R - FWC22090

CLASS XI

16.4.6 Three letters are dictated to three persons and an envelope is addressed to each of them, the letters are inserted into the envelopes at random so that each envelope contains exactly one letter. Find the probability that at least one letter is in its proper envelope.

Solution: Let the three letter be A, B, and C and the proper order for ABC, i.e., letters to be kept in respective(proper) envelopes. Total number of ways in which letters A, B, C can be inserted into envelopes is

$$3! = 6 = n(S) \tag{16.4.6.1}$$

Let *X* be the event where at least one letter is in proper envelope.

$$X = \{ACB, CBA, BAC, ABC\}$$

$$\implies n(X) = 4$$
. Therefore,

$$P(X) = \frac{n(X)}{n(S)} = \frac{4}{6} = \frac{2}{3}$$
 (16.4.6.2)

CLASS XII

13.2.3 A box of oranges is inspected by examining three randomly selected oranges drawn without replacement. If all the three oranges are good, the box is approved for sale, otherwise, it is rejected. Find the probability that a box containing 15 oranges out of which 12 are good and 3 are bad ones will be approved for sale. **Solution:**

Event	Description			
X_1	Selecting 1 good orange			
X_2	Selecting 2 good oranges			
X_3	Selecting 3 good oranges			

Probability of the given box being approved for sale, (using multiplication rule)

$$=P(X_1X_2X_3) (13.2.3.1)$$

$$=P(X_1)P(X_2|X_1)P(X_3|X_2X_1) \quad (13.2.3.2)$$

$$=\frac{12 \times 11 \times 10}{15 \times 14 \times 13} = \frac{44}{91}$$
 (13.2.3.3)

Probability	Value	
$\mathbf{p}(\mathbf{V})$	12	
$P(X_1)$	$\overline{15}$	
$P(X_2 X_1)$	11	
	$\overline{14}$	
D/W W W	10	
$P(X_3 X_2X_1)$	$\overline{13}$	

13.4.6 From a lot of 30 bulbs which include 6 defectives, a sample of 4 bulbs is drawn at random with replacement. Find the probability distribution of the number of defective bulbs. Solution: Let X be the random variable denoting the number of defective bulbs. Let E_1 and E_2 be the event of drawing a non-defective bulb and a defective bulb.

$$P(E_1) = \frac{24}{30}, P(E_2) = \frac{6}{30}$$
 (13.4.6.1)

Since we replace the item after drawing out of the box, (using multiplication rule)

Probability	Calculation	Value
P(X=0)	$^{4}C_{2} \times ^{24} \times ^{24} \times ^{24} \times ^{24} \times ^{24}$	256
	${}^{4}C_{0} \times \frac{24}{30} \times \frac{24}{30} \times \frac{24}{30} \times \frac{24}{30}$	$\overline{625}$
P(X=1)	$\frac{4}{3}$ $\frac{6}{3}$ $\frac{24}{3}$ $\frac{24}{3}$ $\frac{24}{3}$	256
	$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	$\overline{625}$
P(X=2)	$_{4C_{2}}$ $_{2}$ $_{3}$ $_{4}$ $_{$	96
	$4C_2 \times \frac{6}{30} \times \frac{6}{30} \times \frac{24}{30} \times \frac{24}{30}$	$\overline{625}$
P(X=3)	$\frac{1}{4C}$ $\frac{6}{3}$ $\frac{6}{3}$ $\frac{6}{3}$ $\frac{6}{3}$ $\frac{24}{3}$	16
	$\begin{vmatrix} {}^{4}C_{3} \times \frac{{}^{6}}{30} \times \frac{{}^{6}}{30} \times \frac{{}^{21}}{30} \end{vmatrix}$	$\overline{625}$
P(X=4)	40 6 6 6 6	1
	$\begin{vmatrix} {}^{4}C_{4} \times \frac{0}{30} \times \frac{0}{30} \times \frac{0}{30} \times \frac{0}{30} \end{vmatrix}$	$\overline{625}$

X	0	1	2	3	4
P(X)	256	256	96	16	1
	$\overline{625}$	$\overline{625}$	$\overline{625}$	$\overline{625}$	$\overline{625}$

TABLE 13.4.6.1 Probability Distribution of X

**Read question numbers as (CHAPTER NUMBER).(EXERCISE NUMBER).(QUESTION NUMBER)