

Software Requirements Specification

MECHTRON 4TB6

Team 25, Formulate
Ahmed Nazir, nazira1
Stephen Oh, ohs9
Muhanad Sada, sadam
Tioluwalayomi Babayeju, babayejt

April 4, 2023

Contents

1	Introduction	4
1.1	Document Purpose	4
1.2	Project Description	4
1.3	Project Scope	4
1.4	Table of Symbols	5
1.5	Abbreviations and Acronyms	6
2	User Characteristics	6
2.1	Stakeholders	6
2.2	Use Cases	7
2.3	User Consideration	7
2.4	Impact	8
3	System Description	9
3.1	Context Diagram	9
3.2	State Transition Diagram	10
3.3	Monitored and Controlled Variables	11
3.4	Functional Decomposition Diagram	12
4	Requirements	13
4.1	Functional Requirements	13
4.1.1	Priority 1	13
4.1.2	Priority 2	14
4.1.3	Priority 3	14
4.2	Nonfunctional Requirements	15
4.2.1	Usability	15
4.2.2	Performance	15
4.2.3	Operational	15
4.2.4	Maintainability and Portability	16
4.2.5	Security	16
4.3	Likely Changes	16
4.4	Unlikely Changes	16
4.5	Traceability Table	17
5	Phase in Plan	17
5.1	Phase 0: Preperation (000 Series)	18
5.2	Phase 1: Proof of Concept (100 Series)	19
5.3	Phase 2: Revision 0 Presentation (200 series)	20
5.4	Phase 3: Final Demonstrations (300 series)	21

6	Appendix	22
6.1	Knowledge Requirement	22
6.2	Knowledge Acquirement	23

List of Tables

List of Figures

1	System Context Diagram	9
2	State Machine Diagram	10
3	Functional Decomposition Diagram	12

Revision History

Date	Version	Notes
October 5, 2022	1.0	General edits by Ahmed, Muhanad, Tioluwalayomi, Stephen

1 Introduction

1.1 Document Purpose

This document provides the set of Software Requirements Specifications (SRS) used to describe the system developed to assist testing efforts in technical teams. Both hardware and software system requirements were included to fully specify all system requirements.

The user can expect to understand the system behavior under expected use cases, the functional and non-functional requirements the system must adhere to, and a phase in plan.

1.2 Project Description

Effective test data collection and storage is a common challenge extra-curricular teams face in the technical domain. In teams who do not invest in streamlining data collection and storage, teams cannot fully utilize test data to validate designs. As a result, teams encounter difficulty proving design validity during competition, experience reduced competitiveness when presenting an under-validated system, and fail to generate trends on aggregated test data to efficiently find areas of improvement in design.

Project "Formulate" enables Formula teams to streamline data collection and storage, resulting in testing overhead reduction and increased control of raw test data gathered by automating aspects of the testing procedure.

1.3 Project Scope

Project Formulate aims to provide the McMaster Formula Electric team with a well-documented and complete system. To accomplish the project goals within an 8 month timeline, the following scope of requirements were developed to set clear boundaries on deliverables.

In of Scope Items:

1. Documentation for device integration into testing workflows for common tests
2. Hardware capable of collecting data from test equipment
3. User interface to interact with raw data and submit the data to a database
4. Record of organized, historical data
5. Visualization of test data stored in a database with auto-generated KPI metrics

Out of Scope Items:

1. Custom website to visualize test data results stored in a database
2. Security through data encryption
3. Predictive intelligence to estimate if rate of test data collected is on track to produce a fully validated product

1.4 Table of Symbols

Symbol	Description
m_	Monitored Variables
c_	Controlled Variables
k_	Constant Variables
S#	State Number

1.5 Abbreviations and Acronyms

Symbol	Description
SAE	Society of Automotive Engineers
LC	Likely Change
ULC	Unlikely to Change
SRS	Software Requirements Specification
DBTL	Design Build Test Learning
KPI	Key Performance Indicators
FR	Functional Requirements
NFR	Non-functional Requirements
PC	Personal Computer
CAD	Computer Aided Design

2 User Characteristics

2.1 Stakeholders

Formula Electric teams exemplify a highly technical, extra-curricular engineering team at the University level. On a yearly basis, these teams compete in competitions organized by a governing body, Formula SAE, who judge the quality and effectiveness of engineering ideas, designs, fabrications, and tests applied on a team's vehicle.

Specifically, ideal candidates who can benefit from our capstone will be Formula Electric teams with 0-4 years of competition experience. Teams without four years of experience are ideal because they typically cannot finish comprehensive tests to validate sub-team designs and overall vehicle design in a competition year.

As a result, our primary stakeholder will be McMaster's Formula Electric team because the team has 3 years of competition experience and faces difficulty validating all aspects of the vehicle through comprehensive testing.

2.2 Use Cases

1. **Device is turned on**

The device is turned on and test functioning can begin

2. **Switching of testing**

The device would be modular so depending on what test is required the device would be able to change from testing shock, vibrations, temperature, and humidity by just switching the module into the device

3. **Testing functionality**

The device will continually send receive information through an Arduino board, the values from the Arduino board will then get converted into a desktop application

4. **Test data conversion**

The converted values from the desktop application will be sent to a remote database where the user will be able to access the data and use the information for what it is needed for

5. **Device warning system**

The device will be able to tell the user if the equipment being tested is going above or is below the equipment threshold. This will allow the user to stop the testing before any important components get compromised on the unit

6. **Device interrupted or turned off**

In event of the device turning off prematurely the data will be automatically saved into our local storage and stored for later use

7. **User test data access**

The user can then access the data on a website where all the info will be stored through our database

2.3 User Consideration

The design of the device is made with the user in mind, our users will be mainly engineering students trying to collect data on equipment they have designed. Since this is the case they will be able to customize the output parameters for what they need such as the gain and or the initial value of the test. This will allow for a more fluid way to setup the test for them. Since it is a student run club we would like to make it cost effective as well, other data collecting devices are expensive and are hard to set up, we would like to make data collecting for testing faster and cheaper so they are able to have a competitive edge against their competition.

2.4 Impact

This design could allow for dangerous testing conditions for an unsupervised tester or a person who does not have full knowledge on what they are testing. Since this product is made for people who both fully understand and created what they are testing, they will be able to test the equipment in a safe and unsupervised manner. If this device was given to a person without full knowledge on what they are testing, there is potential to cause damage to what they are testing or even worse, themselves. Another impact would be how testing is done. It can create faster and more efficient testing, resulting in faster production of parts and equipment. This will increase the productivity of numerous companies who are in need of new ways to store their testing data in efficient and accessible ways.

3 System Description

3.1 Context Diagram




Figure 1: System Context Diagram

3.2 State Transition Diagram




Figure 2: State Machine Diagram

State	Description
Device Off	The testing device is not powered on
Device On	The testing device is powered on
Connected to Appli- cation	The testing device has connected to the application
Ready to measure	Sensors for the test have been configured and device is ready to start a test and measure values
Reading/Writing	Testing device is reading raw data from sensors, converting them, and sending them to the desktop application
Sending to Database	User has accepted the results and they are now sent to the database

3.3 Monitored and Controlled Variables

Monitored Variable	Type	Units	Description
m_vibration	Analog	V	A signal monitoring the vibration resistance of the motor
m_humidity	Analog	V	A signal monitoring the humidity of the motor's environment
m_temperature	Analog	V	A signal monitoring the temperature of the motor's environment
m_shock	Analog	V	A signal monitoring the shock resistance of the motor
m_conv_vibration	Digital	g	Converted vibration values that are in useful units
m_conv_humidity	Digital	%	Converted humidity values that are in useful units
m_conv_temperature	Digital	°C	Converted temperature values that are in useful units
m_conv_shock	Digital	g	Converted shock values that are in useful units
m_data_accepted	Digital	T/F	Determines if user has accepted the results and wants to send it to the database

Controlled Variable	Type	Units	Description
c_green_light	Digital	1/0	Green LED light on testing device that indicates passed measurements
c_red_light	Digital	1/0	Red LED light on testing device that indicates failed measurements
c_sent_to_database	Digital	T/F	Determines if results displayed on the application are sent to the database

Constant	Units	Value	Description
k_temperature_range	°C	5-40	Acceptable ambient temperature values for a Formula Electric motor
k_humidity_range	%	5-85	Acceptable relative humidity values for a Formula electric motor
k_max_shock	g	100	Maximum shock resistance for a Formula Electric motor
k_max_vibration	g	20	Maximum vibration resistance for a Formula Electric motor

3.4 Functional Decomposition Diagram




Figure 3: Functional Decomposition Diagram

4 Requirements

4.1 Functional Requirements

Formulate consists of 3 main components, each with its own functional requirements. The device addresses the sensors and physical device which interacts directly with the user. The desktop application is the means for the user to select modes and submit data, and the data visualizer (website) is for the user to view old test case data to check if KPI's are met.

4.1.1 Priority 1

- FR 1: The device should be able to measure vibration, temperature, and humidity every second
- FR 2: The device must be capable of establishing a wired connection with a PC to transmit sensor test data and power
- FR 3: The device should have a start button which activates the telemetry to start reading values between the PC and device
- FR 4: The device should have a stop button which stops the telemetry from reading values between the PC and device
- FR 5: The device should take the raw data from the sensors (in volts) and convert it to human-readable and meaningful values (m/s^2 , $^{\circ}C$, %)
- FR 6: The application should present users with a preview of the values coming from the device (Temperature, Humidity Vibration) after a stopping test
- FR 7: The application should allow the user to submit the test results to the database
- FR 8: The dashboard should be able to pull the test results from the database when the user refreshes the dataset

4.1.2 Priority 2

FR 9: The device's mount to the Formula SAE car should be able to withstand 5g's of force

FR 10: Mounting the device should not take more than 5 minutes

FR 11: The device should contain 3 power sources; rechargeable battery, 9v battery and a 120v wall socket

Rationale: The device needs its own independent power source which will allow for it to be placed in areas without a power socket, but also should give the user the flexibility depending on what environment they are in

FR 12: The device must establish a wireless connection with a PC in order to transmit data without a physical connection.

FR 13: The modular sensors should have a snap on mounting mechanism to connect to the base

Rationale Modular sensors need to have a rigid connection with the board with minimal movement to get the most accurate values from the sensor

FR 14: The application should show live data, where raw data is considered to be data transmission occurring every second, from each sensor (Accelerometer, Thermocouple, Humidity Sensor) during a test

4.1.3 Priority 3

FR 15: The device should have 2 connection ports to add module sensors to it

Rationale Each connection port will make the device more modular and allow for users to add more sensors in the future for other tests

FR 16: The dashboard should only allow users who have access to view the data

FR 17: The dashboard should have the option to filter out the data by test conducted

FR 18: Any data pushed to the database should not be editable by the user

4.2 Nonfunctional Requirements

4.2.1 Usability

NFR1: **Ease of Learning**

The user will be able to learn the device's operation quickly to integrate into their testing workflow efficiently. If the user watches an educational product video and is able to complete the test setup and navigate the user interface without any further support, the ease of learning requirement can be considered to be accomplished

NFR2: **Ease of Use**

The system will be fast at processing data such that additional overhead through the use of the device is less than if all components of the testing workflow were completed individually. If the user is able to complete test setup, navigate the user interface to complete a test, submit the test data, and view the dashboard in under 10 minutes, not including the time needed to test, the ease of use requirement can be considered to be accomplished

4.2.2 Performance

NFR3: **Speed**

The system bandwidth will be high enough to support testing equipment with high data collection frequencies. We would like to record data at speed of one data point per second for all sensors in use.

NFR4: **Reliability and Availability**

The system will be fail-safe to withstand single point of failures in components with high probability of operational failure. Single points of failure include the Wi-Fi module experiencing a connection failure during wireless testing

4.2.3 Operational

NFR5: **Expected Technological Environment**

The device will be able to facilitate a variety of tests using a range of equipment, as long as the equipment is compatible with the data measuring hardware. Users should be able to find and purchase at least one sensor offered at large e-commerce stores that is suitable of taking the correct measurement with our data measuring hardware

NFR6: **Expected Physical Environment**

The system will be operational under a wide range of temperatures and operational vibrations. Typical MAC Formula Electric driving applications should not pose risks in the device's operability due to temperature or vibrations

4.2.4 Maintainability and Portability

NFR7: Maintainability

The system will be modular and have low cohesion such that users can adapt elements of the device's hardware and software infrastructure to current needs without breaking other elements

NFR8: Portability

The user's ability to conduct tests will not be affected by the physical constraints from the device. The user will also be able to move the device easily and with minimal when testing.

4.2.5 Security

NFR9: Software Integrity

The system will be secure against malicious spam aimed at reducing validity of aggregate test data stored in the database

4.3 Likely Changes

LC1: Method to start and stop the test on the device

Rationale: The user should have the ability to perform a hardware start/stop or a remote start/stop from their PC

LC2: The initial data we are collecting (Vibration, Shock, Temperature, Humidity)

Rationale: Since the device is set to be modular, we may change the initial measured values we are testing with other ones

LC3: The number of modular ports on the device

Rationale: Depending on the number of input ports available on the board used, the number of input signals available may vary

4.4 Unlikely Changes

ULC1: The sensors will remain modular to adapt to different tests that need to be conducted

Rationale: The product should be expandable in the future to be able to test different values

ULC2: The communication methods between the data measurement hardware and the PC will be wired or wireless

4.5 Traceability Table

Section	Functional Requirements	Non-Functional Requirements
Hardware	FR 1, FR 2, FR 3, FR 4, FR 8, FR 9, FR 10, FR 11, FR 12, FR 15	NFR 1, NFR 2, NFR 4, NFR 5, NFR 6, NFR 7, NFR 8
Desktop Application	FR 5, FR 6, FR 13, FR 14, FR 16	NFR 1, NFR 2, NFR 3, NFR 7, NFR 9
Database	FR 18	NFR 7, NFR 9
Data Dashboard	FR 7, FR 16, FR 17	NFR 1, NFR 2, NFR 7

5 Phase in Plan

The phase in plan is categorized into multiple sections, where each section represented a significant phase in the progress of project execution. A section is given a number in the hundreds (X00) to denote a significant phase in the project. Each section is subdivided further into segments given by numbers specified in the tens (XX0) to denote smaller steps within each phase. The expected order of segment completion follows the order of increasing number count; the lowest number segment should be completed first and the highest number segment should be completed last.

Each segment has an overall goal that can include the coordination of multiple team members. Upon completion of each segment, the team members relevant to the segment will review and buyoff the readiness of the segment. Upon completion of buying off each segment within a section, the overall phase is considered to be bought off and completed with confidence. The relevant stakeholders must aim to buyoff each segment in a phase before the phase deadline.

The priorities for the Functional Requirements relate to the Phase in Plan because priorities 1, 2, and 3 correlates to the 100, 200, and 300 series phases of the project planning. This method benefits from the ability to assign stakeholders to each segment for project management.

5.1 Phase 0: Preperation (000 Series)

Phase 0 Deadline: October 28, 2022

000 Buyoffs	Explanation	Stakeholder(s)
010	Purchase sensor equipment, data measurement hardware, 3D print material.	Stephen
020	Obtain licenses for 3D CAD software use and database access	Ahmed, Muhanad
030	Document material costs and licensing constraints	Stephen
040	Distribute materials and licensing to relevant project area Stakeholder	Stephen
050	Completion of device chassis mechanical design and modelling	Tioluwalayomi, Ahmed
060	Completion of electrical connection hardware circuit design and schematic	Stephen
090	Device chassis manufactured	Ahmed, Tioluwalayomi, Muhanad

5.2 Phase 1: Proof of Concept (100 Series)

Phase 1 Deadline: November 11, 2022

100 Buyoffs	Explanation	Stakeholder(s)
110	Desktop application program developed with basic user interface	Muhanad, Stephen
120	Desktop application program can receive data from data measurement device using a wired connection	Ahmed, Muhanad
130	Desktop application program can interface with database to send data	Muhanad
140	Desktop application program can edit data from data measurement device before sending it to the database	Muhanad, Stephen
150	Visualization application can pull data and generate KPI metrics from the database	Muhanad, Stephen
160	Integration between data measurement device and desktop application	Ahmed, Muhanad
170	Integration between desktop application and visualization application	Muhanad, Stephen
190	Integration between data measurement device, desktop application, and data measurement device	Tioluwalayomi, Muhanad, Ahmed, Stephen

5.3 Phase 2: Revision 0 Presentation (200 series)

Phase 2 Deadline: February 3, 2023

200 Buyoffs	Explanation	Stakeholder(s)
210	Mechanical design and modelling completion of device chassis mounting mechanism	Tioluwalayomi
220	Electrical sizing of battery	Stephen
230	Completion of wireless communication between data measurement device and desktop application	Tioluwalayomi, Ahmed
240	Programming the PC application program to configure the wifi on the device	Tioluwalayomi, Ahmed
250	Completing custom PCB design and receiving manufactured PCB's. Device chassis re-designed and manufactured to fit PCB board and electronics	Stephen, Ahmed
290	Embedded programming and regular programming to display live raw data from test equipment	Muhanad, Stephen

5.4 Phase 3: Final Demonstrations (300 series)

Phase 3 Deadline: March 17, 2023

300 Buyoffs	Explanation	Stakeholder(s)
310	Mechanical design of 4 connection ports to add sensor modules	Tioluwalayomi
320	Programming the PC application to trim raw data sent from the measurement device	Ahmed
330	Programming the website to restrict user viewing access	Muhanad
340	Programming the website to filter by test type	Stephen
350	Programming the PC application program to configure the wifi on the device	Tioluwalayomi
360	Programming the website to show whether the test passed relative to threshold values	Tioluwalayomi
370	Programming the preventative measures from user directly editing database values	Ahmed
380	Completing second iteration of custom PCB design and receiving manufactured PCB's. Device chassis redesigned and manufactured to fit second revision's PCB board and electronics	Stephen, Ahmed
390	Programming the website to show whether the test passed relative to threshold values	Muhanad

6 Appendix

6.1 Knowledge Requirement

1. **Sensors/Embedded Systems:** To successfully complete this project our group needs to collectively understand how sensors and microcontrollers work. The main premise of our project is to automate testing of key components in a Formula Electric vehicle, this can only be done using a variety of sensors to monitor those components. To create almost any hardware device sensors are required as it is equivalent to being the eyes of the device, it allows for hardware to understand and map it's environment. These measurements that the sensor collects can be used by a microcontroller to make decisions on what to do according to the requirements. In our project specifically our hardware device needs to collect measurements from its environment and react accordingly with it, (i.e transmit it to a PC, alert the user if thresholds are exceeded, etc.).
2. **Project Management:** Project management is a critical skill that we will need to acquire to complete this project with excellent execution. Particularly in our capstone project which utilizes multiple sub-systems working together, a cohesive management strategy is critical. Strong project management skills ensure sub-system goals meet their requirements, and ensure the timely integration of all subsystems.
3. **Databases:** An essential function of Formulate is to collect test results and store them in a database. Therefore, a complete understanding of creating, accessing, securing, and editing databases is required to achieve that functionality. We are aiming to use a relational database, so all research on these topics will specific to relational databases.
4. **Presentations:** For our presentation, we will all play a part in presenting and demonstrating how our device works. In our presentation, we will require the knowledge of how the device works and the usefulness of our device. Our knowledge will be learned throughout the making of our capstone project as we get more familiar with its software and hardware components. Our presentation will be a demonstration of our knowledge as we will show how we made it and how it was uniquely designed by us. In order for our presentation to be a success we will have to practice and create a unique way to entertain our audience. This will require creativity from us so that we can stand out from the rest of the presentations, which we will discuss more during our weekly meetings.

6.2 Knowledge Acquirement

1. **Sensors/Embedded Systems:** There are many resources to help in mastering the skill, McMaster provides access to a platform called LinkedIn Learning, it provides useful relevant courses to programming an Arduino and how to use sensors. Other online resources such as YouTube also provides similar knowledge in these topics. The best way to learn something in my opinion is by experimenting with the technology, this is called the discovery phase. Getting familiar with the technology by messing around with it drastically improves how comfortable you are with it and how to use it. Ahmed will pursue this because he has some relevant coop experience in sensors and embedded systems and he would like to get more hands on experience working on these technologies. These skills are relevant to the type of work he wants to do in the future.
2. **Project Management:** One of the approaches our team plans on using to master the skill of project management is to look to our previous or current managers and mentors from internships for advice. There were moments during our internship where these people demonstrated effective project management strategies that we would like to emulate, and they are a great resource to receive advice from on how we can manage our capstone project effectively. In addition, we plan on seeking the advice of Dr. Smith, the professor for our capstone course, and our assigned teaching assistant Timofey Tomashevskiy, to guide areas of capstone project management we do not have experience in. Stephen would like to pursue the approach of seeking the advice of Dr. Smith and Timofey Tomashevskiy. This is because these two individuals are highly experienced with providing capstone project management help, and are much more accessible to our group as students of the capstone course relative to industry professionals.
3. **Databases:** Muhanad is currently taking a databases course (3DB3) at McMaster which is an introduction to all the fundamentals of relational databases. This includes the design and creation of legal databases based on relational constraints and the manipulation of data using SQL (Structured Query Language). This course will be very useful in terms of creating a fundamentally sound database. However, online resources will be used to determine where to host a database and how to make it secure in a way where only the application has write access to it. Muhanad is pursuing databases because he interacted with them briefly during his coop and found SQL to be very interesting. Therefore, he wishes to take a more in-depth look at databases and querying languages to gain a full understanding of them.

4. **Presentations:** For our presentation we will all play a part in presenting and demonstrating how our new device. In our presentation we will require the knowledge of how the device works and the usefulness of our device. Our knowledge will be learned throughout the making of our capstone project as we get more familiar with software and hardware. Our presentation will be a demonstration of our knowledge as we will show how we made it and how it is uniquely designed by us. In order for our presentation to be a success, Tioluwalayomi will practice and create a unique way to entertain our audience. This will require creativity to stand out from the rest of the presentations, which we will discuss more during our weekly meetings.