



# Software Requirements Specification (SRS)


## Use Case



## User Service :




## Task Service :




# Activity diagram

## User Service :

- Login & Signup




- **Edit Profile(Email,Password)**



## Task Service :


- **Task Management (Create - Display - Update - Delete)**




# Sequence Diagram

## User Service :


### Login :



## Sign Up :




## Edit Profile :






## Task Service (Create - Display - Update - Delete) :



## Class Diagram



## OCL Diagram

### Task Microservice:

**Constraint 1:** Tasks must have a title.

**context** Task

**invariant:** `self.title <> null and self.title.isEmpty()`

**Constraint 2:** Task titles must be between 1 and 255 characters long.

**context** Task

**invariant:** `self.title.size() >= 1 and self.title.size() <= 255`

**Constraint 3:** Tasks must have a user ID associated with them.

**context** Task

**invariant:** self.userId <> null

**Constraint 4:** Tasks must have a Status.


**context** Task

**invariant:** self.Done <> null

**Constraint 5:** Tasks when created must have a default status value.

**context** Task

**invariant:** self.Done == false



## User Microservice:

**Constraint 1:** User email addresses must be unique within the system.

**context** User

**invariant:** `User.allInstances()->forall(u1, u2 | u1 <> u2 implies u1.email <> u2.email)`

**Constraint 2:** User email addresses must not be blank.

**context** User

**invariant:** `self.email <> null and self.email.isEmpty()`

**Constraint 3:** User email addresses must follow the standard email format.

**context** User

**invariant:** `self.email.matches('[a-zA-Z0-9._%+-]+@[a-zA-Z0-9.-]+\.[a-zA-Z]{2,}')`

**Constraint 4:** User Password must not be blank.

**context** User

**invariant:** `self.password <> null and self.password.isEmpty()`

**Constraint 5:** User Password size must be between (6-20).



**context** User

**invariant:** `self.password.size() >= 6 and self.password.size() <= 20`


**Constraint 6:** User Passwords must meet some complexity requirements and regular expressions.

**context** User

**invariant:** `self.password.matches('^(?=.*[a-z])(?=.*[A-Z])(?=.*\d)[A-Za-z\d]{6,20}$')`



## ERD



## Entity Relational Schema

