

# Clock

## Lesson 3




### Description

Observe that the time does not update when restoring the app from the background. Explore the life cycle events of starting, backgrounding, foregrounding, and quitting an app.

### Learning Outcomes

- Analyze application, controller and view life cycle events.
- Describe object-oriented inheritance, and relate inheritance to iOS view controllers.
- Practice using the Xcode Documentation and API Reference to discover technical information.
- Interpret the concepts of delegates and protocols.
- Apply Xcode breakpoints as an alternative to using `println` and the Xcode console.



### Vocabulary

background	foreground	iOS Multitasking Bar
force quit	inheritance	extend
UIViewController	override	super
app delegate	UIApplicationDelegate	UIResponder
life cycle events	protocol	breakpoint

## Materials

- **Clock Lesson 3** Xcode project
- **Delegates and Delegation** presentation

## Opening

What happens when we send an app to the background, and restore it to the foreground?

## Agenda


- Using the Simulator, send the app to the background (⇧⌘H), wait until the OS X menu bar time indicator has changed, and bring the app to the foreground. Observe that the time is not current.
- Using the Multitasking Bar (⇧⌘H, twice quickly), force quit the app and start it again. Notice the time is now correct.
- Discuss why the time is correct only when starting the app.
- Add a `println` call in `viewDidLoad`.

```
println("viewDidLoad")
```

- Run the app (⌘R), and observe the Xcode console (⇧⌘C) while repeating the starting, backgrounding, foregrounding and quitting of the app.
- Discuss when an iOS app seems to execute its `viewDidLoad` method.
- Examine the class declaration for `ViewController`, noting that it extends `UIViewController`.
- Discuss object-oriented inheritance.
- Using the Xcode Documentation and API Reference (⇧⌘O), explore the `UIViewController` class reference and notice its life cycle methods.
- Experiment with attempting to set the current time by overriding `viewWillAppear`.

```
override func viewWillAppear(animated: Bool) {  
    super.viewWillAppear(animated)  
    println("viewWillAppear")  
    let formatter = NSDateFormatter()  
    formatter.timeStyle = .ShortStyle  
    timeLabel.text = formatter.stringFromDate(clock.currentTime)  
}
```

- Observe the Xcode console (⇧⌘C) while foregrounding and backgrounding the app. Notice how `viewWillAppear:` is also not the appropriate lifecycle method.
- Using the Project Navigator (⇧⌘1), examine **AppDelegate.swift**.
- Present the concept of delegates.
- Briefly explain what the primary "app delegate" is, how it extends `UIResponder`, and implements the `UIApplicationDelegate` protocol.
- Using the Xcode Documentation and API Reference (⇧⌘0), explore the documentation for the `UIApplicationDelegate` protocol, and notice its life cycle methods.
- Demonstrate how, instead of adding a `println` call to all `AppDelegate` methods, to use Xcode to add breakpoints that automatically continue after writing a message to the console.



- Observe the Xcode console (⇧⌘C) while starting, backgrounding, foregrounding, quitting and restarting the app.
- Discuss which `UIApplicationDelegate` lifecycle event is likely best suited for the feature of updating the currently displayed time.
- Discuss how `applicationWillEnterForeground` is the desired method, and the challenge of how you might update the view from the app delegate when the app enters the foreground.
- Discuss how the controller should be responsible for communicating with the view, and how writing view-related code in the `AppDelegate` may violate a separation of concerns.

## Closing

Might there be a convenient way for the controller to be notified when the app enters the foreground?

## Modifications And Extensions

- Explicitly implement `applicationWillEnterForeground` such that it navigates the object graph to send a message to the main view controller to set the current time in the `UILabel`.

## Resources

iOS Simulator User Guide: Interacting with iOS Simulator [https://developer.apple.com/library/ios/documentation/IDEs/Conceptual/iOS\\_Simulator\\_Guide/InteractingwiththeiOSSimulator.html](https://developer.apple.com/library/ios/documentation/IDEs/Conceptual/iOS_Simulator_Guide/InteractingwiththeiOSSimulator.html)

Searching Developer Documentation [http://developer.apple.com/library/ios/recipes/xcode\\_help-documentation\\_organizer/SearchingDocumentation/SearchingDocumentation.html](http://developer.apple.com/library/ios/recipes/xcode_help-documentation_organizer/SearchingDocumentation/SearchingDocumentation.html)

Start Developing iOS Apps Today: Finding Information <https://developer.apple.com/library/ios/referencelibrary/GettingStarted/RoadMapiOS/FindingInformation.html>

UIViewController Class Reference [https://developer.apple.com/library/ios/documentation/UIKit/Reference/UIViewController\\_Class/index.html](https://developer.apple.com/library/ios/documentation/UIKit/Reference/UIViewController_Class/index.html)

View Controller Programming Guide for iOS: Responding to Display-Related Notifications <https://developer.apple.com/library/ios/featuredarticles/ViewControllerPGforiPhoneOS/RespondingtoDisplay-Notifications/RespondingtoDisplay-Notifications.html>

App Programming Guide for iOS: The App Life Cycle <https://developer.apple.com/library/ios/documentation/iPhone/Conceptual/iPhoneOSProgrammingGuide/TheAppLifeCycle/TheAppLifeCycle.html>

App Programming Guide for iOS: Execution States for Apps [https://developer.apple.com/library/ios/documentation/iPhone/Conceptual/iPhoneOSProgrammingGuide/TheAppLifeCycle/TheAppLifeCycle.html#//apple\\_ref/doc/uid/TP40007072-CH2-SW3](https://developer.apple.com/library/ios/documentation/iPhone/Conceptual/iPhoneOSProgrammingGuide/TheAppLifeCycle/TheAppLifeCycle.html#//apple_ref/doc/uid/TP40007072-CH2-SW3)

Cocoa Application Competencies for iOS: Application object <https://developer.apple.com/library/ios/documentation/General/Conceptual/Devpedia-CocoaApp/ApplicationObject.html>

UIApplicationDelegate Protocol Reference [https://developer.apple.com/library/ios/#documentation/UIKit/Reference/UIApplicationDelegate\\_Protocol/Reference/Reference.html](https://developer.apple.com/library/ios/#documentation/UIKit/Reference/UIApplicationDelegate_Protocol/Reference/Reference.html)

UIResponder Class Reference [https://developer.apple.com/library/ios/documentation/UIKit/Reference/UIResponder\\_Class/index.html](https://developer.apple.com/library/ios/documentation/UIKit/Reference/UIResponder_Class/index.html)

Source Editor Help: Adding, Disabling and Deleting Breakpoints [https://developer.apple.com/library/ios/recipes/xcode\\_help-source\\_editor/chapters/Creating,Disabling,andDeletingBreakpoints.html](https://developer.apple.com/library/ios/recipes/xcode_help-source_editor/chapters/Creating,Disabling,andDeletingBreakpoints.html)