

## Contents

<b>1</b>	<b>Functional Requirements</b>	<b>2</b>
1.1	Functionality . . . . .	2
1.2	Usability . . . . .	2
1.3	Reliability . . . . .	2
1.4	Performance . . . . .	3
1.5	Supportability . . . . .	3
<b>2</b>	<b>Non-Functional Requirements</b>	<b>3</b>
<b>3</b>	<b>Use Cases</b>	<b>3</b>
3.1	Convert Text Tab . . . . .	3
3.1.1	Extensions . . . . .	3
3.2	Change Settings . . . . .	4

# 1 Functional Requirements

## 1.1 Functionality

- Must convert text tablature to MusicXML tablature
- Must be able to read guitar, drum and bass text tabs
- Must be able to access and edit the original text tab after conversion
- Must be able to save any edits to the text tab
- Must be able to finetune MusicXML output by editing input, including metadata
- Must be able to account for drop tunings
- Must be able to account for an unusual amount of strings in guitar tabs
- Must be compatible with music in any time signature or key
- Should be able to notate techniques such as bends, slides, hammer-ons, pull-offs, etc.
- Must support repeated measures
- Must support grace notes

## 1.2 Usability

- Must have an intuitive visual interface
- Must be able to accept copy-pasted text or text read from a file
- Must automatically detect which instrument the tab is for
- Must allow the user to override this instrument detection
- Must deal with errors in a user-friendly way

## 1.3 Reliability

- Must be able to work with lots of variation in the format of the text tab
- The converted MusicXML tablature must be error free

## **1.4 Performance**

- Must convert the text tab in a reasonable amount of time

## **1.5 Supportability**

- Should allow the user to configure their preferences for how they want the drums sheet music to be displayed (selecting the value and note-heads). Can have a default notation but should be able to be customized through preferences
- Must be testable via automated testing

# **2 Non-Functional Requirements**

- Should have an API that can be used by other programs

# **3 Use Cases**

## **3.1 Convert Text Tab**

Primary Actor: Musician Goal: The musician has a text tab, and they want a MusicXML file Success Scenario:

1. Musician starts program
2. Musician inputs the text tab
3. System identifies what instrument it is for
4. Musician tells system to convert text tab
5. System converts text tab to MusicXML
6. Musician saves output
7. Musician closes program

### **3.1.1 Extensions**

3a. If system cannot identify instrument, user can choose instrument manually. 5a. If text tab is unrecognizable, notify user and restart at step 2

### **3.2 Change Settings**

Primary Actor: Musician Success Scenario:

1. Musician starts program (if it isn't already started)
2. Musician changes settings
3. System updates settings internally
4. Musician stops program or continues using program for something else