

Introduction

Introduction to Game Theory

Game Theory analyzes the *interaction* among a *group of rational* agents who *behave strategically*.

- A group consists of at least two individuals who are free to make decisions.
- An interaction means that the decisions of at least one member of the group must affect at least one other member of the group.
- In strategic behavior, members of the group account for the interaction in their decision making process.
- Rational agents act in their best decisions based on their knowledge.

Keynes's Beauty Contest: Choose the face that is the most chosen in a newspaper contest.

In many games, we are not asked to pick *our* favorite, we are asked to pick *everyone else's* favorite.

Applications of Game Theory

- Labor Economics (compensation interactions, promotions)
- Industrial Organization (pricing, entry, exit, etc.)
- Public Finance (public goods games)
- Political Economy (strategic voting)
- Trade (tariff wars)
- Biology (hunting and mating)
- Linguistics

It's important to remember that game theory is a subfield of *mathematics*, not economics.

Simultaneous Games of Complete Information

Static Games of Complete Information

We will begin by covering *static games of complete information*.

- Static: Play happens at once and payoffs are realized. Decisions are not necessarily made at the same time.
- Complete information: the following four are all common knowledge in the game
 - (i) all possible actions of the players
 - (ii) all possible outcomes
 - (iii) how each combination of actions of all players affects which outcome will materialize
 - (iv) the preferences of each and every player over outcomes
- An event, E , is common knowledge if everyone knows E , everyone knows everyone knows E , *ad infinitum*.

The Prisoner's Dilemma

- Two suspects are interrogated in separate rooms.
- There is enough evidence to convict each of them for a minor offense, but not enough to convict either of a major crime unless one finks (F).
- If they each stay quiet (Q), they only get 1 year in prison each.
- If only one finks, they are free, and the other gets 4 years in prison.
- If they both fink, they each will spend 3 years in prison.

We will try to write The Prisoner's Dilemma as a game. First, we can see this in a payoff matrix.

		Player Y	
		Q	F
Player X	Q	(2, 2)	(0, 3)
	F	(3, 0)	(1, 1)

Normal-Form Game

The constituents of a *normal-form game* G consist of the following:

- A finite set of players: $N = \{1, 2, \dots, n\}$.
- For each player i , a set S_i denotes the *strategy space* of player i . We will let $S = S_1 \times S_2 \times \dots \times S_n$ denote the strategy space of the entire game (i.e., the entire set of strategies possible).
 - Every element $s \in S$ is a *strategy profile*, where $s = (s_1, s_2, \dots, s_n)$.
 - We denote the strategy choices of all players except player i as $s_{-i} = (s_1, \dots, s_{i-1}, s_{i+1}, \dots, s_n)$.
- A payoff function: $v_i : S \rightarrow \mathbb{R}$. The payoff function depends on the strategies of *all players*.

Example

Let the following payoff matrix represent a game. Write the normal form.

		X	Y	
		A	(5, 1)	(2, 6)
		B	(0, 9)	(3, 2)
C		(4, 4)	(4, 7)	

- $n = 2$
- $S_1 = \{A, B, C\}$
- $S_2 = \{X, Y\}$

Strategic Dominance

Recall the prisoner's dilemma.

		Player Y	
		Q	F
Player X	Q	(2, 2)	(0, 3)
	F	(3, 0)	(1, 1)

Suppose you were player 1. If player 2 stays quiet, it is more optimal for you to fink than to stay quiet. Similarly, if player 2 finks, then it is more optimal for you to fink than to stay quiet.

In a similar vein, for player 2, it is more optimal to fink in both cases. Therefore, the proper strategy is (F, F) .

Dominated Strategy

A strategy s'_i is *strictly dominated* for i if there is one other strategy $s_i \in S_i$ such that $v_i(s_i, s_{-i}) > v_i(s'_i, s_{-i})$ for all $s_{-i} \in S_{-i}$.

Essentially, a strategy is strictly dominated if there is another strategy that yields a strictly greater payoff regardless of the other strategies.

A rational player will *never* play a strictly dominated strategy.

In the prisoner's dilemma, Q is strictly dominated by F in both cases. Oddly, this yields the worst outcome from a social perspective (i.e., it has the lowest aggregate welfare).

		L	M	R
		2,2	1,1	4,0
T	B	1,2	4,1	3,5
	T	2,1	0,0	3,2

Through *iterated elimination of strictly dominated strategies* (IESDS), we start by removing M from the strategy profile of player 2 as playing L is strictly better. Then, Player 1 realizes that player 2 is rational, and thus does not play B (as B is strictly dominated by T once M is removed from the strategy space of player 2). Finally, Player 2 does not play R , as R is strictly dominated by L given that player 1 will play T . Thus, we get our answer of **T, L**.

A game is *dominance solvable* if it can be solved via iterated elimination of strictly dominated strategies. However, only a small number of games are not dominance solvable.

Strategic Dominance and Normal-Form Activity

Activity: Strategic Games and Dominance

Econ 305
Brandon Lehr

1 Strategic Games

For each of the games described below, determine the normal form of the game: number of players n , strategy space for each player S_i , and payoffs (as a matrix or function).

- a. Matching Pennies (a zero-sum game). Two players simultaneously place a penny on a table. If the pennies match (e.g., both placed heads up), player 2 pays player 1 a dollar. If the pennies do not match, player 1 pays player 2 a dollar.

Player 1: \$1, -1	
Player 2: \$1, -1	
$s_1 = \{H, T\}$	$s_2 = \{H, T\}$
$p_{1,2} = \begin{cases} 1 & H, H \\ -1 & H, T \\ -1 & T, H \\ 1 & T, T \end{cases}$	
$\text{Payoff Matrix: } P = \begin{bmatrix} 1 & -1 \\ -1 & 1 \end{bmatrix}$	

- b. Bach vs. Stravinsky / Bachie of the Seven (a coordination game with some conflict). A couple wants to go together on their next night out, but they have different preferences over which type of concert they attend. They simultaneously and without communication choose to go to either the Bach or Stravinsky concert. (Conditional on being together)

Player 1: \$1, -1	
Player 2: \$1, -1	
$s_1 = \{B, S\}$	$s_2 = \{B, S\}$
$p_{1,2} = \begin{cases} 2 & B, B \\ 0 & B, S \\ 0 & S, B \\ 1 & S, S \end{cases}$	$P = \begin{bmatrix} 2 & 0 \\ 0 & 1 \end{bmatrix}$
$\text{Payoffs: } P = \begin{bmatrix} 2 & 0 \\ 0 & 1 \end{bmatrix}$	

1

c. Hawk vs. Dove / Chicken (an anti-coordination game). Two teenagers ride their bikes at high speed toward each other along a narrow ride. Neither of them wants to "chicken out" and lose their pride, but even worse is getting hurt by crashing into the oncoming biker.

Player 1: \$1, -1	
Player 2: \$1, -1	
$s_1 = \{D, H\}$	$s_2 = \{D, H\}$
$p_{1,2} = \begin{cases} 1 & D, D \\ 0 & D, H \\ 0 & H, D \\ -1 & H, H \end{cases}$	$P = \begin{bmatrix} 1 & 0 \\ 0 & -1 \end{bmatrix}$
$\text{Payoffs: } P = \begin{bmatrix} 1 & 0 \\ 0 & -1 \end{bmatrix}$	

d. Cournot Competition (an industrial organization game). Two firms compete by simultaneously choosing how much to produce of a homogenous good (e.g., oil, soybeans) for a market.

Player 1: \$1, -1	
Player 2: \$1, -1	
$s_1 = [0, \infty)$	$s_2 = [0, \infty)$
$p_{1,2} = \begin{cases} 1 & (0, 0) \\ -1 & (1, 0) \\ -1 & (0, 1) \\ -3 & (1, 1) \end{cases}$	$P = J(\cdot, \cdot)$
$\text{Payoffs: } P = J(\cdot, \cdot)$	

2

2 Strict Dominance

Are the following games dominance solvable? Justify your answers.

- a. A 4×4 game:

Player 1: \$1, -1	
Player 2: \$1, -1	
$s_1 = \{A, B, C, D\}$	$s_2 = \{W, X, Y, Z\}$
$p_{1,2} = \begin{cases} 5 & A, W \\ 2 & A, X \\ 1 & A, Y \\ 0 & A, Z \\ 6 & B, W \\ 3 & B, X \\ 2 & B, Y \\ 1 & B, Z \\ 7 & C, W \\ 3 & C, X \\ 2 & C, Y \\ 0 & C, Z \\ 8 & D, W \\ 1 & D, X \\ 0 & D, Y \\ 2 & D, Z \end{cases}$	$P = \begin{bmatrix} 5 & 2 & 1 & 0 \\ 6 & 3 & 2 & 1 \\ 7 & 3 & 2 & 0 \\ 8 & 1 & 0 & 2 \end{bmatrix}$
$\text{Payoffs: } P = \begin{bmatrix} 5 & 2 & 1 & 0 \\ 6 & 3 & 2 & 1 \\ 7 & 3 & 2 & 0 \\ 8 & 1 & 0 & 2 \end{bmatrix}$	

- b. The beauty contest game, i.e., to win, come closest to guessing two-thirds the average of numbers between 0 and 100 selected by players.

Very strategy is strictly dominated by 0 because $0 > \frac{1}{3}(0+0+0) = 0$.

3

Nash Equilibrium: Definition

A strategy profile s^* is a *pure strategy Nash equilibrium* if and only if the following holds.

$$v_i(s_i^*, s_{-i}^*) \geq v_i(s_i, s_{-i}^*)$$

for all players i and all strategies $s_i \in S_i$.

Given what all other players are doing, no single player has an incentive to deviate to another action. This does not inform us about how to get to the Nash equilibrium, it just tells us that it is one.

For example, the prisoner's dilemma has a pure strategy Nash equilibrium: (F, F)

- For any other strategy profile, there is a profitable deviation.
- Similarly, result corresponds to the outcome of IESDS.


	<i>L</i>	<i>M</i>	<i>R</i>
<i>T</i>	2,2	1,1	4,0
<i>B</i>	1,2	4,1	3,5

In the above game, the pure strategy Nash equilibrium is (T, L) . We can easily check that it is a Nash equilibrium, but in order to check that it is unique, we would need to look for deviations from the other strategy profiles. Or do we?

IESDS and Nash Equilibrium

- If s^* is a pure strategy Nash equilibrium of G , s^* survives IESDS.
- An action that is played in a Nash equilibrium is never eliminated in IESDS.
- If G is dominance solvable, then G has a unique Nash equilibrium:
 - The previous proposition tells us that G is dominance solvable \Rightarrow there is at most one Nash equilibrium.

The relationship between the strategy set, S , the set of strategies that survive IESDS, and the Nash equilibrium can be seen below:



Voter Participation and Nash Equilibrium Activity

Activity: Voter Participation

Econ 305

Brandon Lehr

Two candidates, Joe and Donald, run for the second Presidential election. Of the 200 million registered voters in the U.S., 100 million support Joe and 100 million support Donald. Each citizen decides whether to vote, at a cost, for the candidate she supports, or to abstain. A citizen who abstains receives a payoff of 0 if the candidate she supports wins, 1 if this candidate ties, and 0 if this candidate loses. A citizen who votes receives the payoffs $2 - c$, $1 - c$, and $-c$ in these three cases, where $0 < c < 1$. Find the (pure strategy) Nash equilibria.

We can do this by considering different types of strategy profiles. For each case, we need to check whether or not any single citizen has an incentive to deviate to another strategy, given the strategies of all other citizens. If not, we have a Nash equilibrium.

Case 1: All Citizens Vote

$$\begin{array}{ccc} \text{Joe} & 1-c & \\ \text{Donald} & 0 & \\ \text{Abstain} & -c & \end{array}$$

Case 2: Not All Citizens Vote; the Candidates Tie

$$\begin{array}{ccc} \text{Joe} & 2-c & \\ \text{Donald} & 1 & \\ \text{Abstain} & -c & \end{array}$$

$$\begin{array}{ccc} \text{Joe} & 1 & \\ \text{Donald} & 2-c & \\ \text{Abstain} & -c & \end{array}$$

$$\begin{array}{ccc} \text{Joe} & 1 & \\ \text{Donald} & 1 & \\ \text{Abstain} & 2-c & \end{array}$$

Case 3: A Candidate Wins by One Vote

$$\begin{array}{ccc} \text{Joe} & 2-c & \\ \text{Donald} & 0 & \\ \text{Abstain} & 2 & \end{array}$$

$$\begin{array}{ccc} \text{Joe} & 2 & \\ \text{Donald} & 2-c & \\ \text{Abstain} & 0 & \end{array}$$

Case 4: A Candidate Wins by at Least Two Votes

$$\begin{array}{ccc} \text{Joe} & 2 & \\ \text{Donald} & 0 & \\ \text{Abstain} & 2 & \end{array}$$

$$\begin{array}{ccc} \text{Joe} & 2 & \\ \text{Donald} & 2 & \\ \text{Abstain} & 0 & \end{array}$$

Bonus: Suppose that Joe has more supporters than Donald. What are the (pure strategy) Nash equilibria of this game?

Hint: Let n_J be the number of people who vote for Joe and n_D be the number of people who vote for Donald. Also, denote the number of Donald's supporters by $k < 100$ million. Proceed in cases as before.

The \Rightarrow is not pure strategy Nash equilibrium

1

2

Bertrand Competition

Assumptions We have the following:

Players Homogenous good produced by $n > 1$ firms (i.e., oil, soybeans)

Cost The cost of producing q_i units to $c_i(q_i)$.

Demand Total Market Demand is given by $D(p)$

Strategy Set $S_i = \mathbb{R}^+$, where $p_i \in S_i$ denotes the price.

Normal-Form Game We have the following:

Players $n = 2$

Cost Function $c_i(q_i) = cq_i$ for some $c \in \mathbb{R}^+$ and for $i = 1, 2$

Payoffs $v_i(p_i, p_j) = \begin{cases} 0, & p_i > p_j \\ (p_i - c)(D(p_i)), & p_i < p_j \\ \frac{1}{2}(p_i - c)(D(p_i)), & p_i = p_j \end{cases}$

Bertrand Duopoly

Activity: Bertrand Duopoly
Econ 305
Brandon Lehr

We can write profits in the symmetric Bertrand duopoly game ($n = 2$) with marginal costs, c , and demand function, $D(p)$, as follows:

$$v_i(p_1, p_2) = \begin{cases} (p_i - c)D(p_i) & \text{if } p_i < p_j \\ (p_i - c)D(p_i)/2 & \text{if } p_i = p_j \\ 0 & \text{if } p_i > p_j \end{cases}$$

where $p_1, p_2 \in \mathbb{R}^+$.

Claim: The unique NE of the Bertrand game is $(p_1^*, p_2^*) = (c, c)$.

Proof: There are two parts we have to prove. First, we must show that the proposed action profile is in fact a NE. Next, we have to show that there is no other NE.

1. **Profile is NE**
 - \mathcal{L}_{NE} $\rightarrow J \circ \sigma = J \circ \sigma$ \Rightarrow no best resp. to σ
 - $J_{\sigma}(p_1^*) > J_{\sigma}(p_2^*) \geq J_{\sigma}(p_1)$ \Rightarrow p_1^* is best resp. to σ
2. **Uniqueness**

Consider all other possible action profiles:

 - If $p_i < c$ for either $i = 1$ or $i = 2$:
 $\exists p_j \in \mathbb{R}^+ \setminus \{p_i\}$ s.t. $p_j > p_i$ and $v_i(p_j) > v_i(p_i)$
 - If $p_i = c$ and $p_j > c$:
 $p_i^* \in \text{best resp. to } \sigma$
 - If $p_i > c$ and $p_j > c$ (without loss of generality let $p_i \geq p_j$):
 $v_i(p_i) = \max_{p \in \mathbb{R}^+} v_i(p) \geq v_i(p_j)$

Bonus: Suppose we modify the game so that firms can only charge discrete prices measured to the precision of a cent (as opposed to all non-negative real numbers). Argue that $(c + 1, c + 1)$ is also a Nash equilibrium (where c is given in cents). Assume that $D(c + 1) > 0$.

$\lim_{p \rightarrow c^+} v_i = \frac{1}{2} D(c + 1)$

$\lim_{p \rightarrow c^-} v_i = 0$

Given by 1: $v < 0$ \Rightarrow all worse than $(c + 1, c + 1)$

Up: $v = 0$

Best Response Correspondence and finding Nash Equilibria

- To find a Nash Equilibrium, it is helpful to determine which actions are best for a player given the actions of their opponents.
- A *best response correspondence* is:

$$BR_i(s_{-i}) = \{s_i \in S \mid v_i(s_i, s_{-i}) \geq v_i(s'_i, s_{-i}) \ \forall s'_i \in S_i\}$$

- Any strategy in $BR_i(s_{-i})$ is at least as good for player i as every other strategy available to player i when the other players' strategies are given by s_{-i} .
- We call it a correspondence, as opposed to a function, since $BR_i(s_i)$ can be set-valued

A strategy profile s^* is a Nash Equilibrium of G if and only if every player's strategy is a best response to the other players' strategies:

$$s^* \in BR_i(s_i^*) \ \forall i$$

Essentially, every player is playing their best response given that everyone else is also playing their best response.

There are two primary ways to find a Pure Strategy Nash Equilibrium:

- Refining educated guesses (e.g., Bertrand competition), necessary when best responses are set-valued
- Intersection of best responses (e.g., Payoff Matrix, Cournot competition)

Calculus and Best Response

In many cases, $BR_i(s_{-i})$ is a solution to the following problem:

$$\max_{s_i} v_i(s_i, s_{-i})$$

Essentially, we have to solve an optimization problem: find the value of s_i such that $v_i(s_i, s_{-i})$ is maximized.

Consider the following payoff function:

$$v_1(x_1, x_2) = 3x_1x_2 - x_1^2$$

We must use partial derivatives (as we're holding the strategy of x_2 constant in order to find the best response):

$$\begin{aligned} 0 &= \frac{\partial v_1}{\partial x_1} \\ &= 3x_2 - 2x_1 \\ x_1 &= \frac{3x_2}{2} \end{aligned}$$

Therefore, $BR_1(x_2) = x_1 = \frac{3x_2}{2}$.

In order to find the Nash Equilibrium, we have to find the best response function for every player and take the intersections of all the best response functions.

Cournot Competition

- n firms.
- Selling a homogenous identical good.
- *Quantity* Competition: $S_i = \mathbb{R}^+$
- Payoff function:

$$v_i(q_i, q_{-i}) = q_i P \left(\sum_{j=1}^n q_j \right) - c(q_i)$$

What makes Cournot competition a game is that the payoff depends on the strategies of other players.

Cournot Duopoly: Example

- $n = 2$, $c(q_i) = 10q_i \forall i$
- $P(Q) = \begin{cases} 100 - Q, & Q \leq 100 \\ 0, & Q > 100 \end{cases}$

Three steps to find Nash Equilibrium:

- (i) $BR_1(q_2)$
- (ii) $BR_2(q_1)$

(iii) (q_1^*, q_2^*) is a Nash Equilibrium where $q_1^* = BR_1(BR_2(q_1^*))$ (this follows from the definition of a Nash Equilibrium).

$$\begin{aligned} \max_{q_1} q_1(100 - q_1 - q_2) - 10q_1 &= \max_{q_1} q_1(90 - q_1 - q_2) \\ 0 &= \frac{\partial v_1}{\partial q_1} \\ &= 90 - q_2 - 2q_1 \\ q_1 &= 45 - \frac{1}{2}q_2 \end{aligned}$$

$$\begin{aligned} \max_{q_2} q_2(100 - q_2 - q_1) - 10q_2 &= \max_{q_2} q_2(90 - q_1 - q_2) \\ 0 &= \frac{\partial v_2}{\partial q_2} \\ &= 90 - q_1 - 2q_2 \\ q_2 &= \frac{90 - q_1}{2} \end{aligned}$$

Note In a symmetric game, every player's best response is identical with respect to every other player. You can only use this shortcut *after* finding the best response.

$$\begin{aligned} q_1^* &= BR_1(BR_2(q_1^*)) \\ &= \frac{90 - \frac{90 - q_1^*}{2}}{2} \\ &= \frac{45}{2} + \frac{q_1^*}{4} \\ q_1^* &= 30 \\ q_2^* &= BR(30) \\ &= 30 \end{aligned}$$

Note In a symmetric game, $q_1^* = q_2^*$, and similar for the n player case.

Cournot Duopoly Variations

Activity: Cournot Competition

Econ 305

Brandon Lehr

Consider the standard duopoly ($n = 2$) Cournot competition game in which $c_1(q_1) = 10q_1$ and

$$P(Q) = \begin{cases} 100 - Q & \text{if } Q \leq 100 \\ 0 & \text{if } Q > 100 \end{cases}$$

In class I showed that the best response function for firm 1 is:

$$BR_1(q_2) = \begin{cases} \frac{1}{2}(100 - q_2) & \text{if } q_2 \leq 90 \\ 0 & \text{if } q_2 > 90 \end{cases}$$

Determine the Nash equilibrium of the following Cournot games.

Example 1: Asymmetric Costs where $c_2(q_2) = 40q_2$, but all else is unchanged.

$$BR_1(q_2) = \frac{1}{2}(100 - 40q_2)$$

$$BR_2(q_1) = \frac{1}{2}(100 - q_1 - 40q_2) = 50 - q_1 - 20q_2$$

$$q_1^* = BR_1(BR_2(q_1))$$

$$= \frac{1}{2}(100 - \frac{1}{2}(50 - q_1 - 20q_2))$$

$$= \frac{1}{2}(50 + q_1 + 20q_2)$$

$$= \frac{1}{2}(50 + 30 + 20q_2)$$

$$= 35 + 10q_2$$

$$q_2^* = BR_2(BR_1(q_2))$$

$$= \frac{1}{2}(50 - q_2 - 20(35 + 10q_2))$$

$$= \frac{1}{2}(50 - 700 - 200q_2)$$

$$= -350 - 100q_2$$

$$q_2^* = -3.5 - 10q_1$$

$$q_1^* = 3.5 + 10q_2$$

$$q_1^* = 3.5 + 10(-3.5 - 10q_1)$$

$$q_1^* = 3.5 - 35 - 100q_1$$

$$q_1^* = -31.5 - 100q_1$$

$$q_1^* = -31.5 - 100(3.5 + 10q_2)$$

$$q_1^* = -31.5 - 350 - 1000q_2$$

$$q_1^* = -381.5 - 1000q_2$$

$$q_1^* = -381.5 - 1000(-3.5 - 10q_1)$$

$$q_1^* = -381.5 + 3500 + 10000q_1$$

$$q_1^* = 3118.5 + 10000q_1$$

$$q_1^* = 3118.5 + 10000(3.5 + 10q_2)$$

$$q_1^* = 3118.5 + 35000 + 100000q_2$$

$$q_1^* = 6618.5 + 100000q_2$$

$$q_1^* = 6618.5 + 100000(-3.5 - 10q_1)$$

$$q_1^* = 6618.5 - 350000 - 1000000q_1$$

$$q_1^* = -2838.5 - 1000000q_1$$

$$q_1^* = -2838.5 - 1000000(3.5 + 10q_2)$$

$$q_1^* = -2838.5 - 3500000 - 10000000q_2$$

$$q_1^* = -37838.5 - 10000000q_2$$

$$q_1^* = -37838.5 - 10000000(-3.5 - 10q_1)$$

$$q_1^* = -37838.5 + 35000000 + 100000000q_1$$

$$q_1^* = 31211.5 + 100000000q_1$$

$$q_1^* = 31211.5 + 100000000(3.5 + 10q_2)$$

$$q_1^* = 31211.5 + 350000000 + 1000000000q_2$$

$$q_1^* = 381211.5 + 1000000000q_2$$

$$q_1^* = 381211.5 + 1000000000(-3.5 - 10q_1)$$

$$q_1^* = 381211.5 - 3500000000 - 10000000000q_1$$

$$q_1^* = -311888.5 - 10000000000q_1$$

$$q_1^* = -311888.5 - 10000000000(3.5 + 10q_2)$$

$$q_1^* = -311888.5 - 35000000000 - 100000000000q_2$$

$$q_1^* = -381888.5 - 100000000000q_2$$

$$q_1^* = -381888.5 - 100000000000(-3.5 - 10q_1)$$

$$q_1^* = -381888.5 + 35000000000 + 1000000000000q_1$$

$$q_1^* = 311811.5 + 1000000000000q_1$$

$$q_1^* = 311811.5 + 1000000000000(3.5 + 10q_2)$$

$$q_1^* = 311811.5 + 3500000000000 + 10000000000000q_2$$

$$q_1^* = 381811.5 + 10000000000000q_2$$

$$q_1^* = 381811.5 + 10000000000000(-3.5 - 10q_1)$$

$$q_1^* = -311888.5 - 10000000000000q_1$$

$$q_1^* = -311888.5 - 10000000000000(3.5 + 10q_2)$$

$$q_1^* = -311888.5 - 35000000000000 - 100000000000000q_2$$

$$q_1^* = -381888.5 - 100000000000000q_2$$

$$q_1^* = -381888.5 - 100000000000000(-3.5 - 10q_1)$$

$$q_1^* = -381888.5 + 350000000000000 + 1000000000000000q_1$$

$$q_1^* = 311811.5 + 1000000000000000q_1$$

$$q_1^* = 311811.5 + 1000000000000000(3.5 + 10q_2)$$

$$q_1^* = 311811.5 + 350000000000000 + 10000000000000000q_2$$

$$q_1^* = 381811.5 + 10000000000000000q_2$$

$$q_1^* = 381811.5 + 10000000000000000(-3.5 - 10q_1)$$

$$q_1^* = -311888.5 - 10000000000000000q_1$$

$$q_1^* = -311888.5 - 10000000000000000(3.5 + 10q_2)$$

$$q_1^* = -311888.5 - 3500000000000000 - 100000000000000000q_2$$

$$q_1^* = -381888.5 - 100000000000000000q_2$$

$$q_1^* = -381888.5 - 100000000000000000(-3.5 - 10q_1)$$

$$q_1^* = -381888.5 + 3500000000000000 + 100000000000000000q_1$$

$$q_1^* = 311811.5 + 100000000000000000q_1$$

$$q_1^* = 311811.5 + 100000000000000000(3.5 + 10q_2)$$

$$q_1^* = 311811.5 + 3500000000000000 + 1000000000000000000q_2$$

$$q_1^* = 381811.5 + 1000000000000000000q_2$$

$$q_1^* = 381811.5 + 1000000000000000000(-3.5 - 10q_1)$$

$$q_1^* = -311888.5 - 1000000000000000000q_1$$

$$q_1^* = -311888.5 - 1000000000000000000(3.5 + 10q_2)$$

$$q_1^* = -311888.5 - 3500000000000000 - 10000000000000000000q_2$$

$$q_1^* = -381888.5 - 10000000000000000000q_2$$

$$q_1^* = -381888.5 - 10000000000000000000(-3.5 - 10q_1)$$

$$q_1^* = -381888.5 + 3500000000000000 + 10000000000000000000q_1$$

$$q_1^* = 311811.5 + 10000000000000000000q_1$$

$$q_1^* = 311811.5 + 10000000000000000000(3.5 + 10q_2)$$

$$q_1^* = 311811.5 + 3500000000000000 + 100000000000000000000q_2$$

$$q_1^* = 381811.5 + 100000000000000000000q_2$$

$$q_1^* = 381811.5 + 100000000000000000000(-3.5 - 10q_1)$$

$$q_1^* = -311888.5 - 100000000000000000000q_1$$

$$q_1^* = -311888.5 - 100000000000000000000(3.5 + 10q_2)$$

$$q_1^* = -311888.5 - 3500000000000000 - 1000000000000000000000q_2$$

$$q_1^* = -381888.5 - 1000000000000000000000q_2$$

$$q_1^* = -381888.5 - 1000000000000000000000(-3.5 - 10q_1)$$

$$q_1^* = -381888.5 + 3500000000000000 + 1000000000000000000000q_1$$

$$q_1^* = 311811.5 + 1000000000000000000000q_1$$

$$q_1^* = 311811.5 + 1000000000000000000000(3.5 + 10q_2)$$

$$q_1^* = 311811.5 + 3500000000000000 + 10000000000000000000000q_2$$

$$q_1^* = 381811.5 + 10000000000000000000000q_2$$

$$q_1^* = 381811.5 + 10000000000000000000000(-3.5 - 10q_1)$$

$$q_1^* = -311888.5 - 1000000000000000000000q_1$$

$$q_1^* = -311888.5 - 1000000000000000000000(3.5 + 10q_2)$$

$$q_1^* = -311888.5 - 3500000000000000 - 100000000000000000000000q_2$$

$$q_1^* = -381888.5 - 100000000000000000000000q_2$$

$$q_1^* = -381888.5 - 100000000000000000000000(-3.5 - 10q_1)$$

$$q_1^* = -381888.5 + 3500000000000000 + 100000000000000000000000q_1$$

$$q_1^* = 311811.5 + 100000000000000000000000q_1$$

$$q_1^* = 311811.5 + 100000000000000000000000(3.5 + 10q_2)$$

$$q_1^* = 311811.5 + 3500000000000000 + 1000000000000000000000000q_2$$

$$q_1^* = 381811.5 + 1000000000000000000000000q_2$$

$$q_1^* = 381811.5 + 1000000000000000000000000(-3.5 - 10q_1)$$

$$q_1^* = -311888.5 - 100000000000000000000000q_1$$

$$q_1^* = -311888.5 - 100000000000000000000000(3.5 + 10q_2)$$

$$q_1^* = -311888.5 - 3500000000000000 - 10000000000000000000000000q_2$$

$$q_1^* = -381888.5 - 10000000000000000000000000q_2$$

$$q_1^* = -381888.5 - 10000000000000000000000000(-3.5 - 10q_1)$$

$$q_1^* = -381888.5 + 3500000000000000 + 10000000000000000000000000q_1$$

$$q_1^* = 311811.5 + 1000000000000000000000000q_1$$

$$q_1^* = 311811.5 + 1000000000000000000000000(3.5 + 10q_2)$$

$$q_1^* = 311811.5 + 3500000000000000 + 100000000000000000000000000q_2$$

$$q_1^* = 381811.5 + 100000000000000000000000000q_2$$

$$q_1^* = 381811.5 + 100000000000000000000000000(-3.5 - 10q_1)$$

$$q_1^* = -311888.5 - 1000000000000000000000000q_1$$

$$q_1^* = -311888.5 - 1000000000000000000000000(3.5 + 10q_2)$$

$$q_1^* = -311888.5 - 3500000000000000 - 100000000000000000000000000q_2$$

$$q_1^* = -381888.5 - 100000000000000000000000000q_2$$

$$q_1^* = -381888.5 - 100000000000000000000000000(-3.5 - 10q_1)$$

$$q_1^* = -381888.5 + 3500000000000000 + 100000000000000000000000000q_1$$

$$q_1^* = 311811.5 + 10000000000000000000000000q_1$$

$$q_1^* = 311811.5 + 10000000000000000000000000(3.5 + 10q_2)$$

$$q_1^* = 311811.5 + 3500000000000000 + 1000000000000000000000000000q_2$$

$$q_1^* = 381811.5 + 1000000000000000000000000000q_2$$

$$q_1^* = 381811.5 + 1000000000000000000000000000(-3.5 - 10q_1)$$

$$q_1^* = -311888.5 - 10000000000000000000000000q_1$$

Mixed Strategy Profiles and Expected Payoffs

A mixed strategy profile $\sigma = (\sigma_1, \sigma_2, \dots, \sigma_n)$ is a set of mixed strategies in the game.

The expected payoff to player i with the mixed strategy profile (σ_i, σ_{-i}) is as follows:

$$v_i(\sigma_i, \sigma_{-i}) = \sum_{s_i \in S_i} \sum_{s_{-i} \in S_{-i}} \sigma_i(s_i) \sigma_{-i}(s_{-i}) v_i(s_i, s_{-i})$$

Note: This is equivalent to the weighted average of the payoffs of the pure strategy profiles.

For example, in the tax game, let $\sigma_1 = \frac{3}{4}H + \frac{1}{4}C$ and $\sigma_2 = \frac{1}{3}A + \frac{2}{3}D$. Then, we have the total payoff as follows:

$$\begin{aligned} v_1(\sigma_1, \sigma_2) &= \frac{3}{4} \cdot \frac{1}{3} (10) + \frac{3}{4} \cdot \frac{2}{3} (10) + \frac{1}{4} \cdot \frac{1}{3} (-35) + \frac{1}{4} \cdot \frac{2}{3} (15) \\ &= \frac{85}{12} \end{aligned}$$

Therefore, $\frac{85}{12}$ is the *expected payoff*.

Mixed Strategy Nash Equilibrium

Let σ^* be a mixed strategy profile. Then, if

$$v_i(\sigma_i^*, \sigma_{-i}^*) \geq v_i(\sigma_i, \sigma_{-i}^*)$$

for all players i and all mixed strategies σ_i , σ_i^* is the *mixed strategy Nash equilibrium*.

Instead of checking all mixed strategies, we only need check if switching to any *pure* strategy makes a player better off. If it is not, the mixed strategy profile is a Nash equilibrium.

$$v_i(\sigma_i^*, \sigma_{-i}^*) \geq v_i(s_i, \sigma_{-i}^*) \quad \forall s_i \in S_i$$

Many mixed strategy Nash equilibria are not strict Nash equilibria (i.e., there are other strategies with similar payoffs).

Finding Mixed Strategy Nash Equilibria

In a finite game, the *support* of a mixed strategy σ_i , $\text{supp}(\sigma_i)$ is the set of strategies to which σ_i has strictly positive probability:

$$\text{supp}(\sigma_i) = \{s_i \in S_i \mid \sigma_i(s_i) > 0\}$$

If σ^* is a mixed strategy Nash equilibrium, and $s'_i, s''_i \in \text{supp}(\sigma_i)$, then

$$v_i(s'_i, \sigma_{-i}^*) = v_i(s''_i, \sigma_{-i}^*)$$

Essentially, if a player is playing two strategies with positive probability, they have to be indifferent between the two strategies (or else they would play the one with a higher payoff).

Mixed Strategy Nash Equilibrium Example

		IRS	
		Audit (A)	Don't (D)
Taxpayer	Honest (H)	10, 9	10, 10
	Cheat (C)	-35, 10	15, 5

$$\sigma_1 = pH + (1 - p)C$$

$$\sigma_1 = qA + (1 - q)D$$

Player 1's Indifference:

$$v_1(H, \sigma_2) = 10$$

$$v_2(C, \sigma_2) = -35q + 15(1 - q)$$

$$10 = 15 - 50q$$

when taxpayer will be indifferent

$$q^* = \frac{1}{10}$$

Player 2's Indifference:

$$v_2(\sigma_1, A) = 9p + 10(1 - p)$$

$$v_2(\sigma_1, D) = 10p + 5(1 - p)$$

$$10 - p = 5 + 5p$$

$$p^* = \frac{5}{6}$$

The Nash equilibrium is where $p^* = 5/6$ and $q^* = 1/10$.

Mixed Strategy Nash Equilibrium: D-Day

Activity: D-Day
Econ 305

Brandon Lehr

Find *all* of the Nash equilibria of the following game:

	Defend Normandy (DN)	Defend Calais (DC)
Invade Normandy (IN)	-2,2	1,-1
Invade Calais (IC)	3,-3	-1,1

What is the probability of invading an undefended site (outcomes of (IN, DC) or (IC, DN))?
 Let $p = \sigma_1(\text{IN})$ and $q = \sigma_2(\text{DN})$.

$$\sigma_1 \geq p(\text{IN}) + (1-p)(\text{DC})$$

$$\sigma_2 \geq q(\text{DN}) + (1-q)(\text{DC})$$

$$v_1(\text{IN}, \sigma_2) \geq -2(1) + 1(1)$$

$$v_1(\text{IC}, \sigma_2) \geq 3(1) + (-1)(1)$$

$$-2 + 1 = 3 - 1$$

$$2 = 2$$

$$q^* = \frac{2}{3}$$

$$v_2(\sigma_1, \text{DN}) \leq 2p + (3)(1-p)$$

$$v_2(\sigma_1, \text{DC}) \leq -p + 1(1-p)$$

$$5p - 3 \leq 1 - 2p$$

$$p^* = \frac{4}{7}$$

$$\boxed{\left(\frac{4}{7}, \frac{2}{3}\right)}$$

1

Finding Mixed Strategy Nash Equilibria in Larger Games

In the 2×2 games, we did not have to worry about which strategies were in the support of the strategies played in Nash equilibrium, but we do in higher dimensional games.

	<i>L</i>	<i>C</i>	<i>R</i>
<i>U</i>	10, 9	10, 6	10, 10
<i>M</i>	-5, 9	15, 10	11, 12
<i>D</i>	-35, 10	10, 7	15, 5

Reducing Size of Larger Games

A strategy s'_i is *strictly dominated* if there exists a mixed strategy σ_i such that

$$v_i(\sigma_i, s_{-i}) > v_i(s'_i, s_{-i})$$

for every $s_{-i} \in S_{-i}$.

Essentially, if we can find a mixed strategy profile that is strictly better than the pure strategy, the pure strategy is strictly dominated.

In the previous game, we can use IESDS as follows:

- No strategies are strictly dominated by pure strategies.
- However, *C* is strictly dominated by $\frac{1}{2}L + \frac{1}{2}R$

	<i>L</i>	<i>C</i>	<i>R</i>
<i>U</i>	10, 9	10, 6	10, 10
<i>M</i>	-5, 9	15, 10	11, 12
<i>D</i>	-35, 10	10, 7	15, 5

- Additionally, *M* is strictly dominated by $\frac{3}{4}U + \frac{1}{4}D$

	<i>L</i>	<i>C</i>	<i>R</i>
<i>U</i>	10, 9	10, 6	10, 10
<i>M</i>	-5, 9	15, 10	11, 12
<i>D</i>	-35, 10	10, 7	15, 5

Since, from here, we cannot find any strictly dominated strategies, we have to use our method for finding mixed strategy Nash equilibria.

By using the method, we find that the solutions are $p = 5/6$ on *U* and $q = 1/10$ on *L*.

Note: After IESDS, the game is the same as the Tax Audit Game from earlier.

Mixed Strategy Nash Equilibria in Larger Game Example

Activity: MSNE in Larger Games
Econ 305
Brando Lehr

1 MSNE in a 3-Pure Strategy Game

Find all of the Nash equilibria of the following game:

		L	C	R	
		U	3,10	9,5	7,10
		D	5,1	16,0	0,3
		M	5,2	8,1	10,1

$$\text{U strategy dominant by } D \text{ over } U, L$$

$$\text{C strategy dominant by } L$$

$$U_1(M, D_2) = 9 + 0(1-p)$$

$$U_1(D, D_2) = 2p + 10(1-p)$$

$$U_1(D, M_2) = 2p + 10(1-p)$$

$$p < \frac{2}{3}$$

$$p = 0.6$$

$$p+2 = 2p+1$$

$$p = \frac{1}{3}$$

$$M_2 = 9 + 0(1-p)$$

$$M_2 = 10$$

$$M_2 = 1$$

$$\text{Dominated by } M_2$$

$$\text{Dominated by } D_2$$



2 Bonus: MSNE in a 3-Player Game

Consider the following three-player team production problem. Simultaneously and independently, each player chooses between exerting effort, E, or not exerting effort, N. Exerting effort imposes a cost of 2 on the player who exerts effort. If two or more players exert effort, each player receives a benefit of 4 regardless of whether she herself exerted effort. Otherwise, each player receives zero benefit. The payoff to each player is her realized benefit less the cost of her effort (if she exerted effort).

Find a symmetric mixed-strategy Nash equilibrium of this game. In particular, let the strategy for player i be denoted by $\sigma_i = pE + (1-p)N$ and determine p .

$$U_i(E, \sigma_1) = U_i(N, \sigma_1)$$

$$U_i(N, \sigma_1) = q_p + (1-q_p)(1-2p)$$

$$q_p = 2 + 4((1-p)^2) / (1 - 2p + 4((1-p)^2))$$

$$q_p = 2 + 4/(4p^2)$$

$$q_p = 2 + 1/p$$

$$q_p = 2 + 1/(4p^2)$$

$$q_p = 2 + 1/(4$$

Existence of Nash Equilibria

The set of strategies played in Nash equilibrium is a subset of the strategies that survive IESDS. The Nash equilibrium isn't so strong such that there is no Nash equilibrium.

Nash Theorem: Every finite normal-form game has a mixed strategy Nash equilibrium.

Note: Pure strategy profiles are mixed strategy profiles with a degenerate probability distribution.

Intuition

Lemma: A mixed strategy profile σ^* is a Nash equilibrium if and only if it is a fixed point of the best response correspondence:

$$\sigma^* \in BR(\sigma^*)$$

where

$$BR(\sigma) = BR(\sigma_{-1}) \times BR(\sigma_{-2}) \times \cdots \times BR(\sigma_{-n})$$

If the mixed strategy profile is that which is the best response for every player in the mixed strategy profile, then that has to be a Nash equilibrium.

In one dimension, we know that every continuous function $f : [a, b] \rightarrow [a, b]$ must have a fixed point (by the Intermediate Value Theorem).

In \mathbb{R}^n , a continuous function from a compact (i.e., bounded and closed), convex (i.e., every two points in the set can be connected by a line) subset to itself must also have a fixed point (by Brouwer's Fixed Point Theorem).

Then, Shizuo Kakutani proved that Brouwer's result applied to particular types of correspondences.

A correspondence $r : X \rightarrow X$ has a fixed point such that $x \in r(x)$ if:

- X is a compact, convex, non-empty subset of \mathbb{R}^n
- $r(x)$ is nonempty for all x .
- $r(x)$ is convex for all x .
- r has a closed graph.

Nash showed that the best response correspondence satisfied these conditions.

Generic Properties

A property is *generic* if, given the number of players and strategies, the property is true with probability 1 for payoffs chosen at random.

For example, the property "In a Nash equilibrium players 1 and 2 obtain different payoffs" is generic (i.e., if you throw in random payoffs, players will almost certainly have different payoffs).


Additionally, the property "A finite strategic game has a finite and odd number of Nash equilibria." is generic.

- When looking for (mixed strategy) Nash equilibria, if you find an even number, you probably missed one.


Sequential Games of Complete Information

Extensive Form Games

Consider a variant of the Matching Pennies in which Player 2 observes the choice made by Player 1 before making their choice.



We can model the simultaneous move version by connecting the Player 2 nodes with a dashed line.



Definition A *finite horizon extensive form game* consists of

- (1) The set of players
- (2) A set of *decision nodes* where at each node it is specified:
 - (i) the player who moves
 - (ii) the set of possible actions
 - (iii) the successor node resulting from each action
- (3) Payoffs upon reaching a *terminal node*
- (4) What each player knows at each of the decision nodes, described by a collection of *information sets* that partition the set of decision nodes.

Definition A *information set* is a collection of decision nodes such that at every node in the set:

- (i) The same player has the move
- (ii) The same set of possible actions is available.

When the play of the game reaches a node in the information set, the player with the move does not know which node in the information set has or has not been reached.

A player can have multiple information sets, but each node must be in an information set.


Perfect Information

A game of perfect information is a game in which all the information sets are singletons (but a player can have multiple information sets):

- In a game of perfect information, a player knows every move made by players before them.
- Sequential Matching Pennies is a game of perfect information, but Matching Pennies is a game of imperfect information.
- All normal form games can be thought of as extensive games with imperfect information.

Pure Strategies in Extensive Form Games

A pure strategy for a player in an extensive form game is a complete set of contingent actions (even if they are never played or never able to be played) for each player at each information set. In the sequential Matching Pennies, we label each contingency:




Then, we can create the normal form game as follows:

	$\hat{H}h$	$\hat{H}t$	$\hat{T}h$	$\hat{T}t$
H	(1, -1)	(1, -1)	(-1, 1)	(-1, 1)
T	(-1, 1)	(1, -1)	(-1, 1)	(1, -1)

where we denote Player 2's strategies by xy , where $x = s_2(H)$ and $y = s_2(T)$.

The Entry game (in Industrial Organization) has the following extensive form:



and the normal form game is as follows:

	Out	In
Fight	2, 0	-1, -1
Acquiesce	2, 0	1, 1

Notice that Player 1 still has to include the payoffs for Fight and Acquiesce even if Player 2 plays Out.

Behavioral Strategies

A behavioral strategy for player i is a function that assigns a probability distribution over the actions available to player i at each information set where player i moves.

This is different from a mixed strategy since a mixed strategy is a mixture over all the pure strategies, rather than a mixture at each action.

Given perfect recall, the mixed strategy profile can be created by multiplying the behavioral strategies together.

Extensive Form Games Example

Activity: Extensive-Form Games
Econ 305
Brandon Lehr

1 Characterizing an Extensive-Form Game

a. Is this a game of perfect or imperfect information? Why?
Player 1 knows what Player 2 chose.

b. How many information sets does each player have in the above game?
Player 1 has 6 information sets.
Player 2 has 2 information sets.

c. How many pure strategies does each player have in the above game?
Player 1 has 6 pure strategies.
Player 2 has 2 pure strategies.

2 Tic-Tac-Toe (Tadelis 7.3)

The extensive form representation of a game can be cumbersome even for very simple games. Consider the game of Tic-tac-toe where 2 players mark "X" or "O" in a 3×3 matrix. Player 1 moves first, then player 2, and so on. If a player gets three of his kind in a row, column, or one of the diagonals then he wins, and otherwise it is a tie. For this question assume that even after a winner is declared, the players must completely fill the matrix before the game ends.

a. Is this a game of perfect or imperfect information? Why?
Perfect information.

b. How many information sets does player 2 have after player 1's first move?
3

c. How many information sets does player 1 have after player 2's first move?
72

Equilibrium in Extensive Form Games

- A Nash equilibrium is still a strategy profile in which no player has a unilateral profitable deviation.
- The Nash Equilibrium of an extensive form game are the Nash equilibria of the game's normal form representation.
- We can apply the methods from the first third of the course to find the Nash equilibrium.

In the entry game, we have the following normal form:

	Out	In
Fight	2, 0	-1, -1
Acquiesce	2, 0	1, 1

There are an infinite number of Nash equilibria:

- (F, O) : the challenger will stay out if it thinks the incumbent will fight; however, the challenger can call Firm 1's bluff and enter the market.
- (A, I) : if the challenger enters the market, Firm 1 will acquiesce.
- $(pF + (1-p)A, O)$ for $p \geq 1/2$: Firm 1 needs to mix between fight and acquiesce such that Firm 2 stays out.

Given the fact that (F, O) is not a credible threat, we need a better concept for equilibrium that rules out non-credible threats.

For another example of a non-credible threat, consider Stackelberg Competition:

- Firm 1 chooses $q_1 \in [0, 1]$

- Firm 2 sees q_1 , then chooses $q_2 \in [0, 1]$
- Let $c_1(q_1) = c_2(q_2) = 0$, and $P(q_1, q_2) = 1 - q_1 - q_2$
- We claim that for any $q'_1 = [0, 1]$, the game has a Nash equilibrium in which firm 1 produces q'_1 .

$$s_2(q_1) = \begin{cases} \frac{1-q'_1}{2} & q_1 = q'_1 \\ 1 - q_1 & q_1 \neq q'_1 \end{cases}$$

Note: The Nash equilibrium must be one for the game's strategy profile.

- If firm 1 plays q'_1 , then player 2 plays its best response (anything off the equilibrium path).
- Given firm 2's strategy, firm 1 makes positive profit by playing q'_1 , or else firm 2 floods the market, pushing the price to zero and yielding zero profits.
- This is a Nash equilibrium — however, the second part of this statement is non-credible.

Subgame Perfect Equilibrium


A **subgame** of an extensive form game has the following properties:

- Begins at a decision node n that is a singleton information set.
- Includes *all* the decision and terminal nodes following n in the game tree.
- Does not “cut through” any information sets (drawing a circle around the subgame doesn’t cut a dashed line)

The game is always a subgame of itself.

A strategy profile s^* is a *subgame perfect equilibrium* if it is a Nash equilibrium of every subgame. It's important to remember that the payoffs in equilibrium are *not* a SPE; only the strategy profile.

- Every SPE is a Nash equilibrium because the game is a subgame of itself.
- SPE is a refinement of Nash equilibrium because it is a subset of the set of Nash equilibria.



In the Entry game, for example, there are an infinite number of Nash equilibria, but there is only one SPE: (A, I) , as it is the Nash equilibrium of the subgame starting from the “in” node.

In Stackelberg Competition, we claim that the unique SPE is $s_1^* = \frac{1}{2}$ and $s_2^*(q_1) = \frac{1-q_1}{2}$.

Note: It would be wrong to write the proposed SPE as $(s_1^*, s_2^*) = (1/2, 1/4)$, even though this is the outcome along the equilibrium path. Recall that a strategy is a complete contingent plan — player 2's strategy has to be contingent on what player 1 does.

The subgames of Stackelberg competition are the game itself and the proper subgame that follows each possible choice of q_1 . In each proper subgame, we have a 1-player game, so the Nash equilibrium is equivalent to maximizing profit.

$$\begin{aligned}s_2^*(q_1) &= \max_{q_2} q_2(1 - q_1 - q_2) \\ &= \frac{1 - q_1}{2}\end{aligned}$$

The Nash equilibrium of the entire game requires firm 1 to best respond to firm 2:

$$\begin{aligned}s_1^* &= \max_{q_1} q_1(1 - q_1 - s_2^*(q_1)) \\ &= 1/2\end{aligned}$$

Note: Firm 1 produces more than firm 2 and has higher profits — this is emblematic of the first mover advantage. Firm 1 can find firm 2's best response function, then use that information to determine their own best response, as opposed to the Cournot game in which firm 1 and 2 have the same amount of information.

Backward Induction and Existence

The previous two examples show how to do *backward induction*, in which we can solve finite extensive form games by starting at the subgames furthest down the game tree and moving backwards, finding the Nash equilibria in each subgame.

Every *finite* (finite number of terminal nodes) extensive form game of perfect information has a *pure strategy SPE*; generically, this SPE is unique.

- You solve the last rounds of the game, then replace these subgames with the outcome of the Nash equilibrium, and repeat the procedure.

Every finite extensive form game (not necessarily of perfect information) has a SPE.

- The refinement of Nash equilibrium is not too strong in the sense that a SPE always exists.
- Each subgame has a Nash equilibrium due to the Nash existence result.

Subgame Perfect Equilibria


Activity: Finding Subgame Perfect Equilibria

Econ 305

Brandon Lehr

Find all of the subgame perfect equilibria of the following games:


1 Game 1



(L, Y) is a subgame perfect equilibrium

2 Game 2



Consider this alternative version of the Prisoner's Dilemma where player 1 first decides whether or not to play the Prisoner's Dilemma game, G , or go to the beach B .



(\bar{B}, \bar{F}) is a subgame perfect equilibrium

1

2



To find the subgame perfect equilibrium, we go as follows:

- Player 2: infinite information sets.
 - Player 2 observes offer x .
 - Player 2's best response:

$$s_2(x) = \begin{cases} A, & \text{if } x > 0 \\ \alpha A + (1 - \alpha)R, & \text{if } x = 0 \end{cases} \quad \forall \alpha \in [0, 1]$$

- Player 1: 1 information set.


- Player 1's best response:

$$v_1(x, s_2(x)) = \begin{cases} c - x, & \text{if } x > 0 \\ \alpha c, & \text{if } x = 0 \end{cases}$$

- Player 1's best response *only* exists if $\alpha = 1$.

- Unique SPE:

- $s_1 = 0$
- $s_2(x) = A, \forall x$



We know that in each ultimatum subgame, the subgame perfect equilibrium is

$$\begin{aligned}s_1 &= 0 \\ s_2(x) &= A\end{aligned}$$

If Player 2 plays Low, their payoff in the Low subgame is $-L$, while if Player 2 plays High, their payoff in the High subgame is $-H$.

Therefore, the subgame perfect equilibrium is:

$$\begin{aligned}s_1(E) &= 0, \forall E \\ s_2(x) &= (E = L, A), \forall x\end{aligned}$$


Variations on the Ultimatum Game

Activity: Shopping Econ 305

- A single good is owned by a seller who values it at $c > 0$
 - A single buyer, with a small transportation cost $t > 0$ to get to and from the seller's store, values the good at $\alpha < t + c$
 - Stage 1: The buyer decides whether to stay home (H) and get payoff 0 or go to the store (G)
 - Stage 2: Upon buyer arriving at store, the seller makes a take-it-or-leave-it price offer, $p \geq 0$
 - Stage 3: The buyer accepts the offer to pay p (A), or rejects the offer (R)

Draw the Game Tree and Find the SPE


Hint: In the SPE player 2 will accept offers that generate indifference.



Bonus: Junk-Mail Advertising

For concreteness, assume that $v = \$12$, $k = \$2$, and $c = \$7$.


Assume that before the game is played, the seller can, at a cost of \$1 send the buyer a postcard that commits the seller to a certain price of \$9 at which the buyer can buy the good. Would the seller choose to do so?



Everyone is better
Transaction takes place

Critiques of SPE


Consider the following extensive form game:



We can see that in the proper subgame, (L, X) is the Nash equilibrium, meaning that player 1 plays Out, meaning the subgame perfect equilibrium is (Out, L, X) .

However, this depends on Player 2 trusting that player 1 is rational with near 100% certainty — if player 1 chooses to play In , then R in the simultaneous-move game, then player 2 has a large negative payoff. Player 2 may want to choose Y if they reason that player 1 may not be rational.

Similarly, in the centipede game, the SPE is to always play L ; however, experimental evidence suggests most people play R until close to the end of the game. This is because people either don't backward induct or they reason that their opponent won't backward induct.



Multistage Games

- A multistage game is a sequence of normal-form stage games.
- The stage games are played sequentially by the same players.
- Payoffs are received at every stage, not just at the end of the game.
- After each stage, the outcome of the previous stage is common knowledge.

Specifically, we focus on repeated games. We need to be concerned with strategic interactions as players repeatedly play the same game.

For example, in the Prisoner's Dilemma, we can design a repeated game such that (Q, Q) is part of the SPE. More generally, we can create situations in which repeated play allows for cooperation and improvements in total payoff over one-shot play.

Let G be a n -player simultaneous move game. The repeated game $G(T, \delta)$ is the game where in periods $t = 1, 2, \dots, T$ the players simultaneously choose actions $(a_1^t, a_2^t, \dots, a_n^t)$ after observing all previous actions. We define payoffs in the game by

$$v_i(s_i, s_{-i}) = \sum_{t=1}^T \delta^{t-1} v_i(a_1^t, \dots, a_n^t)$$

where (a_1^t, \dots, a_n^t) is the action profile taken in period t when players follow strategies s_1, \dots, s_n and v_i are the payoffs for the players in each stage game.

All strategies in the repeated games are complete contingent plans which specify the actions that each player will choose after observing all possible previous sequences of actions.

The parameter $\delta \in (0, 1]$ denotes the discount factor.

- δ can be akin to psychological time preferences — if δ is low, then players are impatient, while if δ is high, players are patient.
- If we define $\delta = \frac{1}{1+r}$, where r is the interest rate, then \$100 in the next period is worth $\$100/\delta$ today since one must invest $\$100/\delta$ into a bank account to get \$100 in the next period.

- δ can denote the probability of the end of the game; given that the game reaches stage t , the game continues to stage $t+1$ with probability δ and ends with probability $1-\delta$. The expected number of periods is $\frac{1}{1-\delta}$ is finite.

Repeated Games and SPE Activity

3 SPE in Self-Control Problem Game

Boris has \$700 to allocate between three periods of consumption: x_1, x_2 , and x_3 . He does not discount future utility exponentially, which generates self-control problems, i.e., he will consume more in period 2 than he would plan to consume when in period 1. It is helpful to think of this as a game between different versions of himself: player 1 is his first period self and player 2 is his second period self. Let's find the SPE of this game.

a. We reason backwards, starting in period 2. Boris' second period self has the following utility function over the final two periods of consumption:

$$v_2(x_2, 700 - x_1 - x_2) = \ln(x_2) + \frac{2}{3} \ln(700 - x_1 - x_2),$$

where consumption in period 3 is $x_3 = 700 - x_1 - x_2$ because it is whatever remains of the \$700 after the first two periods. Find the period 2 consumption $x_2(x_1)$, which is a function of the first period self's consumption choice x_1 .

$$\frac{1}{x_2} \sim \frac{2}{3}(700 - x_1 - x_2) - D$$

$$\beta(700 - x_1 - x_2) \leq 2x_2$$

$$2400 - x_1 \leq 6x_2$$

$$x_2 = \frac{400 - x_1}{5}$$

3

b. In the first period Boris' first period self has the following utility function over all three periods of consumption:

$$v_1(x_1, x_2, 700 - x_1 - x_2) = \ln(x_1) + \frac{2}{3} \ln(x_2) + \frac{2}{3} \ln(700 - x_1 - x_2).$$

Find the optimal choice of x_1 , taking into account that Boris' first period self correctly anticipates how he will behave when he arrives in period 2.

$$v_1 = \ln(x_1) + \frac{2}{3}(240 - \frac{x_1}{5}) + \frac{2}{3}(200 - \frac{4x_1}{5})$$

$$BR_1 = \frac{1}{x_1} - \frac{2}{15(400 - 4x_1)} = \frac{1}{15(20 - x_1)}$$

4

Finitely Repeated Games: Unique Nash Equilibria

We find the SPE in a finitely repeated game via backward induction, as we would for a normal extensive-form game.

In the finitely repeated Prisoner's Dilemma has a unique SPE in which each player's *strategy* is to choose F in each period, regardless of the history.

The finite repetition of a stage game G that has a unique Nash equilibrium gives a unique SPE in which players play the Nash equilibrium in every stage, *regardless of what happened prior*.

Finitely Repeated Games: Multiple Nash Equilibria

Consider the game where the following stage game is repeated twice:

	L	C	R
T	1, 1	5, 0	0, 0
M	0, 5	4, 4	0, 0
B	0, 0	0, 0	3, 3

To solve for the SPE of this game, we have to apply backward induction.

In the second round, a Nash equilibrium must be played, so we start by finding the Nash equilibria of the

stage game.

- M is strictly dominated by a combination of T and B .
- C is strictly dominated by a combination of L and R .

	L	\times	R
T	1, 1	5, 0	0, 0
\times	0, 5	3, 4	0, 0
B	0, 0	0, 0	3, 3

- Therefore, we have three Nash equilibria:
 - (T, L) with payoff $(1, 1)$
 - (B, R) with payoff $(3, 3)$
 - $(3/4T + 1/4B, 3/4L + 1/4R)$ with payoff $(3/4, 3/4)$
- Example SPE: play a Nash equilibrium in the stage game in period 1, and any Nash equilibrium of the stage game in period 2, regardless of the history.
- However, we can also achieve outcomes in the first stage that are not Nash equilibria of the stage game by using the Nash equilibria in the second stage as reward and punishment.
- The following is a SPE where (M, C) is played in the first stage:

$$(s_1, s_2) = \begin{cases} (M, C) & \text{in stage 1} \\ (B, R) & \text{in stage 2 if } (M, C) \text{ in stage 1} \\ (T, L) & \text{in stage 2 otherwise} \end{cases}$$

- We can see that this is a SPE as we play a Nash equilibrium in every proper subgame; we can also see that player 1 and player 2 both have no profitable deviation (if player 1 plays T in stage 1, their total payoff is 6, as compared to 7 in this strategy profile).
- This exhibits the primary function of multiple Nash equilibria in a repeated stage game: using them as rewards and punishments for cooperation/non-cooperation.

Finitely Repeated Game

Activity: Finitely Repeated Game
Econ 305

Brandon Lehr

Consider the game $G(2, 1)$ where the stage game G is:

		<i>p</i>	<i>1-p</i>
		<i>T</i>	<i>M</i>
<i>s</i> second factor	<i>L</i>	(<i>L</i> , <i>R</i>)	(<i>C</i> , <i>R</i>)
	<i>M</i>	(<i>L</i> , <i>R</i>)	(<i>C</i> , <i>R</i>)
<i>B</i>	(<i>L</i> , <i>R</i>)	(<i>C</i> , <i>R</i>)	(<i>R</i> , <i>R</i>)

What are the Nash equilibria of G ? $p_T + p_M = 1$

$$p_L = \frac{1}{2}$$

$$p_M = \frac{1}{2}$$

$$(T, L), (M, C), \left(\frac{1}{2}T + \frac{1}{2}M, \frac{1}{2}L + \frac{1}{2}C\right)$$

$$\left(\frac{3}{2}, \frac{1}{2}\right)$$

*U, U**U + 3 = 7**U + 1 = 5*Construct a SPE of $G(2, 1)$ in which (B, R) is played in the first stage.

$$(s_1, s_2) = \begin{cases} (B, R) & \text{in stage 1} \\ (\underline{T, L}), (\underline{M, C}) & \text{in stage 2 if } (B, R) \text{ played in stage 1} \\ (\underline{M, C}) & \text{in stage 2 otherwise} \end{cases}$$

Show no deviations in stage 1:

Player 1 has incentive to deviate from (B, R) :- Deviate to $T \Rightarrow$ Total payoff = 6- Deviate to $M \Rightarrow$ Total payoff = 4

∴ no profitable deviation

Bonus: Argue that there is no SPE of $G(2, 1)$ in which (B, C) is played in the first stage.

Infinitely Repeated Stage Games

Consider the repeated Prisoner's Dilemma, but infinitely so.

- The argument that the unique SPE of this repeated game was (F, F) was via backward induction.

- However, in an infinitely repeated game, we cannot make the argument from backward induction (where is the “final” stage game?).
- Can we sustain some cooperation in the infinitely repeated game?

One Stage Deviation Property

A strategy profile in an infinitely repeated game with $\delta < 1$ is a SPE if and only if no player can increase their payoff by changing their action at a single information set, given the other players' strategies and the rest of their own strategy.

- Any profitable deviation can be broken into a sequence of one-period changes — so, we only need to check single deviations
- For infinite horizon games, discounting is crucial to make the theorem true, as it allows payoffs in a far enough future to be worth little.
- We assume that all infinite horizon games are such that $\delta < 1$.

To check whether a strategy profile is a SPE:

- Classify all the information sets on and off the equilibrium path
- Apply the One Stage Deviation Property to each class separately

A strategy in which players play the same Nash Equilibrium of the stage game in each period, *regardless of the history*, is always a SPE.

Grim Trigger Strategy

The *discounted average* of any stream of payoffs (v_i^1, v_i^2, \dots) for the discount factor δ is

$$(1 - \delta) \sum_{t=1}^{\infty} \delta^{t-1} v_i^t$$

If a player received a constant stream of payoffs (c, c, c, \dots) , then the discounted average would be c .

In the Prisoner's Dilemma, define the grim trigger strategy to be

$$s_i(a^1, \dots, a^t) = \begin{cases} Q & \text{if } (a^1, \dots, a^t) = ((Q, Q), \dots, (Q, Q)) \\ F & \text{otherwise} \end{cases}$$

Claim: The strategy profile in which both players use the grim trigger strategy is a SPE of the infinitely repeated Prisoner's Dilemma for $\delta \geq 1/2$.

Suppose there has been a defection at some point in the past to F .

- Player i 's (current period) average discounted payoff by following the grim trigger: 1

- Player i 's average discounted payoff by deviating to Q in the current period, then returning to s_i :

$$\begin{aligned}
 v_i &= (1 - \delta) \left(\underbrace{0}_{\text{deviation payoff}} + \delta + \delta^2 + \dots \right) \\
 &= (1 - \delta) \left(\sum_{t=1}^{\infty} \delta^t \right) \\
 &= \delta \\
 &< 1
 \end{aligned}$$

Suppose there has been no defection to F anytime in the past.

- Player i 's average discounted payoff by following the grim trigger: 2 (both players play (Q, Q) at all stages).
- Player i 's average discounted payoff by deviating to F , then following the grim trigger:

$$\begin{aligned}
 v_i &= (1 - \delta) \left(\underbrace{3}_{\text{deviation payoff}} + \underbrace{\delta + \delta^2 + \dots}_{\text{grim trigger for } F} \right) \\
 &= (1 - \delta) \left(3 + \sum_{t=1}^{\infty} \delta^t \right) \\
 &= 3(1 - \delta) + \delta \\
 &= 3 - 2\delta \\
 2 &\geq 3 - 2\delta && \text{Nash equilibrium condition} \\
 \delta &\geq \frac{1}{2}
 \end{aligned}$$

Grim Trigger Workthrough

Grim Trigger Workthrough

Activity: Grim Trigger SPE

Econ 305

Brandon Lehr

Consider the stage game, G , between a manager (M) and worker (W):

- Simultaneously, the manager chooses a bonus payment $b \geq 0$ and the worker chooses an effort level $e \geq 0$.
- The stage-game payoffs for the manager and worker are:

$$v_M(b, e) = 4e - b \quad \text{and} \quad v_W(b, e) = b - e^2$$

One can confirm that in the stage game G :

- The efficient effort level is $e^* = 2$.
- The unique NE is $b = e = 0$.

Suppose the stage game G is infinitely repeated with discount factor $\delta < 1$ for both players. Assume that the players adopt the following grim trigger strategy: the worker supplies the efficient effort level e^* if the manager has given a bonus $b^* \in (1, 3)$ in every period until someone deviates from (e^*, b^*) , in which case both players play the NE of G in every future period. Find the condition(s) on δ such that the grim trigger strategy is a SPE of $G(\infty, \delta)$.

Show that $\delta > \frac{1}{2}$ is a sufficient condition for the grim trigger strategy to be a SPE.

To prove this, we will show that the best response function for the worker is strictly increasing.

Let b_0 be a bonus $(\geq b^)$. Then $v_W(b_0, e^*) > v_W(b^*, e^*)$.*

Suppose $b_0 > b^$.*

Then $v_W(b_0, e^) > v_W(b^*, e^*)$.*

Suppose $b_0 < b^$.*

Then $v_W(b_0, e^) > v_W(b^*, e^*)$.*

Suppose $b_0 = b^$.*

Then $v_W(b_0, e^) > v_W(b^*, e^*)$.*

Therefore, $v_W(b_0, e^) > v_W(b^*, e^*)$.*

Since e^ is a best response,*

$v_W(b_0, e^) \geq v_W(b^*, e^*)$.*

Therefore, $b_0 > b^$.*

Thus, $v_W(b_0, e^) > v_W(b^*, e^*)$.*

Since e^ is a best response,*

$v_W(b_0, e^) \geq v_W(b^*, e^*)$.*

Therefore, $b_0 > b^$.*

Thus, $v_W(b_0, e^) > v_W(b^*, e^*)$.*

Since e^ is a best response,*

$v_W(b_0, e^) \geq v_W(b^*, e^*)$.*

Therefore, $b_0 > b^$.*

Thus, $v_W(b_0, e^) > v_W(b^*, e^*)$.*

Since e^ is a best response,*

$v_W(b_0, e^) \geq v_W(b^*, e^*)$.*

Therefore, $b_0 > b^$.*

Thus, $v_W(b_0, e^) > v_W(b^*, e^*)$.*

Since e^ is a best response,*

$v_W(b_0, e^) \geq v_W(b^*, e^*)$.*

Therefore, $b_0 > b^$.*

Thus, $v_W(b_0, e^) > v_W(b^*, e^*)$.*

Since e^ is a best response,*

$v_W(b_0, e^) \geq v_W(b^*, e^*)$.*

Therefore, $b_0 > b^$.*

Thus, $v_W(b_0, e^) > v_W(b^*, e^*)$.*

Since e^ is a best response,*

$v_W(b_0, e^) \geq v_W(b^*, e^*)$.*

Therefore, $b_0 > b^$.*

Thus, $v_W(b_0, e^) > v_W(b^*, e^*)$.*

Since e^ is a best response,*

$v_W(b_0, e^) \geq v_W(b^*, e^*)$.*

Therefore, $b_0 > b^$.*

Thus, $v_W(b_0, e^) > v_W(b^*, e^*)$.*

Since e^ is a best response,*

$v_W(b_0, e^) \geq v_W(b^*, e^*)$.*

Therefore, $b_0 > b^$.*

Thus, $v_W(b_0, e^) > v_W(b^*, e^*)$.*

Since e^ is a best response,*

$v_W(b_0, e^) \geq v_W(b^*, e^*)$.*

Therefore, $b_0 > b^$.*

Thus, $v_W(b_0, e^) > v_W(b^*, e^*)$.*

Since e^ is a best response,*

$v_W(b_0, e^) \geq v_W(b^*, e^*)$.*

Therefore, $b_0 > b^$.*

Thus, $v_W(b_0, e^) > v_W(b^*, e^*)$.*

Since e^ is a best response,*

$v_W(b_0, e^) \geq v_W(b^*, e^*)$.*

Therefore, $b_0 > b^$.*

Thus, $v_W(b_0, e^) > v_W(b^*, e^*)$.*

Since e^ is a best response,*

$v_W(b_0, e^) \geq v_W(b^*, e^*)$.*

Therefore, $b_0 > b^$.*

Thus, $v_W(b_0, e^) > v_W(b^*, e^*)$.*

Since e^ is a best response,*

$v_W(b_0, e^) \geq v_W(b^*, e^*)$.*

Therefore, $b_0 > b^$.*

Thus, $v_W(b_0, e^) > v_W(b^*, e^*)$.*

Since e^ is a best response,*

$v_W(b_0, e^) \geq v_W(b^*, e^*)$.*

Therefore, $b_0 > b^$.*

Thus, $v_W(b_0, e^) > v_W(b^*, e^*)$.*

Since e^ is a best response,*

$v_W(b_0, e^) \geq v_W(b^*, e^*)$.*

Therefore, $b_0 > b^$.*

Thus, $v_W(b_0, e^) > v_W(b^*, e^*)$.*

Since e^ is a best response,*

$v_W(b_0, e^) \geq v_W(b^*, e^*)$.*

Therefore, $b_0 > b^$.*

Thus, $v_W(b_0, e^) > v_W(b^*, e^*)$.*

Since e^ is a best response,*

$v_W(b_0, e^) \geq v_W(b^*, e^*)$.*

Therefore, $b_0 > b^$.*

Thus, $v_W(b_0, e^) > v_W(b^*, e^*)$.*

Since e^ is a best response,*

$v_W(b_0, e^) \geq v_W(b^*, e^*)$.*

Therefore, $b_0 > b^$.*

Thus, $v_W(b_0, e^) > v_W(b^*, e^*)$.*

Since e^ is a best response,*

$v_W(b_0, e^) \geq v_W(b^*, e^*)$.*

Therefore, $b_0 > b^$.*

Thus, $v_W(b_0, e^) > v_W(b^*, e^*)$.*

Since e^ is a best response,*

$v_W(b_0, e^) \geq v_W(b^*, e^*)$.*

Therefore, $b_0 > b^$.*

Thus, $v_W(b_0, e^) > v_W(b^*, e^*)$.*

Since e^ is a best response,*

$v_W(b_0, e^) \geq v_W(b^*, e^*)$.*

Therefore, $b_0 > b^$.*

Thus, $v_W(b_0, e^) > v_W(b^*, e^*)$.*

Since e^ is a best response,*

$v_W(b_0, e^) \geq v_W(b^*, e^*)$.*

Therefore, $b_0 > b^$.*

Thus, $v_W(b_0, e^) > v_W(b^*, e^*)$.*

Since e^ is a best response,*

$v_W(b_0, e^) \geq v_W(b^*, e^*)$.*

Therefore, $b_0 > b^$.*

Thus, $v_W(b_0, e^) > v_W(b^*, e^*)$.*

Since e^ is a best response,*

$v_W(b_0, e^) \geq v_W(b^*, e^*)$.*

Therefore, $b_0 > b^$.*

Thus, $v_W(b_0, e^) > v_W(b^*, e^*)$.*

Since e^ is a best response,*

$v_W(b_0, e^) \geq v_W(b^*, e^*)$.*

Therefore, $b_0 > b^$.*

Thus, $v_W(b_0, e^) > v_W(b^*, e^*)$.*

Since e^ is a best response,*

$v_W(b_0, e^) \geq v_W(b^*, e^*)$.*

Therefore, $b_0 > b^$.*

Thus, $v_W(b_0, e^) > v_W(b^*, e^*)$.*

Since e^ is a best response,*

$v_W(b_0, e^) \geq v_W(b^*, e^*)$.*

Therefore, $b_0 > b^$.*

Thus, $v_W(b_0, e^) > v_W(b^*, e^*)$.*

Since e^ is a best response,*

$v_W(b_0, e^) \geq v_W(b^*, e^*)$.*

Therefore, $b_0 > b^$.*

Thus, $v_W(b_0, e^) > v_W(b^*, e^*)$.*

Since e^ is a best response,*

$v_W(b_0, e^) \geq v_W(b^*, e^*)$.*

Therefore, $b_0 > b^$.*

Thus, $v_W(b_0, e^) > v_W(b^*, e^*)$.*

Since e^ is a best response,*

$v_W(b_0, e^) \geq v_W(b^*, e^*)$.*

Therefore, $b_0 > b^$.*

Thus, $v_W(b_0, e^) > v_W(b^*, e^*)$.*

Since e^ is a best response,*

$v_W(b_0, e^) \geq v_W(b^*, e^*)$.*

Therefore, $b_0 > b^$.*

Thus, $v_W(b_0, e^) > v_W(b^*, e^*)$.*

Since e^ is a best response,*

$v_W(b_0, e^) \geq v_W(b^*, e^*)$.*

Therefore, $b_0 > b^$.*

Thus, $v_W(b_0, e^) > v_W(b^*, e^*)$.*

Since e^ is a best response,*

$v_W(b_0, e^) \geq v_W(b^*, e^*)$.*

Therefore, $b_0 > b^$.*

Thus, $v_W(b_0, e^) > v_W(b^*, e^*)$.*

Since e^ is a best response,*

$v_W(b_0, e^) \geq v_W(b^*, e^*)$.*

Therefore, $b_0 > b^$.*

Thus, $v_W(b_0, e^) > v_W(b^*, e^*)$.*

Since e^ is a best response,*

$v_W(b_0, e^) \geq v_W(b^*, e^*)$.*

Therefore, $b_0 > b^$.*

Thus, $v_W(b_0, e^) > v_W(b^*, e^*)$.*

Since e^ is a best response,*

$v_W(b_0, e^) \geq v_W(b^*, e^*)$.*

Therefore, $b_0 > b^$.*

Thus, $v_W(b_0, e^) > v_W(b^*, e^*)$.*

Since e^ is a best response,*

$v_W(b_0, e^) \geq v_W(b^*, e^*)$.*

Therefore, $b_0 > b^$.*

Thus, $v_W(b_0, e^) > v_W(b^*, e^*)$.*

Since e^ is a best response,*

$v_W(b_0, e^) \geq v_W(b^*, e^*)$.*

Therefore, $b_0 > b^$.*

Thus, $v_W(b_0, e^) > v_W(b^*, e^*)$.*

Since e^ is a best response,*

$v_W(b_0, e^) \geq v_W(b^*, e^*)$.*

Therefore, $b_0 > b^$.*

Thus, $v_W(b_0, e^) > v_W(b^*, e^*)$.*

Since e^ is a best response,*

$v_W(b_0, e^) \geq v_W(b^*, e^*)$.*

Therefore, $b_0 > b^$.*

Thus, $v_W(b_0, e^) > v_W(b^*, e^*)$.*

Since e^ is a best response,*

$v_W(b_0, e^) \geq v_W(b^*, e^*)$.*

Therefore, $b_0 > b^$.*

Thus, $v_W(b_0, e^) > v_W(b^*, e^*)$.*

Since e^ is a best response,*

$v_W(b_0, e^) \geq v_W(b^*, e^*)$.*

Therefore, $b_0 > b^$.*

Thus, $v_W(b_0, e^) > v_W(b^*, e^*)$.*

Since e^ is a best response,*

$v_W(b_0, e^) \geq v_W(b^*, e^*)$.*

Therefore, $b_0 > b^$.*

Thus, $v_W(b_0, e^) > v_W(b^*, e^*)$.*

Since e^ is a best response,*

$v_W(b_0, e^) \geq v_W(b^*, e^*)$.*

Therefore, $b_0 > b^$.*

Thus, $v_W(b_0, e^) > v_W(b^*, e^*)$.*

Since e^ is a best response,*

$v_W(b_0, e^) \geq v_W(b^*, e^*)$.*

Therefore, $b_0 > b^$.*

Thus, $v_W(b_0, e^) > v_W(b^*, e^*)$.*

Since e^ is a best response,*

$v_W(b_0, e^) \geq v_W(b^*, e^*)$.*

Therefore, $b_0 > b^$.*

Thus, $v_W(b_0, e^) > v_W(b^*, e^*)$.*

Since e^ is a best response,*

$v_W(b_0, e^) \geq v_W(b^*, e^*)</$*

Rubinstein's Bargaining Game

Consider a game in which \$1 is to be divided between two players:

- In periods 1, 3, 5, ..., player 1 offers the division (x_1, x_2) . Player 2 either accepts the offer and the game ends, or rejects the offer and play continues
 - In periods 2, 4, 6, ..., player 2 offers the division (y_1, y_2) . Player 1 either accepts the offer and the game ends, or rejects the offer and play continues

If the division $(z, 1-z)$ is agreed upon in period t , then the payoffs are $(v_1, v_2) = (\delta^{t-1}z, \delta^{t-1}(1-z))$.

- Waiting to divide is costly
 - This game is *infinite* horizon
 - The game is not repeated

SPE of Rubinstein's Bargaining Game

Proposition The bargaining game has a unique SPE: in each period the player who proposes offer $\frac{1}{1+\delta}$ to themselves and the other player accepts any division giving them at least $\frac{\delta}{1+\delta}$, and rejects any offer giving them less.

Proof of Existence We want to show that the One Stage Deviation Property is satisfied by the proposed SPE.

There are two types of information sets: when the proposer makes an offer, and when the recipient makes a decision.

Proposer payoff from following:

$$v_p = \frac{1}{1+\delta}$$

Proposer payoff from deviation:

$$\begin{aligned} v_p &= \delta \frac{\delta}{1 + \delta} && \text{accept following period offer} \\ &< \frac{1}{1 + \delta} \end{aligned}$$

Recipient payoff from accepting an offer of z in the current period:

$$v_r = z$$

Recipient payoff from rejecting the offer:

$$v_r = \delta \frac{1}{1 + \delta} \quad \text{provide offer of } \frac{1}{1+\delta} \text{ in following period}$$

Therefore, recipient should accept offer of z if and only if

$$z \geq \delta \frac{1}{1 + \delta}$$

Efficiency: On the equilibrium path, bargaining is immediate and therefore efficient.

Patience: Player 1 can earn a greater share of the pie if δ is small (players are impatient)

First-Mover Advantage: For all $\delta < 1$, player 1 earns more than player 2 in the SPE.

Proving a Bargaining Game SPE

Assume the current period.

Proposer Payoffs: (a) Find payoff from following.

(b) Find payoff from offering less, assuming the next period proposer's strategy holds constant.

Recipient Payoffs: (a) Find payoff from *accepting the proposer's offer* Note: the recipient does not "deviate", as they are not in charge of making the proposal.

(b) Find payoff from *rejecting the proposer's offer*, holding fixed the next period strategy (the current recipient becomes the proposer in the following period).

Bargaining Workthrough

Activity: Bargaining with Different Discount Factors
Econ 305

Brandon Lehr

Consider the Rubinstein bargaining game of alternating offers in which the players bargain over a pie of size 1. We will specify that the payoffs if $(z, 1-z)$ is accepted at date t are

$$(\delta_1^{t-1} z, \delta_2^{t-1} (1-z))$$

where $0 < \delta_i < 1$ is player i 's discount factor.

- a. Verify that the following strategy profile is an SPE of the above game:

- Player 1 always proposes $\left(\frac{1-\delta_2}{1-\delta_1\delta_2}, \frac{\delta_2(1-\delta_1)}{1-\delta_1\delta_2} \right)$ and accepts a proposal y if and only if $y_1 \geq \frac{\delta_1(1-\delta_2)}{1-\delta_1\delta_2}$
- Player 2 always proposes $\left(\frac{\delta_1(1-\delta_2)}{1-\delta_1\delta_2}, \frac{1-\delta_1}{1-\delta_1\delta_2} \right)$ and accepts a proposal x if and only if $x_2 \geq \frac{\delta_2(1-\delta_1)}{1-\delta_1\delta_2}$

First consider a subgame in which player 1 is the proposer.

- Follow: $v_1 = \frac{1-\delta_2}{1-\delta_1\delta_2}$
- Best Deviation (offer less to player 2): $v_1 = \frac{\delta_1(1-\delta_2)}{1-\delta_1\delta_2}$
 \hookrightarrow deviation \Rightarrow worse off

Now consider a subgame in which player 1 is responding to some offer z .

- Accept: $v_1 = z$
- Rejects: $v_1 = \delta_1 \frac{(1-\delta_2)}{1-\delta_1\delta_2}$

$$\text{accept if } \delta_1 \frac{(1-\delta_2)}{1-\delta_1\delta_2} \geq z$$

Note that symmetric arguments apply for player 2.

- b. What happens when $\delta_1 \rightarrow 1$ for fixed δ_2 and when $\delta_2 \rightarrow 1$ for fixed δ_1 ? Explain why there is a difference in the equilibrium shares of the pie.

$\delta_1 \rightarrow 1$ holding fixed $\delta_2 \Rightarrow$ Player 1 takes higher share (reduces to $\sim \frac{1-\delta_2}{1+\delta_2}$)

$\delta_2 \rightarrow 1$ holding fixed $\delta_1 \Rightarrow$ Player 2 takes higher share.

Bargaining Extensions and the Folk Theorem

Recall the Grim Trigger strategy for the infinitely repeated Prisoner's Dilemma is SPE with $\delta \geq \frac{1}{2}$.

However, this doesn't mean sufficiently patient players will always cooperate in repeated interactions.

There are many possible SPE with $\delta \geq \frac{1}{2}$.


- (a) Play F in every period
- (b) For $\delta \geq \frac{1}{2}$, there is a SPE in which players play F in the first period and Q in all future periods.
- (c) For $\delta \geq \frac{1}{\sqrt{2}}$, there is a SPE in which players play F in every even period and Q in every odd period.
- (d) For $\delta \geq \frac{1}{2}$, there is a SPE where the players play (Q, F) in every even period and (F, Q) in every odd period.
- (e) For $\delta = 1/2$, there is a SPE where the players play the last-used action of the opponent.

We would like to characterize what is possible in SPE of infinitely repeated games.

- A payoff vector $v = (v_1, v_2, \dots, v_n)$ is *feasible* if it is a weighted average of the payoffs available in a strategic game.
- A payoff vector is *strictly individually rational* if each player obtains strictly more than their min-max payoff.
- The min-max payoff is the payoff a player can guarantee themselves even if the other players try to punish them as badly as they can.


Folk Theorem: Suppose that the set of feasible payoffs of G is n -dimensional. Then, for any feasible and strictly individually rational payoff vector v , $\exists \bar{\delta} < 1$ such that $\forall \delta > \bar{\delta}$, $G(\infty, \delta)$ has a SPE with discount average payoffs v .

Folk Theorem for Prisoner's Dilemma



The feasible payoffs are defined by the outer diamond — the min-max payoff for each player is 1, since the worst punishment a rival can inflict is to choose F .

Folk Theorem for Bach or Stravinsky



The feasible payoffs are the triangle bounded by the outer triangle — the min-max payoff for each player is $\frac{3}{4}$ since the worst punishment a rival can inflict is to choose $\frac{1}{4}B + \frac{3}{4}S$

Games of Incomplete Information

Narrowing the Scope

In real life economic situation, it's unlikely that players know:

- payoffs
- who other players are
- what moves are possible
- how outcomes depend on actions
- what players know

We will focus on the case where the players know who the other players are, and their available actions, but not how those actions impact payoffs. These are known as *Bayesian Games*.

Example I: Public Goods Game

		Clean	Don't
		1 - $c_1, 1 - c_2$	1 - $c_1, 1$
		1, 1 - c_2	0, 0
Clean	Clean	1 - $c_1, 1 - c_2$	1 - $c_1, 1$
Don't	Don't	1, 1 - c_2	0, 0

Assume that the actions are chosen simultaneously and that players don't know their own costs.

(I.a): Player 2 also knows player 1's cost, but player 1 believes that $c_2 \in \{\underline{c}, \bar{c}\}$ where $\underline{c} < \bar{c}$, and the low cost is true with probability p .

(I.b): Each player believes that the cost of the other roommate is equally likely to be any value between

0 and 2: $c_1, c_2 \sim U[0, 2]$

Example II: Auction

Consider a two-bidder **first-price sealed bid private value auction**:

- Sealed bid: announce b_1 and b_2 simultaneously
- First-price: the highest bidder wins and pays their bid
- Private value: valuation of the object, θ_i , is independent of how others view the object
- A coin is flipped if they choose the same bid

In this case, utilities are:

$$v_i(b_i, b_{-i}) = \begin{cases} \theta_i - b_i & b_i > b_{-i} \\ \frac{1}{2}(\theta_i - b_i) & b_i = b_{-i} \\ 0 & b_i < b_{-i} \end{cases}$$

The primary form of incomplete information here is that each player knows their own valuation, but does not know their rival's — assume each player believes that the valuation of the rival is uniform on $[0, 1]$

Characterization of Bayesian Games

A static game with incomplete information G consists of

- A set of types Θ_i for each player i . Player i 's type is privately known to player i .
- A set of actions A_i for each player i .
- A joint probability distribution $\phi(\theta_1, \dots, \theta_n)$
- A payoff function $v_i(a_1, \dots, a_n; \theta_1, \dots, \theta_n)$ for each player i

This information is common knowledge.

For example, in our examples, we had the type spaces:

(I.a): $\Theta_1 = \{c_1\}$, $\Theta_2 = \{\underline{c}, \bar{c}\}$

(I.b): $\Theta_1 = \Theta_2 = [0, 2]$

(II): $\Theta_1 = \Theta_2 = [0, 1]$

The payoffs depend on the action profile and the types of all players.

Harsanyi's Observation and Bayesian Pure Strategy

Games of incomplete information can be thought of as games of complete but imperfect information where Nature is another player who moves first. Not everyone is informed about Nature's move — Nature chooses $\theta \in \Theta$ with probability $\phi(\theta)$, but only tells θ to player i .

Harsanyi's observation makes it possible to define strategies and equilibria just the same way we defined them in extensive form games. A strategy is (still) a function that assigns an action to each information set for each player.

- A *Bayesian pure strategy* is a function that assigns an action for each possible type. $s_i : \Theta_i \rightarrow A_i$

Pure Strategy Bayesian Nash Equilibrium

A Bayesian strategy profile (s_1^*, \dots, s_n^*) is a pure strategy Bayesian Nash equilibrium if

$$\sum_{\theta_{-i}} \underbrace{v_i(s_i(\theta_i), s_{-i}(\theta_{-i}); \theta_i, \theta_{-i}) \phi_i(\theta_{-i} | \theta_i)}_{\text{expected payoff of strategy given prior}} \geq \sum_{\theta_{-i}} v_i(a_i, s_{-i}(\theta_{-i}); \theta_i, \theta_{-i}) \phi_i(\theta_{-i} | \theta_i)$$

- For each type of player, the action chosen must be optimal given the conditional beliefs of that type, assuming that all other players are also engaged in the optimal strategy.
- For this definition of a Bayesian Nash equilibrium, we are assuming that $\phi(\theta_i) > 0$ for all θ_i .

Discrete Type Public Goods Game

		Clean	Don't	
		Clean	$1 - c_1, 1 - c_2$	$1 - c_1, 1$
		Don't	$1, 1 - c_2$	$0, 0$

Suppose

- $\Theta_1 = \{1/3\}$
- $\Theta_2 = \{\underline{c}, \bar{c}\}$ where $0 < \underline{c} < 1 < \bar{c}$

$$\phi(c_1, c_2) = \begin{cases} p & (c_1, c_2) = (1/3, \underline{c}) \\ 1-p & (c_1, c_2) = (1/3, \bar{c}) \end{cases} \quad p < 1/2$$

Note that these types are independent, so we don't need to use Bayes's Rule.

We claim that the unique Bayesian Nash Equilibrium is $s_1^* = \text{Clean}$ and $s_2^*(c_2) = \text{Don't}$ for all c_2 (note that the strategy for player 2 is a function of c_2).

		Clean	Don't	
		Clean	$2/3, 1 - c_2$	$2/3, 1$
		Don't	$1, 1 - c_2$	$0, 0$

- For $c_2 = \bar{c}$, Clean is strictly dominated by Don't.
- For player 1,

$$\begin{aligned} E(v_1(\text{Clean}, s_2^*; c_2)) &= 2/3 E(v_1(\text{Don't}, s_2^*; c_2)) = p \underbrace{v_1(\text{Don't}, s_2^*(\underline{c}); \underline{c})}_{\leq 1} + (1-p) \underbrace{v_1(\text{Don't}, s_2^*(\bar{c}); \bar{c})}_{=0} \\ &\leq p \\ &< 2/3 \end{aligned}$$

thus, $s_1^* = \text{Clean}$.

- For type \underline{c} ,

$$\begin{aligned} v_2(s_1^*, \text{Clean}; \underline{c}) &= 1 - \underline{c} \\ v_2(s_1^*, \text{Don't}; \underline{c}) &= 1 \end{aligned}$$

and since $\underline{c} > 0$, we have $s_2^*(\underline{c}) = \text{Don't}$.

We found this solution via something similar to IESDS.

Continuous Type Public Goods Game

Consider the public goods game as above, but with c_i drawn independently from a uniform distribution on $[0, 2]$. We claim that the unique Bayesian Nash Equilibrium is

$$s_i^*(c_i) = \begin{cases} \text{Clean} & c_i \leq 2/3 \\ \text{Don't} & c_i > 2/3 \end{cases}$$

- We can show existence by verifying that each player is best responding given that their rival cleans with probability $1/3$ ($(2/3)/(2) = 1/3$).
- To show uniqueness, we observe that strategies must have a cutoff property. If $s_1^*(c_1) = \text{Clean}$, then $s_1^*(c'_1) = \text{Clean}$ for all $c'_1 < c_1^*$.
- Thus, a Bayesian Nash equilibrium must be of the form

$$s_i^*(c_i) = \begin{cases} \text{Clean} & c_i \leq c_i^* \\ \text{Don't} & c_i > c_i^* \end{cases}$$

- Note that at the cutoff values, players are indifferent.
- Indifference condition:

$$\begin{aligned} E(v_1(\text{Clean}, s_2^*(c_2); c_1^*, c_2)) &= E(v_1(\text{Don't}, s_2^*(c_2); c_1^*, c_2)) \\ 1 - c_1^* &= P(c_2 \leq c_2^*) \\ &= \frac{c_2^*}{2} \quad \text{recall that uniform distribution is over } [0, 2] \end{aligned}$$

By symmetry, we have

$$1 - c_2^* = \frac{c_1^*}{2}$$

$$c_1^* = \frac{2}{3}$$

$$c_2^* = \frac{2}{3}$$

Bayesian Nash Equilibrium Example

Activity: BNE of Social Unrest Game
Econ 305

Brandon Lehr

Consider a game of social unrest with incomplete information. Two people (players 1 and 2) have to simultaneously choose whether to protest (P) or stay home (H). A player who stays home gets a payoff of 0. Player i 's payoff of protesting is determined by this player's protest value θ_i and whether the other player also protests. Each player knows her own protest value, but does not observe that of the other player. Assume that θ_1 and θ_2 are independently drawn from the uniform distribution on $[0, 1]$. The payoff matrix is:

	$\theta_2 \geq \theta_2^*$	$\theta_2 < \theta_2^*$
P	$(\theta_1 - 1/3)\theta_2 - 1/3$	$(\theta_1 - 2/3)0$
H	$0, \theta_2 - 2/3$	$0, 0$

Find a pure-strategy Bayesian Nash equilibrium of this game.

First, guess that strategies take the following form:

$$s_i^*(\theta_i) = \begin{cases} P & \text{if } \theta_i \geq \theta_i^* \\ H & \text{if } \theta_i < \theta_i^* \end{cases}$$

Second, observe that when $\theta_i = \theta_i^*$, player i is indifferent between protesting and staying home. Use the indifference conditions to solve for the cutoffs θ_1^* and θ_2^* .

$$\begin{aligned} \mathbb{E}(v_i(P, s_i^*(\theta_i); \theta_i^*, \theta_{-i})) &= \mathbb{E}(v_i(H, s_i^*(\theta_i); \theta_i^*, \theta_{-i})) \\ \left(\theta_i^* - \frac{2}{3}\right) P(\theta_i \geq \theta_i^*) + \left(\theta_i^* - \frac{1}{3}\right) \cdot P(\theta_{-i} \geq \theta_{-i}^*) &= 0 \\ \text{if } i \text{ protests} \\ \left(\theta_i^* - \frac{2}{3}\right) \left(\theta_i^*\right) + \left(\theta_i^* - \frac{1}{3}\right) \left(1 - \theta_i^*\right) &= 0 \\ \theta_i^* - \frac{1}{3} &= \frac{1}{3} \theta_{-i}^* \\ \rightarrow \theta_i^* - \frac{1}{3} &= \frac{1}{3} \theta_i^* \\ \frac{2}{3} \theta_i^* &= \frac{1}{3} \rightarrow \theta_i^* = \frac{1}{2} \end{aligned}$$

Auctions

There are different classes of auctions:

- Open Auctions: bidders observe a dynamic price process

- English Auction: Ascending price until the bidding stops
- Dutch Auction: Descending price until the bidding starts
- Sealed-Bid Auctions: bidders submit bids without knowing bids of opponents
 - First-price: Highest bid wins and pays highest price
 - Second-price: Highest bid wins and pays second-highest price
- Valuation
 - Private Value: only care about the consumption benefit
 - Common Value: value depends on the types of other participants

Bayesian Nash Equilibrium: Private Value First-Price Sealed-Bid Auction

$$v_i(b_i, b_j; \theta_i) = \begin{cases} \theta_i - b_i & b_i > b_j \\ \frac{1}{2}(\theta_i - b_i) & b_i = b_j \\ 0 & b_i < b_j \end{cases}$$

- Each player has an independent valuation θ_i , and believes the valuation of their rival is uniform on $[0, 1]$.
- This game has both continuous actions and continuous types.
- Lowering bid increases net payoff margin, but lowers chance of winning, and chance of winning depends on beliefs about the other's bid.

Claim: The unique BNE is $s_i^* = \frac{\theta_i}{2}$.

We will simplify our job by guessing that $s_i^*(\theta_i) = k\theta_i + c$. This is a symmetric BNE.

- Guess that other player(s) are playing the optimal bid.
- Find best response bid of player i given the previous assumption.
- **Do not assume yet anything about your bid.**

$$\begin{aligned} s_i^*(\theta_i) &= \arg \max_{b_i} ((\theta_i - b_i)P(s_j^* < b_i)) \\ &= \arg \max_{b_i} ((\theta_i - b_i)P(k\theta_j + c < b_i)) \\ &= \arg \max_{b_i} \left((\theta_i - b_i)P\left(\theta_j < \frac{b_i - c}{k}\right)\right) \\ &= \arg \max_{b_i} \left((\theta_i - b_i) \left(\frac{b_i - c}{k}\right)\right) \end{aligned}$$

First-order condition (derivative with respect to b_i):

$$\begin{aligned} 0 &= (\theta_i - b_i) \frac{1}{k} - \frac{b_i - c}{k} \\ s_i^* &= \frac{\theta_i + c}{2} \end{aligned}$$

Since $k\theta_i + c = \theta_i/2 + c/2$ for all θ_i , when $\theta_i = 0$, we must have $c = 0$ and thus $k = \frac{1}{2}$.

$$s_i^*(\theta_i) = \frac{1}{2}\theta_i$$

In the n -bidder case, we have the following strategy:

$$s_i^*(\theta_i) = \frac{n-1}{n} \theta_i,$$

seeing as an increased number of bidders yields increased competition, meaning players have to make higher bids.

This auction is strategically equivalent to the Dutch auction — same normal form and same BNE — since players decide whether to wait for a lower price and potentially lose out on winning.

Private Value Second-Price Sealed-Bid Auction (or Vickrey Auction)

In the second-price auction with private values, bidding one's own valuation is a *weakly dominant* strategy.

- This means that no matter what the other players do, you can never do worse by bidding your own valuation.
- Since a player's bid does not determine the price they pay and only determines the probability of winning, there is no reason to reduce bid (as in the case of a first price auction).
- We don't even need to know the distribution of other types.
- Private values can even be correlated, and bidding type is still the weakly dominant strategy.
- The truthful bidding strategy $s_i^*(\theta_i) = \theta_i$ is the unique *symmetric* BNE (there are asymmetric BNE).

In the English auction, it is also a weakly dominant strategy to stay in the game until price equals valuation — thus, the English auction and the Private Value Second Price Sealed-Bid Auction have the same BNE.

Revenue Equivalence

As a seller, we would want to ask which auctions generate the highest expected revenue.

Based on our previous results, expected revenues should be equal in the first-price sealed-bid and Dutch auctions, and the second-price sealed-bid and English auctions.

However, these auctions have the same expected revenue!

- With 2 players, the expected max is $2/3$ and the expected min is $1/3$.
- In a first-price auction, winner bids $1/3$ and pays $1/3$.
- In a second-price auction, winner bids $2/3$ and pays other player's value, $1/3$.

Revenue Equivalence Theorem: Suppose n risk-neutral bidders each have an independent private valuation θ_i drawn from a probability density $f_i(\cdot) > 0$. Then, all auctions in which the bidder with the

- the highest type wins, and
- lowest type has expected payoff of zero

generate the same expected revenue.

Notice that this does not say that revenue is maximized — optimal auctions require prohibiting bidders from making certain bids (and sellers from setting reserve prices).

Auction Activity

Activity: Auctions
Econ 305

1 First-Price Auction

Consider the n -player version of the private value first-price sealed bid auction where each player i has an independent valuation θ_i and believes that the valuations of the other players are each uniform on $[0, 1]$. Guess that every player uses the strategy $s_i^*(\theta_i) = k\theta_i + c$. Find k and c such that s^* is a BNE of the game. Is bidding higher or lower with more players?

Step One: Write the expected payoff for player i of type θ_i from choosing arbitrary bid b_i , given that all other players are choosing the strategy s^* :

$$\begin{aligned} V_i &= (\theta_i - b_i) \left(\Pr(b_i > b_j, \forall j \neq i) \right) \\ &= (\theta_i - b_i) \left(\frac{b_i - \hat{b}}{1 - \hat{b}} \right)^{n-1} \end{aligned}$$

Step Two: Find the bid b_i that maximizes the payoff in Step One.

$$\begin{aligned} \text{Max}_{b_i} &\left((\theta_i - b_i) \left(\frac{b_i - \hat{b}}{1 - \hat{b}} \right)^{n-1} \right) \Rightarrow \partial_{b_i} \left((\theta_i - b_i) \left(\frac{b_i - \hat{b}}{1 - \hat{b}} \right)^{n-1} \right) = 0 \\ \frac{\partial}{\partial b_i} &(\theta_i - b_i) \left(\frac{b_i - \hat{b}}{1 - \hat{b}} \right)^{n-1} = (\theta_i - b_i) \left(\frac{n-1}{1 - \hat{b}} \right) \left(\frac{b_i - \hat{b}}{1 - \hat{b}} \right)^{n-2} \\ (\theta_i - b_i)^{n-1} &\cdot (1 - \hat{b})^{n-2} = (\theta_i - b_i) \left(\frac{n-1}{1 - \hat{b}} \right) \left(\frac{b_i - \hat{b}}{1 - \hat{b}} \right)^{n-2} \\ b_i - \hat{b} &= (\theta_i - b_i) \left(\frac{n-1}{1 - \hat{b}} \right) \\ (\theta_i - b_i) - \hat{b} &= \theta_i - b_i \Rightarrow b_i = \frac{\theta_i + \hat{b}}{n} \end{aligned}$$

Step Three: In a BNE, it must be that the payoff-maximizing bid b_i in Step Two equals the guess that $s_i^*(\theta_i) = k\theta_i + c$ for all θ_i . Use this fact to solve for k and c .

$$\begin{aligned} k\theta_i + c &= \frac{\theta_i + \hat{b}}{n} \Leftrightarrow \frac{c}{n} \leq \frac{\hat{b}}{n} \\ \Rightarrow c &= \hat{b} \\ k &= \frac{1}{n} \end{aligned}$$

Step Four: Interpret the impact of n on the bidding strategy.

If $n \rightarrow \infty$ \Rightarrow bids will always be close to true
valuations. Juries + juries + juries + juries

2 Second-Price Auction

Consider a player with private value θ_i playing a private value second-price sealed bid auction. Let \hat{b} denote the highest bid of the other players $j \neq i$. Compute the payoff to player i from bidding x vs. θ_i (where $x > \theta_i$) in the following three cases⁴:

Cases	x	θ_i
$\theta_i < x < \hat{b}$	0	0
$x > \hat{b} > \theta_i$	$\theta_i - \hat{b} > 0$	0
$\hat{b} > x > \theta_i$	$\theta_i - \hat{b} > 0$	$\theta_i - \hat{b} > 0$

Bonus: Compute the payoff to player i from bidding x vs. θ_i (where $x < \theta_i$) in the following three cases:

Cases	x	θ_i
$x < \theta_i < \hat{b}$	0	0
$x > \hat{b} > \theta_i$	0	$\theta_i - \hat{b} > 0$
$\hat{b} > x > \theta_i$	$\theta_i - \hat{b} > 0$	$\theta_i - \hat{b} > 0$

⁴I have not described what happens if there is a tie at the highest bid, but in fact, it will not matter what is specified at this contingency, so I will ignore it here.

Justifying MSNE

Consider the following game:

		R	R
		U	D
U	$0, 0$	$0, -1$	
	$1, 0$	$-1, 3$	

This game has a unique Nash equilibrium: $(3/4U + 1/4D, 1/2L + 1/2R)$.

We can think about mixing as games with small amounts of private information.

		R	R
		U	D
U	$\varepsilon a, \varepsilon b$	$\varepsilon a, -1$	
	$1, \varepsilon b$	$-1, 3$	

We find that as $\varepsilon \rightarrow 0$, we have

$$\begin{aligned} s_1^*(a) &\rightarrow \begin{cases} U & a \geq 1/4 \\ D & a < 1/4 \end{cases} \\ s_2^*(b) &\rightarrow \begin{cases} L & b \geq 1/2 \\ R & b < 1/2 \end{cases} \end{aligned}$$

Therefore, the distinction between pure strategies and mixed strategies may be artificial. Basically, a mixed strategy can be seen as a *Bayesian* pure strategy.

Justifying MSNE Activity

Activity: Justifying Mixed Strategy Nash Equilibria Econ 305

Brandon Lehr

You can verify that the following game has a unique NE: $(3/4U + 1/4D, 1/2L + 1/2R)$


	<i>L</i>	<i>R</i>
<i>U</i>	0,0	0,-1
<i>D</i>	1,0	-1,3

Consider introducing a little bit of incomplete information into the above game by changing the payoffs to

	<i>L</i>	<i>R</i>
<i>U</i>	$\varepsilon a, \varepsilon b$	$\varepsilon a, -1$
<i>D</i>	1, εb	-1, 3

where a and b are known to players 1 and 2, respectively, and are drawn independently from the uniform distribution over $[0, 1]$

Determine the structure of the BNE:



$$s_1^*(a) = \begin{cases} U & \text{if } a \geq a^* \\ D & \text{if } a < a^* \end{cases}$$

$$s_2^*(b) = \begin{cases} L & \text{if } b \geq b^* \\ R & \text{if } b < b^* \end{cases}$$

Write down the local indifference equations:

$$\frac{\varepsilon a^*}{\varepsilon b^*} = Ev_1(U, s_2^*(b); a^*, b) = Ev_1(D, s_2^*(b); a^*, b) = \frac{(1)(1-b^*) + (-1)(b^*)}{(1)(1-b^*) + (-1)(b^*)} \Rightarrow 1 - 2b^*$$

$$\frac{\varepsilon b^*}{\varepsilon a^*} = Ev_2(L, s_1^*(a); b^*, a) = Ev_2(R, s_1^*(a); b^*, a) = \frac{(-1)(1-a^*) + 3(a^*)}{(-1)(1-a^*) + 3(a^*)} \Rightarrow 4a^* - 1$$

Solve these local indifference equations for a^* and b^* :

$$\begin{aligned} \varepsilon a^* &= 1 - 2b^* \\ \varepsilon b^* &\leq 4a^* - 1 \\ a^* &= \frac{\varepsilon b^* + 1}{4} \Rightarrow \varepsilon \left(\frac{\varepsilon b^* + 1}{4} \right) = 1 - 2b^* \\ \varepsilon^2 b^* + \varepsilon &= 4 - 8b^* \\ (\varepsilon + \varepsilon^2) b^* &= 4 - \varepsilon \\ b^* &= \frac{4 - \varepsilon}{\varepsilon + \varepsilon^2} \\ a^* &= \frac{4 - \varepsilon - 8b^*}{4(\varepsilon + \varepsilon^2)} = \frac{8 + 4\varepsilon}{32 + 4\varepsilon^2} \end{aligned}$$

What happens as private information becomes small ($\varepsilon \rightarrow 0$)?


$$\begin{aligned} a^* &\rightarrow \frac{1}{4} \\ b^* &\rightarrow \frac{1}{2} \end{aligned}$$

Critique of BNE and SPE


Most of the interesting games with incomplete information will be dynamic games — we will need a new solution concept to deal with these games.

In principle, we could apply SPE to the Harsanyi representation of Bayesian games (Nature whispering everyone's types into their ear). However, there are problems with this approach.

For example, the following game has one SPE, (R, B) , seeing as it has more than one subgame:



Meanwhile, the following game has one subgame, meaning all the Nash equilibria are subgame perfect — however, this means that not only is (R, B) a SPE, but so is (L, A) .



Signaling Games

Every signaling game has a sender, receiver, and two periods:

Stage 0: Nature chooses $\theta_1 \in \Theta_1$ with probability distribution $\phi(\theta_1)$

Stage 1: Player 1 observes θ_1 , chooses $a_1 \in A_1$

Stage 2: Player 2 observes a_1 , chooses $a_2 \in A_2$

Spence's Education Signaling Game

Worker is player 1 and firm is player 2.

Stage 0: Nature chooses θ of worker. $\Theta = \{2, 3\}$ and $P(\theta = 2) = p$.

Stage 1: Player 1 observes type and chooses education level $e \in \{0, 1\}$. Worker incurs disutility $\frac{ce}{\theta}$ from education. (Ability reduces cost of education.)


Stage 2: Player 1 gets job with productivity θ . Player 2 chooses wage $w(e)$ after observing education level.

$$v_1(e, w; \theta) = w - \frac{ce}{\theta}$$

$$v_2(e, w; \theta) = -(w - \theta)^2$$

Education does not impact the firm's utility function.

Additionally, the utility function of player 2 implies that the firm sets wage equal to the *expected* ability of the worker (as in, a competitive labor market).



Perfect Bayesian Equilibrium in the Signaling Game

In order to solve Spence's Signaling Game, we need a new equilibrium concept:

Strategy: A strategy for player i is a function that assigns an action to each information set.

- In the Spence game, the information set for a worker is their ability type.
- The information set for a firm is the education of the worker.

Belief System: A belief system assigns a probability distribution over the set of nodes at an information set.

Perfect Bayesian Equilibrium: A Perfect Bayesian Equilibrium is a strategy profile s^* with a belief system μ such that the following conditions hold:

- Sequential rationality: At every information set, strategies are optimal given beliefs and opponents' strategies.
- Consistency: Beliefs are updated according to Bayes's rule when it applies (and can choose arbitrary beliefs in the branches of the game tree that are reached with zero probability).

In the signaling game, the PBE is a strategy profile $(s_1^*(\theta_1), s_2^*(a_1))$ with beliefs $\mu_2(\theta_1|a_1)$.

In this case, the PBE takes one of three forms:


- (1) Separating: Different types take different actions, and player 2 learns types perfectly by observing action.

- (2) Pooling: All types of player 1 take the same action and no information is revealed.
- (3) Semi-separating: one or more types of player 1 mix, so there is partial learning.

PBE of Signaling Game Activity

Activity: Spence's Job Market Signaling Game Econ 305

Brandon Lehr



Consider the above signaling game with $p = 1/2$ and various costs, c , of education.

$$\begin{aligned} \text{3. Pooling PBE:} \\ \text{both } \theta=0 \text{ choose } a_1 \\ \text{both } \theta=1 \text{ choose } a_1 \end{aligned}$$

1 Separating: $2 \leq c \leq 3$

1. Guess that there is a separating PBE in which only the high ability types of player 1 get an education:

$$s_1^*(\theta) = \begin{cases} \frac{c-2}{2} & \text{if } \theta = 2 \\ \frac{c-1}{2} & \text{if } \theta = 3 \end{cases}$$

2. Use Bayes' rule to obtain a consistent belief system, given strategy of player 1:

$$\mu_2(3|a_1 = 0) = \frac{0}{1}$$

$$\mu_2(3|a_1 = 1) = \frac{1}{1}$$

3. Player 2's best response is to set the wage equal to the expected ability/productivity of the worker, given their beliefs:

$$w^*(a_1) = \begin{cases} 2 & \text{if } \frac{4}{3} = 0 \\ 3 & \text{if } \frac{4}{3} = 1 \end{cases} = 1$$

4. Finally, we need to verify that every type of player 1 is best responding to the strategy of player 2:

$$v_1(a_1, w^*(a_1); \theta = 2) = \begin{cases} \frac{2}{3} & \text{if } a_1 = 0 \\ \frac{1}{3} & \text{if } a_1 = 1 \end{cases}$$

$$v_1(a_1, w^*(a_1); \theta = 3) = \begin{cases} \frac{2}{3} & \text{if } a_1 = 0 \\ \frac{1}{3} & \text{if } a_1 = 1 \end{cases}$$

Strategy is best response

NOTE: There is no separating PBE where the low type gets an education and the high type does not.

2

2 Pooling: $c \leq 1$

1. Guess that there is a pooling PBE in which everyone gets an education:

$$s_1^*(\theta) = 1 \text{ for all } \theta$$

2. Use Bayes' rule, when possible, to obtain a consistent belief system, given strategy of player 1:

$$\mu_2(3|a_1 = 0) = \frac{1}{2} \text{ (from } p=1/2)$$

$$\mu_2(3|a_1 = 1) = \frac{1}{2}$$

3. Player 2's best response is to set the wage equal to the expected ability/productivity of the worker, given their beliefs:

$$w^*(a_1) = \begin{cases} \frac{3\theta + 2(1-\theta)}{2} \cdot \frac{1+\theta}{2} & \text{if } a_1 = 0 \\ \frac{1(1-\theta)}{2} \cdot \frac{1+\theta}{2} & \text{if } a_1 = 1 \end{cases}$$

4. Finally, we need to verify that every type of player 1 is best responding to the strategy of player 2:

$$v_1(a_1, w^*(a_1); \theta = 2) = \begin{cases} \frac{2}{3} & \text{if } a_1 = 0 \\ \frac{1}{3} & \text{if } a_1 = 1 \end{cases}$$

$$v_1(a_1, w^*(a_1); \theta = 3) = \begin{cases} \frac{2}{3} & \text{if } a_1 = 0 \\ \frac{1}{3} & \text{if } a_1 = 1 \end{cases}$$

both choose a_1
 $\Rightarrow \lambda = 0$

3 Semi-Separating: $1 < c < 2$

1. Guess that there is a semi-separating PBE in which the high ability worker gets an education and the low ability worker gets an education with probability q :

$$s_1^*(\theta) = \begin{cases} \frac{4(\theta-1)(1-\theta)(q-\frac{1}{2})}{2\theta-1} & \text{if } \theta = 2 \\ \frac{1}{2\theta-1} & \text{if } \theta = 3 \end{cases}$$

2. Use Bayes' rule to obtain a consistent belief system, given strategy of player 1:

$$\mu_2(3|a_1 = 0) = \frac{0}{1}$$

$$\mu_2(3|a_1 = 1) = \frac{\frac{1}{2}}{\frac{1}{2}} = \frac{1}{2}$$

3. Player 2's best response is to set the wage equal to the expected ability/productivity of the worker, given their beliefs:

$$w^*(a_1) = \begin{cases} \frac{2}{3} & \text{if } a_1 = 0 \\ \frac{1}{3} & \text{if } a_1 = 1 \end{cases}$$

4. Finally, we need to verify that every type of player 1 is best responding to the strategy of player 2:

$$v_1(a_1, w^*(a_1); \theta = 2) = \begin{cases} \frac{2}{3} & \text{if } a_1 = 0 \\ \frac{1}{3} & \text{if } a_1 = 1 \end{cases}$$

$$v_1(a_1, w^*(a_1); \theta = 3) = \begin{cases} \frac{1}{2} & \text{if } a_1 = 0 \\ \frac{1}{2} & \text{if } a_1 = 1 \end{cases}$$

NOTE: In the limiting cases where $c \rightarrow 2$, then $q \rightarrow 0$ and we have the separating equilibrium, while for $c \rightarrow 1$, then $q \rightarrow 1$ and we have the pooling equilibrium.

4

NOTE: There is also always a pooling PBE where no one gets an education and the firm thinks that any worker who gets an education is of the low type.

3