


AI4EU Experiments Container Format



1. Introduction

This document specifies the docker container format for tools and models that can be onboarded on the AI4EU Experiments platform so they can be used in the visual composition editor as re-usable, highly interoperable building blocks for AI pipelines.

In short, the container should define its public service methods using protobuf v3 and expose these methods via gRPC. All these technologies are open source and freely available. Here are the respective home pages for documentation and reference:

https://docs.docker.com/reference/

https://developers.google.com/protocol-buffers/docs/overview

https://developers.google.com/protocol-buffers/docs/proto3

https://www.grpc.io/docs/

Because the goal is to have re-usable building blocks to comopse pipelines, the main reason to choose the above technology stack is to achieve the highest level of interoperability:

- docker is today the defacto standard for serverside software distribution including all dependencies. It is possible to onboard containers for different architectures (x86_64, GPU, ARM, HPC/Singularity)
- gRPC together with protobuf is a proven specification and implementation for remote procedure calls supporting a broad range of programming languages and it is optimized for performance and high throughput.

Please note that the tools and models are not limited to deep learning models. Any AI tool from any AI area like reasoning, semantic web, symbolic AI and of course deep learning can used for piplines as long as it exposes a set of public methods via gRPC.



2. Define model.proto

The public service methods should be defined in a file called model.proto:

- It should be self contained, thus contain the service definitions with all input and output data structures.
- The full feature set of protobuf v3 can be used
- a container can define serveral methods, but all in the same file called model.proto
- the file must define a globally unique package name because AI4EU Experiments needs to distinguish all onboarded protobuf interfaces

```
// set used version of protobuf
syntax = "proto3";
// set unique package name
package fraunhofer.demo.cpp.iris.v1
// define input data structure
message IrisDataFrame {
  repeated double sepal_length = 1;
  repeated double sepal width = 2;
  repeated double petal length = 3;
  repeated double petal width = 4;
// define output data structure
message ClassifyOut {
  repeated int64 value = 1;
// define exposed service
service Model {
  rpc classify (IrisDataFrame) returns (ClassifyOut);
```




3. Create the gRPC microservice

Based on model.proto, you can generate the necessary gRPC stubs and skeletons for the programming language of your choice using the protobuf compiler **protoc** and the respective protoc-plugins. Then create a short main executable that will read and initialize the model or tool and starts the gRPC server. This executable will be the entrypoint for the docker container.

The filetree of the docker container should look like below. In the top level folder of the container are the files

- · model.proto
- license.json

And also the folders for the microservice like app and data, or any supplementary folders:



The license file is not mandatory and can be generated after onboarding with the License Profile Editor in the AI4EU Experiments Web-UI:

https://docs.acumos.org/en/clio/submodules/license-manager/docs/user-guide-license-profile-editor.html

There are several detailed tutorials on how to create a dockerized model in this repository: https://github.com/ai4eu/tutorials

AI4EU EXPERIMENTS



4. Onboarding

The final step is to onboard the model. There are several was to onboard a model into AI4EU Experiments but currently the only recommended way is to use "On-boarding dockerized model URI":

- 1. Upload your docker container to a public registry like Docker Hub
- 2. Start the onboarding process like in the screenshot below
- 3. Upload the protobuf file
- 4. Add license profile

