

AI in Microscopy: A BioImaging Guide

Table of contents

Welcome	3
1 Introduction	4
1.1 Include section headers as appropriate	4
1.1.1 Sub-subsection headers are also available	4
1.2 Bibliography and Citations	4
1.3 Adding to the Glossary	5
1.4 Code and Equations	5
1.4.1 Embedding Figures	7
1.5 Quarto has additional features.	8
I Getting Started with AI	9
2 AI Primer	10
2.1 Include section headers as appropriate	10
2.1.1 Sub-subsection headers are also available	10
2.2 Bibliography and Citations	11
2.3 Adding to the Glossary	11
2.4 Code and Equations	11
2.4.1 Embedding Figures	13
2.5 Quarto has additional features.	15
3 Foundations of Large Language Models	16
3.1 Multi-modal AI: Vision-Language Models and Generative AI	16
3.2 AI Agents for Microscopy Workflows	16
3.3 Challenges and Limitations	17
3.4 Future Directions	17
3.5 Practical Guide: Getting Started with LLMs for Microscopy	17
4 Architectures and Loss Models	18
4.1 Include section headers as appropriate	18
4.1.1 Sub-subsection headers are also available	18
4.2 Bibliography and Citations	18
4.3 Adding to the Glossary	19

4.4	Code and Equations	19
4.4.1	Embedding Figures	21
4.5	Quarto has additional features.	22
II	Image Acquisition	23
5	Collecting Training Data	24
5.1	Include section headers as appropriate	24
5.1.1	Sub-subsection headers are also available	24
5.2	Bibliography and Citations	24
5.3	Adding to the Glossary	25
5.4	Code and Equations	25
5.4.1	Embedding Figures	27
5.5	Quarto has additional features.	28
6	Extending Your Hardware With AI	29
6.1	Include section headers as appropriate	29
6.1.1	Sub-subsection headers are also available	29
6.2	Bibliography and Citations	29
6.3	Adding to the Glossary	30
6.4	Code and Equations	30
6.4.1	Embedding Figures	32
6.5	Quarto has additional features.	33
7	Adding AI to Your Hardware	34
III	Image Analysis	36
8	Finding and Using Existing Tools	37
8.1	Include section headers as appropriate	37
8.1.1	Sub-subsection headers are also available	37
8.2	Bibliography and Citations	37
8.3	Adding to the Glossary	38
8.4	Code and Equations	38
8.4.1	Embedding Figures	40
8.5	Quarto has additional features.	41
9	Training and Using Your Own Models	42
9.1	Include section headers as appropriate	42
9.1.1	Sub-subsection headers are also available	42
9.2	Bibliography and Citations	42
9.3	Adding to the Glossary	43

9.4	Code and Equations	43
9.4.1	Embedding Figures	45
9.5	Quarto has additional features.	46
10	Output Quality	47
10.1	Include section headers as appropriate	47
10.1.1	Sub-subsection headers are also available	47
10.2	Bibliography and Citations	47
10.3	Adding to the Glossary	48
10.4	Code and Equations	48
10.4.1	Embedding Figures	50
10.5	Quarto has additional features.	51
11	Outlook	52
11.1	Include section headers as appropriate	52
11.1.1	Sub-subsection headers are also available	52
11.2	Bibliography and Citations	52
11.3	Adding to the Glossary	53
11.4	Code and Equations	53
11.4.1	Embedding Figures	55
11.5	Quarto has additional features.	56
Glossary		57
	False Negatives	57
	False Positives	57
	Hallucinations	57
	Inferences	57
	Semantic Segmentation	57
	Test Data	57
	Training Data	58
	True Negatives	58
	True Positives	58
	Validation Data	58
References		59

Welcome

This is an initial outline for the welcome page:

- Include a very brief introduction of the book (this is not the introduction chapter).
- Explain how to interact with the book. For example, explain how code snippets work for the reader, links to figures, glossary terms, etc.
- State the licensing and use restrictions.
- How to cite the book.

1 Introduction

AI at Every Stage of the Microscopy Workflow

Under your first header, include a brief introduction to your chapter.

Starting prompt for this chapter: Chapter 1 outlines how AI can span experimental design, image acquisition, image processing, and analysis (without discussing what AI is from a technical perspective). This chapter will also outline the roadmap of the book which will largely focus on acquisition and processing.

Topics suggested during the authors' meetings: Discuss that AI is not always solution and talk about when it is actually useful. Discuss that there are many types of microscopy images and each will have their own AI considerations (e.g., imaging modality, 2D vs 3D, static vs time lapse).

1.1 Include section headers as appropriate

Use markdown heading level two for section headers. You can use standard markdown formatting, for example *emphasize the end of this sentence*.

This is a new paragraph with more text. Your paragraphs can cross reference other items, such as Figure [11.1](#). Use `fig` to reference figures, and `eq` to reference equations, such as Equation [11.1](#).

1.1.1 Sub-subsection headers are also available

To make your sections cross reference-able throughout the book, include a section reference, as shown in the header for Section [11.4](#).

1.2 Bibliography and Citations

To cite a research article, add it to references.bib and then refer to the citation key. For example, reference¹ refers to CellPose and reference² refers to ZeroCostDL4Mic.

1.3 Adding to the Glossary

We are using R code to create a glossary for this book. To add a definition, edit the glossary.yml file. To reference the glossary, enclose the word as in these examples: LLMs suffer from [hallucinations](#). It is important to understand the underlying [training data](#), [validation data](#) and [false positives](#) to interpret your results. Clicking on the word will reveal its definition by taking you to the entry on the [Glossary](#) page. Pressing back in your browser will return you to your previous place in the textbook.

1.4 Code and Equations

This is an example of including a python snippet that generates a figure

```
import matplotlib.pyplot as plt
plt.plot([1,23,2,4])
plt.show()
```




Figure 1.1: Simple Plot

In some cases, you may want to include a code-block that is not executed when the book is compiled. Use the `eval: false` option for this.

```
import matplotlib.pyplot as plt
plt.plot([1,23,2,4])
plt.show()
```

Figures can also be generated that do not show the code by using the option for `code-fold: true`.

```
import numpy as np
import matplotlib.pyplot as plt

r = np.arange(0, 2, 0.01)
theta = 2 * np.pi * r
fig, ax = plt.subplots(
    subplot_kw = {'projection': 'polar'}
)
ax.plot(theta, r)
ax.set_rticks([0.5, 1, 1.5, 2])
ax.grid(True)
plt.show()
```





Figure 1.2: A spiral on a polar axis

Here is an example equation.

$$s = \sqrt{\frac{1}{N-1} \sum_{i=1}^N (x_i - \bar{x})^2} \quad (1.1)$$

1.4.1 Embedding Figures

You can also embed figures from other notebooks in the repo as shown in the following embed example.

When embedding notebooks, please store the .ipynb file in the notebook directory. Include the chapter in the name of your file. For example, `chapter4_example_u-net.ipynb`. This is how we will handle chapter- or example-specific environments. We will host notebooks on Google Colab so that any required packages for the code—but not for rendering the book at large—will be installed there. That way, we will not need to handle a global environment across the book.




Figure 1.3: Polar plot of circles of random areas at random coords

1.5 Quarto has additional features.

You can learn more about markdown options and additional Quarto features in the [Quarto documentation](#). One example that you might find interesting is the option to include callouts in your text. These callouts can be used to highlight potential pitfalls or provide additional optional exercises that the reader might find helpful. Below are examples of the types of callouts available in Quarto.

Note

Note that there are five types of callouts, including: **note**, **tip**, **warning**, **caution**, and **important**. They can default to open (like this example) or collapsed (example below).

Tip

These could be good for extra material or exercises.

Caution

There are caveats when applying these tools. Expand the code below to learn more.

```
r = np.arange(0, 2, 0.01)
theta = 2 * np.pi * r
```

Warning

Be careful to avoid hallucinations.

Important

This is key information.

Part I

Getting Started with AI

2 AI Primer

An Introduction to Artificial Intelligence

Under your first header, include a brief introduction to your chapter.

Starting prompt for this chapter: Chapter 2 demystifies Artificial Intelligence for microscopy users. It should define terms (e.g., machine/deep learning, supervised/unsupervised learning) without programming details such that an educated scientist without AI experience can understand how these concepts apply to microscopy in life sciences. The use-cases and strengths of different approaches for different applications should be discussed (e.g., contrasting unsupervised clustering vs supervised segmentation). This chapter should broadly introduce image restoration and segmentation, as they will be themes throughout.

Suggestion from authors' meetings: This chapter can draw on the outlines from other chapters to introduce key topics for the following chapters.

2.1 Include section headers as appropriate

Use markdown heading level two for section headers. You can use standard markdown formatting, for example *emphasize the end of this sentence*.

This is a new paragraph with more text. Your paragraphs can cross reference other items, such as Figure [11.1](#). Use `fig` to reference figures, and `eq` to reference equations, such as Equation [11.1](#).

2.1.1 Sub-subsection headers are also available

To make your sections cross reference-able throughout the book, include a section reference, as shown in the header for Section [11.4](#).

2.2 Bibliography and Citations

To cite a research article, add it to references.bib and then refer to the citation key. For example, reference¹ refers to CellPose and reference² refers to ZeroCostDL4Mic.

2.3 Adding to the Glossary

We are using R code to create a glossary for this book. To add a definition, edit the glossary.yml file. To reference the glossary, enclose the word as in these examples: LLMs suffer from [hallucinations](#). It is important to understand the underlying [training data](#), [validation data](#) and [false positives](#) to interpret your results. Clicking on the word will reveal its definition by taking you to the entry on the [Glossary](#) page. Pressing back in your browser will return you to your previous place in the textbook.

2.4 Code and Equations

This is an example of including a python snippet that generates a figure

```
import matplotlib.pyplot as plt
plt.plot([1,23,2,4])
plt.show()
```




Figure 2.1: Simple Plot

In some cases, you may want to include a code-block that is not executed when the book is compiled. Use the `eval: false` option for this.

```
import matplotlib.pyplot as plt
plt.plot([1,23,2,4])
plt.show()
```

Figures can also be generated that do not show the code by using the option for `code-fold: true`.

```
import numpy as np
import matplotlib.pyplot as plt

r = np.arange(0, 2, 0.01)
theta = 2 * np.pi * r
fig, ax = plt.subplots(
    subplot_kw = {'projection': 'polar'}
)
ax.plot(theta, r)
ax.set_rticks([0.5, 1, 1.5, 2])
ax.grid(True)
plt.show()
```




Figure 2.2: A spiral on a polar axis

Here is an example equation.

$$s = \sqrt{\frac{1}{N-1} \sum_{i=1}^N (x_i - \bar{x})^2} \quad (2.1)$$

2.4.1 Embedding Figures

You can also embed figures from other notebooks in the repo as shown in the following embed example.

When embedding notebooks, please store the .ipynb file in the notebook directory. Include the chapter in the name of your file. For example, `chapter4_example_u-net.ipynb`. This is how we will handle chapter- or example-specific environments. We will host notebooks on Google Colab so that any required packages for the code—but not for rendering the book at large—will be installed there. That way, we will not need to handle a global environment across the book.




Figure 2.3: Polar plot of circles of random areas at random coords

2.5 Quarto has additional features.

You can learn more about markdown options and additional Quarto features in the [Quarto documentation](#). One example that you might find interesting is the option to include callouts in your text. These callouts can be used to highlight potential pitfalls or provide additional optional exercises that the reader might find helpful. Below are examples of the types of callouts available in Quarto.

Note

Note that there are five types of callouts, including: **note**, **tip**, **warning**, **caution**, and **important**. They can default to open (like this example) or collapsed (example below).

Tip

These could be good for extra material or exercises.

Caution

There are caveats when applying these tools. Expand the code below to learn more.

```
r = np.arange(0, 2, 0.01)
theta = 2 * np.pi * r
```

Warning

Be careful to avoid hallucinations.

Important

This is key information.

3 Foundations of Large Language Models

Large Language Models and AI Agents for Microscopy Imaging

In recent years, large language models (LLMs) have revolutionized how we interact with technology, bringing unprecedented capabilities to scientific research including microscopy. This chapter explores how microscopists can leverage these powerful AI tools to enhance their workflow, from learning concepts to automating analysis tasks. We'll discuss both general-purpose and microscopy-specific tools while highlighting practical applications and potential pitfalls.

This section introduces the fundamental concepts behind modern language models, focusing on transformer architectures that power tools like ChatGPT. We'll explain how these models function, their capabilities for understanding scientific text, and their emerging role in generating code for image analysis tasks. We'll demonstrate how microscopists can effectively use LLMs to learn new concepts, troubleshoot methods, and generate starting points for analysis scripts.

3.1 Multi-modal AI: Vision-Language Models and Generative AI

Moving beyond text-only interfaces, multi-modal models combine language understanding with visual processing capabilities. This section explores how Vision-Language Models (VLMs) like GPT-4o can “see” and interpret microscopy images, assist with image annotation, and even aid in experimental design. We'll also cover generative AI technologies including diffusion models that can create synthetic training data, perform style transfer, or convert microscopy images into vector graphics for publications.

3.2 AI Agents for Microscopy Workflows

AI agents represent the next evolution - autonomous systems that combine language understanding with specialized scientific knowledge and the ability to execute actions. We'll examine microscopy-specific tools like Omega and the BioImage.io chatbot that can perform complex bioimage analysis workflows through natural language instructions. This section will explore

chain-of-thought reasoning, code generation and execution capabilities, and how these agents use visual feedback to iteratively improve results.

3.3 Challenges and Limitations

While powerful, AI assistants come with significant limitations that microscopists must understand. This section addresses critical challenges including: - and factual errors in generated content - The “black box” nature of models and concerns about reproducibility - Alignment problems when tools lack domain-specific knowledge - The need for human validation and the dangers of overreliance - Practical strategies for steering models toward scientifically valid outputs

3.4 Future Directions

The intersection of LLMs and microscopy is rapidly evolving. This final section examines emerging capabilities and future possibilities, including: - Generalist vision-language models capable of performing diverse analysis tasks - Models that can directly transform input images into processed outputs - The integration of AI agents with microscope hardware for fully autonomous imaging - Smart microscopy systems that adapt acquisition parameters based on real-time image understanding - Ethical considerations and best practices for responsible AI adoption in biological research

3.5 Practical Guide: Getting Started with LLMs for Microscopy

This hands-on section provides step-by-step guidance for microscopists to begin leveraging LLMs effectively, including: - Crafting effective prompts that produce reliable, scientific outputs - Using ChatGPT and similar tools to learn imaging concepts and generate analysis code - Getting started with BioImage.io tools and microscopy-specific AI agents - Strategies for validating and verifying AI-generated solutions - Example workflows demonstrating LLM integration into real microscopy analysis tasks

4 Architectures and Loss Models

optionally add a subtitle

Under your first header, include a brief introduction to your chapter.

Starting prompt for this chapter: Chapter 4 introduces architectures and loss models, defining them and providing examples through two practical case studies: image restoration and segmentation. Although this chapter will include code snippets/exercises, the presentation of essential concepts should communicate the philosophy behind the choice of a model for non-programmers.

4.1 Include section headers as appropriate

Use markdown heading level two for section headers. You can use standard markdown formatting, for example *emphasize the end of this sentence*.

This is a new paragraph with more text. Your paragraphs can cross reference other items, such as Figure [11.1](#). Use `fig` to reference figures, and `eq` to reference equations, such as Equation [11.1](#).

4.1.1 Sub-subsection headers are also available

To make your sections cross reference-able throughout the book, include a section reference, as shown in the header for Section [11.4](#).

4.2 Bibliography and Citations

To cite a research article, add it to `references.bib` and then refer to the citation key. For example, `reference1` refers to CellPose and `reference2` refers to ZeroCostDL4Mic.

4.3 Adding to the Glossary

We are using R code to create a glossary for this book. To add a definition, edit the `glossary.yml` file. To reference the glossary, enclose the word as in these examples: LLMs suffer from [hallucinations](#). It is important to understand the underlying [training data](#), [validation data](#) and [false positives](#) to interpret your results. Clicking on the word will reveal its definition by taking you to the entry on the [Glossary](#) page. Pressing back in your browser will return you to your previous place in the textbook.

4.4 Code and Equations

This is an example of including a python snippet that generates a figure

```
import matplotlib.pyplot as plt
plt.plot([1,23,2,4])
plt.show()
```




Figure 4.1: Simple Plot

In some cases, you may want to include a code-block that is not executed when the book is compiled. Use the `eval: false` option for this.

```
import matplotlib.pyplot as plt
plt.plot([1,23,2,4])
plt.show()
```

Figures can also be generated that do not show the code by using the option for `code-fold: true`.

```
import numpy as np
import matplotlib.pyplot as plt

r = np.arange(0, 2, 0.01)
theta = 2 * np.pi * r
fig, ax = plt.subplots(
    subplot_kw = {'projection': 'polar'}
)
ax.plot(theta, r)
ax.set_rticks([0.5, 1, 1.5, 2])
ax.grid(True)
plt.show()
```




Figure 4.2: A spiral on a polar axis

Here is an example equation.

$$s = \sqrt{\frac{1}{N-1} \sum_{i=1}^N (x_i - \bar{x})^2} \quad (4.1)$$

4.4.1 Embedding Figures

You can also embed figures from other notebooks in the repo as shown in the following embed example.




Figure 4.3: Polar plot of circles of random areas at random coords

When embedding notebooks, please store the .ipynb file in the notebook directory. Include the chapter in the name of your file. For example, `chapter4_example_u-net.ipynb`. This is how we will handle chapter- or example-specific environments. We will host notebooks on Google Colab so that any required packages for the code—but not for rendering the book at large—will be installed there. That way, we will not need to handle a global environment across the book.

4.5 Quarto has additional features.

You can learn more about markdown options and additional Quarto features in the [Quarto documentation](#). One example that you might find interesting is the option to include callouts in your text. These callouts can be used to highlight potential pitfalls or provide additional optional exercises that the reader might find helpful. Below are examples of the types of callouts available in Quarto.

Note

Note that there are five types of callouts, including: **note**, **tip**, **warning**, **caution**, and **important**. They can default to open (like this example) or collapsed (example below).

Tip

These could be good for extra material or exercises.

Caution

There are caveats when applying these tools. Expand the code below to learn more.

```
r = np.arange(0, 2, 0.01)
theta = 2 * np.pi * r
```

Warning

Be careful to avoid hallucinations.

Important

This is key information.

Part II

Image Acquisition

5 Collecting Training Data

Image Collection and Considerations

Under your first header, include a brief introduction to your chapter.

Starting prompt for this chapter: Chapter 5 discusses collecting, annotating and validating training data. It should highlight potential pitfalls such as balanced data sets, out-of-distribution problems, etc. It should also address the question: how do you collect training data on your microscope? For example, this chapter should discuss collecting low/high-laser power pairs for the purpose of training an image restoration model.

5.1 Include section headers as appropriate

Use markdown heading level two for section headers. You can use standard markdown formatting, for example *emphasize the end of this sentence*.

This is a new paragraph with more text. Your paragraphs can cross reference other items, such as Figure [11.1](#). Use `fig` to reference figures, and `eq` to reference equations, such as Equation [11.1](#).

5.1.1 Sub-subsection headers are also available

To make your sections cross reference-able throughout the book, include a section reference, as shown in the header for Section [11.4](#).

5.2 Bibliography and Citations

To cite a research article, add it to `references.bib` and then refer to the citation key. For example, `reference1` refers to CellPose and `reference2` refers to ZeroCostDL4Mic.

5.3 Adding to the Glossary

We are using R code to create a glossary for this book. To add a definition, edit the `glossary.yml` file. To reference the glossary, enclose the word as in these examples: LLMs suffer from [hallucinations](#). It is important to understand the underlying [training data](#), [validation data](#) and [false positives](#) to interpret your results. Clicking on the word will reveal its definition by taking you to the entry on the [Glossary](#) page. Pressing back in your browser will return you to your previous place in the textbook.

5.4 Code and Equations

This is an example of including a python snippet that generates a figure

```
import matplotlib.pyplot as plt
plt.plot([1,23,2,4])
plt.show()
```




Figure 5.1: Simple Plot

In some cases, you may want to include a code-block that is not executed when the book is compiled. Use the `eval: false` option for this.

```
import matplotlib.pyplot as plt
plt.plot([1,23,2,4])
plt.show()
```

Figures can also be generated that do not show the code by using the option for `code-fold: true`.

```
import numpy as np
import matplotlib.pyplot as plt

r = np.arange(0, 2, 0.01)
theta = 2 * np.pi * r
fig, ax = plt.subplots(
    subplot_kw = {'projection': 'polar'}
)
ax.plot(theta, r)
ax.set_rticks([0.5, 1, 1.5, 2])
ax.grid(True)
plt.show()
```




Figure 5.2: A spiral on a polar axis

Here is an example equation.

$$s = \sqrt{\frac{1}{N-1} \sum_{i=1}^N (x_i - \bar{x})^2} \quad (5.1)$$

5.4.1 Embedding Figures

You can also embed figures from other notebooks in the repo as shown in the following embed example.




Figure 5.3: Polar plot of circles of random areas at random coords

When embedding notebooks, please store the .ipynb file in the notebook directory. Include the chapter in the name of your file. For example, `chapter4_example_u-net.ipynb`. This is how we will handle chapter- or example-specific environments. We will host notebooks on Google Colab so that any required packages for the code—but not for rendering the book at large—will be installed there. That way, we will not need to handle a global environment across the book.

5.5 Quarto has additional features.

You can learn more about markdown options and additional Quarto features in the [Quarto documentation](#). One example that you might find interesting is the option to include callouts in your text. These callouts can be used to highlight potential pitfalls or provide additional optional exercises that the reader might find helpful. Below are examples of the types of callouts available in Quarto.

Note

Note that there are five types of callouts, including: **note**, **tip**, **warning**, **caution**, and **important**. They can default to open (like this example) or collapsed (example below).

Tip

These could be good for extra material or exercises.

Caution

There are caveats when applying these tools. Expand the code below to learn more.

```
r = np.arange(0, 2, 0.01)
theta = 2 * np.pi * r
```

Warning

Be careful to avoid hallucinations.

Important

This is key information.

6 Extending Your Hardware With AI

Image Restoration and Related Tools

Under your first header, include a brief introduction to your chapter.

Starting prompt for this chapter: This image restoration focused chapter motivates how AI can improve the image quality beyond hardware limitations. This chapter should include image restoration (denoising) and sensor-less AO (deep-learning-based AO); other topics can be included at the author's discretion.

Notes from the authors' meeting: This chapter can start with a broader overview of the topic, which will reference existing reviews on the topic. Then the chapter will focus on a denoising tutorial, which will include discussions of potential pitfalls and best practices.

6.1 Include section headers as appropriate

Use markdown heading level two for section headers. You can use standard markdown formatting, for example *emphasize the end of this sentence*.

This is a new paragraph with more text. Your paragraphs can cross reference other items, such as Figure [11.1](#). Use `fig` to reference figures, and `eq` to reference equations, such as Equation [11.1](#).

6.1.1 Sub-subsection headers are also available

To make your sections cross reference-able throughout the book, include a section reference, as shown in the header for Section [11.4](#).

6.2 Bibliography and Citations

To cite a research article, add it to `references.bib` and then refer to the citation key. For example, `reference1` refers to CellPose and `reference2` refers to ZeroCostDL4Mic.

6.3 Adding to the Glossary

We are using the extension [Quarto-glossary](#) to create a glossary for this book. To add a definition, edit the `glossary.yml` file. To reference the glossary, enclose the word as in these examples: LLMs suffer from . It is important to understand the underlying to interpret your results. Clicking on the word will reveal its definition. The complete glossary for the book will be listed in the [Glossary](#).

6.4 Code and Equations

This is an example of including a python snippet that generates a figure

```
import matplotlib.pyplot as plt
plt.plot([1,23,2,4])
plt.show()
```




Figure 6.1: Simple Plot

In some cases, you may want to include a code-block that is not executed when the book is compiled. Use the `eval: false` option for this.

```
import matplotlib.pyplot as plt
plt.plot([1,23,2,4])
plt.show()
```

Figures can also be generated that do not show the code by using the option for `code-fold: true`.

```
import numpy as np
import matplotlib.pyplot as plt

r = np.arange(0, 2, 0.01)
theta = 2 * np.pi * r
fig, ax = plt.subplots(
    subplot_kw = {'projection': 'polar'}
)
ax.plot(theta, r)
ax.set_rticks([0.5, 1, 1.5, 2])
ax.grid(True)
plt.show()
```




Figure 6.2: A spiral on a polar axis

Here is an example equation.

$$s = \sqrt{\frac{1}{N-1} \sum_{i=1}^N (x_i - \bar{x})^2} \quad (6.1)$$

6.4.1 Embedding Figures

You can also embed figures from other notebooks in the repo as shown in the following embed example.




Figure 6.3: Polar plot of circles of random areas at random coords

When embedding notebooks, please store the .ipynb file in the notebook directory. Include the chapter in the name of your file. For example, `chapter4_example_u-net.ipynb`. This is how we will handle chapter- or example-specific environments. We will host notebooks on Google Colab so that any required packages for the code—but not for rendering the book at large—will be installed there. That way, we will not need to handle a global environment across the book.

6.5 Quarto has additional features.

You can learn more about markdown options and additional Quarto features in the [Quarto documentation](#). One example that you might find interesting is the option to include callouts in your text. These callouts can be used to highlight potential pitfalls or provide additional optional exercises that the reader might find helpful. Below are examples of the types of callouts available in Quarto.

Note

Note that there are five types of callouts, including: **note**, **tip**, **warning**, **caution**, and **important**. They can default to open (like this example) or collapsed (example below).

Tip

These could be good for extra material or exercises.

Caution

There are caveats when applying these tools. Expand the code below to learn more.

```
r = np.arange(0, 2, 0.01)
theta = 2 * np.pi * r
```

Warning

Be careful to avoid hallucinations.

Important

This is key information.

7 Adding AI to Your Hardware

An Introduction to Smart Microscopy

- Introduction
 - Define and motivate the “problem”
 - * What is a Biological “Event”?
 - Why is it important to study these?
 - How is it distinct from an “Object”?
- Setting the bounds
 - What kinds of signals are we looking to extract events from?
 - What spatiotemporal scales are relevant?
 - What types of microscopes/imaging assays are in the scope of this chapter?
 - * Limiting the scope
- Brief history/evolution of automated event/object detection in general
 - Offer some background to current methods
 - * Including classical up to SVM
 - e.g micropilot and limitations
 - Case Study #1 : CellProfiler
 - Case Study #2 : Micropilot
- The need for new methods
 - Deep learning based and ML approaches
 - * Where the algorithm learns what is important
 - * What are the advantages of these methods?
 - What has been done recently in the literature?
 - * What is required to label, train and implement these methods?
 - Special considerations for event detection modesl
 - Specifics of event detection in contast the other ML tasks
- Real-time vs a posteriori inference

- Challenges, opportunities
 - Event detection as the first step in the microscopy workflow
- Limitations and notes of caution related to inference
 - “Trusting the algorithms”
- Conclusion

Part III

Image Analysis

8 Finding and Using Existing Tools

Under your first header, include a brief introduction to your chapter.

Starting prompt for this chapter: Chapter 8 should discuss pre-existing tools that do not require programming knowledge. The chapter should start with a brief discussion of what to consider when searching for pre-trained models and software packages on sites (e.g., BioImage Model Zoo, Bioimage Informatics Index (BIII), image.sc). This should be followed by a discussion of a few specific tools (e.g., CellProfiler, Cellpose, ImageJ's Weka Segmentation), highlighting what to look for in a tool, potential pitfalls, etc.

8.1 Include section headers as appropriate

Use markdown heading level two for section headers. You can use standard markdown formatting, for example *emphasize the end of this sentence*.

This is a new paragraph with more text. Your paragraphs can cross reference other items, such as Figure [11.1](#). Use `fig` to reference figures, and `eq` to reference equations, such as Equation [11.1](#).

8.1.1 Sub-subsection headers are also available

To make your sections cross reference-able throughout the book, include a section reference, as shown in the header for Section [11.4](#).

8.2 Bibliography and Citations

To cite a research article, add it to references.bib and then refer to the citation key. For example, `reference1` refers to CellPose and `reference2` refers to ZeroCostDL4Mic.

8.3 Adding to the Glossary

We are using the extension [Quarto-glossary](#) to create a glossary for this book. To add a definition, edit the `glossary.yml` file. To reference the glossary, enclose the word as in these examples: LLMs suffer from `.` It is important to understand the underlying to interpret your results. Clicking on the word will reveal its definition. The complete glossary for the book will be listed in the [Glossary](#).

8.4 Code and Equations

This is an example of including a python snippet that generates a figure

```
import matplotlib.pyplot as plt
plt.plot([1,23,2,4])
plt.show()
```




Figure 8.1: Simple Plot

In some cases, you may want to include a code-block that is not executed when the book is compiled. Use the `eval: false` option for this.

```
import matplotlib.pyplot as plt
plt.plot([1,23,2,4])
plt.show()
```

Figures can also be generated that do not show the code by using the option for `code-fold: true`.

```
import numpy as np
import matplotlib.pyplot as plt

r = np.arange(0, 2, 0.01)
theta = 2 * np.pi * r
fig, ax = plt.subplots(
    subplot_kw = {'projection': 'polar'}
)
ax.plot(theta, r)
ax.set_rticks([0.5, 1, 1.5, 2])
ax.grid(True)
plt.show()
```




Figure 8.2: A spiral on a polar axis

Here is an example equation.

$$s = \sqrt{\frac{1}{N-1} \sum_{i=1}^N (x_i - \bar{x})^2} \quad (8.1)$$

8.4.1 Embedding Figures

You can also embed figures from other notebooks in the repo as shown in the following embed example.




Figure 8.3: Polar plot of circles of random areas at random coords

When embedding notebooks, please store the .ipynb file in the notebook directory. Include the chapter in the name of your file. For example, `chapter4_example_u-net.ipynb`. This is how we will handle chapter- or example-specific environments. We will host notebooks on Google Colab so that any required packages for the code—but not for rendering the book at large—will be installed there. That way, we will not need to handle a global environment across the book.

8.5 Quarto has additional features.

You can learn more about markdown options and additional Quarto features in the [Quarto documentation](#). One example that you might find interesting is the option to include callouts in your text. These callouts can be used to highlight potential pitfalls or provide additional optional exercises that the reader might find helpful. Below are examples of the types of callouts available in Quarto.

Note

Note that there are five types of callouts, including: **note**, **tip**, **warning**, **caution**, and **important**. They can default to open (like this example) or collapsed (example below).

Tip

These could be good for extra material or exercises.

Caution

There are caveats when applying these tools. Expand the code below to learn more.

```
r = np.arange(0, 2, 0.01)
theta = 2 * np.pi * r
```

Warning

Be careful to avoid hallucinations.

Important

This is key information.

9 Training and Using Your Own Models

optionally add a subtitle

Under your first header, include a brief introduction to your chapter.

Starting prompt for this chapter: Chapter 9 discusses the considerations (e.g., over/under-fitting, parameter choices) for training a new model and tools to help getting started (e.g. DL4MicEverywhere). It should include a primer on cloud-based computing tools such as Docker, Google Colab, etc. to highlight the potential for training models without bespoke hardware in house. This chapter should demonstrate a walk-through of training a model for segmentation, following the throughline of the book.

9.1 Include section headers as appropriate

Use markdown heading level two for section headers. You can use standard markdown formatting, for example *emphasize the end of this sentence*.

This is a new paragraph with more text. Your paragraphs can cross reference other items, such as Figure [11.1](#). Use `fig` to reference figures, and `eq` to reference equations, such as Equation [11.1](#).

9.1.1 Sub-subsection headers are also available

To make your sections cross reference-able throughout the book, include a section reference, as shown in the header for Section [11.4](#).

9.2 Bibliography and Citations

To cite a research article, add it to `references.bib` and then refer to the citation key. For example, `reference1` refers to CellPose and `reference2` refers to ZeroCostDL4Mic.

9.3 Adding to the Glossary

We are using the extension [Quarto-glossary](#) to create a glossary for this book. To add a definition, edit the `glossary.yml` file. To reference the glossary, enclose the word as in these examples: LLMs suffer from . It is important to understand the underlying to interpret your results. Clicking on the word will reveal its definition. The complete glossary for the book will be listed in the [Glossary](#).

9.4 Code and Equations

This is an example of including a python snippet that generates a figure

```
import matplotlib.pyplot as plt
plt.plot([1,23,2,4])
plt.show()
```




Figure 9.1: Simple Plot

In some cases, you may want to include a code-block that is not executed when the book is compiled. Use the `eval: false` option for this.

```
import matplotlib.pyplot as plt
plt.plot([1,23,2,4])
plt.show()
```

Figures can also be generated that do not show the code by using the option for `code-fold: true`.

```
import numpy as np
import matplotlib.pyplot as plt

r = np.arange(0, 2, 0.01)
theta = 2 * np.pi * r
fig, ax = plt.subplots(
    subplot_kw = {'projection': 'polar'}
)
ax.plot(theta, r)
ax.set_rticks([0.5, 1, 1.5, 2])
ax.grid(True)
plt.show()
```




Figure 9.2: A spiral on a polar axis

Here is an example equation.

$$s = \sqrt{\frac{1}{N-1} \sum_{i=1}^N (x_i - \bar{x})^2} \quad (9.1)$$

9.4.1 Embedding Figures

You can also embed figures from other notebooks in the repo as shown in the following embed example.




Figure 9.3: Polar plot of circles of random areas at random coords

When embedding notebooks, please store the .ipynb file in the notebook directory. Include the chapter in the name of your file. For example, `chapter4_example_u-net.ipynb`. This is how we will handle chapter- or example-specific environments. We will host notebooks on Google Colab so that any required packages for the code—but not for rendering the book at large—will be installed there. That way, we will not need to handle a global environment across the book.

9.5 Quarto has additional features.

You can learn more about markdown options and additional Quarto features in the [Quarto documentation](#). One example that you might find interesting is the option to include callouts in your text. These callouts can be used to highlight potential pitfalls or provide additional optional exercises that the reader might find helpful. Below are examples of the types of callouts available in Quarto.

Note

Note that there are five types of callouts, including: **note**, **tip**, **warning**, **caution**, and **important**. They can default to open (like this example) or collapsed (example below).

Tip

These could be good for extra material or exercises.

Caution

There are caveats when applying these tools. Expand the code below to learn more.

```
r = np.arange(0, 2, 0.01)
theta = 2 * np.pi * r
```

Warning

Be careful to avoid hallucinations.

Important

This is key information.

10 Output Quality

Through the Lens of Segmentation

Under your first header, include a brief introduction to your chapter.

Starting prompt for this chapter: Chapter 10 addresses how to assess the quality of a model's output, mentioning Metrics Reloaded. This chapter should address the question: how do I know my model is good enough? It should frame this discussion using the example of a segmentation model and discuss how tools can identify uncertain decisions from a model.

10.1 Include section headers as appropriate

Use markdown heading level two for section headers. You can use standard markdown formatting, for example *emphasize the end of this sentence*.

This is a new paragraph with more text. Your paragraphs can cross reference other items, such as Figure [11.1](#). Use `fig` to reference figures, and `eq` to reference equations, such as Equation [11.1](#).

10.1.1 Sub-subsection headers are also available

To make your sections cross reference-able throughout the book, include a section reference, as shown in the header for Section [11.4](#).

10.2 Bibliography and Citations

To cite a research article, add it to `references.bib` and then refer to the citation key. For example, `reference1` refers to CellPose and `reference2` refers to ZeroCostDL4Mic.

10.3 Adding to the Glossary

We are using R code to create a glossary for this book. To add a definition, edit the glossary.yml file. To reference the glossary, enclose the word as in these examples: LLMs suffer from [hallucinations](#). It is important to understand the underlying [training data](#), [validation data](#) and [false positives](#) to interpret your results. Clicking on the word will reveal its definition by taking you to the entry on the [Glossary](#) page. Pressing back in your browser will return you to your previous place in the textbook.

10.4 Code and Equations

This is an example of including a python snippet that generates a figure

```
import matplotlib.pyplot as plt
plt.plot([1,23,2,4])
plt.show()
```




Figure 10.1: Simple Plot

In some cases, you may want to include a code-block that is not executed when the book is compiled. Use the `eval: false` option for this.

```
import matplotlib.pyplot as plt
plt.plot([1,23,2,4])
plt.show()
```

Figures can also be generated that do not show the code by using the option for `code-fold: true`.

```
import numpy as np
import matplotlib.pyplot as plt

r = np.arange(0, 2, 0.01)
theta = 2 * np.pi * r
fig, ax = plt.subplots(
    subplot_kw = {'projection': 'polar'}
)
ax.plot(theta, r)
ax.set_rticks([0.5, 1, 1.5, 2])
ax.grid(True)
plt.show()
```




Figure 10.2: A spiral on a polar axis

Here is an example equation.

$$s = \sqrt{\frac{1}{N-1} \sum_{i=1}^N (x_i - \bar{x})^2} \quad (10.1)$$

10.4.1 Embedding Figures

You can also embed figures from other notebooks in the repo as shown in the following embed example.




Figure 10.3: Polar plot of circles of random areas at random coords

When embedding notebooks, please store the .ipynb file in the notebook directory. Include the chapter in the name of your file. For example, `chapter4_example_u-net.ipynb`. This is how we will handle chapter- or example-specific environments. We will host notebooks on Google Colab so that any required packages for the code—but not for rendering the book at large—will be installed there. That way, we will not need to handle a global environment across the book.

10.5 Quarto has additional features.

You can learn more about markdown options and additional Quarto features in the [Quarto documentation](#). One example that you might find interesting is the option to include callouts in your text. These callouts can be used to highlight potential pitfalls or provide additional optional exercises that the reader might find helpful. Below are examples of the types of callouts available in Quarto.

Note

Note that there are five types of callouts, including: **note**, **tip**, **warning**, **caution**, and **important**. They can default to open (like this example) or collapsed (example below).

Tip

These could be good for extra material or exercises.

Caution

There are caveats when applying these tools. Expand the code below to learn more.

```
r = np.arange(0, 2, 0.01)
theta = 2 * np.pi * r
```

Warning

Be careful to avoid hallucinations.

Important

This is key information.

11 Outlook

What can AI enable for biology?

Under your first header, include a brief introduction to your chapter.

Starting prompt for this chapter: Chapter 11 concludes the book with a forward-looking assessment of AI in microscopy, focusing on how it can/will enable biological discovery. It should highlight a few motivational examples of discoveries that AI has already enabled and discuss opportunities to which the reader is primed to contribute after reading this book.

11.1 Include section headers as appropriate

Use markdown heading level two for section headers. You can use standard markdown formatting, for example *emphasize the end of this sentence*.

This is a new paragraph with more text. Your paragraphs can cross reference other items, such as Figure [11.1](#). Use `fig` to reference figures, and `eq` to reference equations, such as Equation [11.1](#).

11.1.1 Sub-subsection headers are also available

To make your sections cross reference-able throughout the book, include a section reference, as shown in the header for Section [11.4](#).

11.2 Bibliography and Citations

To cite a research article, add it to `references.bib` and then refer to the citation key. For example, `reference1` refers to CellPose and `reference2` refers to ZeroCostDL4Mic.

11.3 Adding to the Glossary

We are using R code to create a glossary for this book. To add a definition, edit the `glossary.yml` file. To reference the glossary, enclose the word as in these examples: LLMs suffer from [hallucinations](#). It is important to understand the underlying [training data](#), [validation data](#) and [false positives](#) to interpret your results. Clicking on the word will reveal its definition by taking you to the entry on the [Glossary](#) page. Pressing back in your browser will return you to your previous place in the textbook.

11.4 Code and Equations

This is an example of including a python snippet that generates a figure

```
import matplotlib.pyplot as plt
plt.plot([1,23,2,4])
plt.show()
```




Figure 11.1: Simple Plot

In some cases, you may want to include a code-block that is not executed when the book is compiled. Use the `eval: false` option for this.


```
import matplotlib.pyplot as plt
plt.plot([1,23,2,4])
plt.show()
```

Figures can also be generated that do not show the code by using the option for `code-fold: true`.

```
import numpy as np
import matplotlib.pyplot as plt

r = np.arange(0, 2, 0.01)
theta = 2 * np.pi * r
fig, ax = plt.subplots(
    subplot_kw = {'projection': 'polar'}
)
ax.plot(theta, r)
ax.set_rticks([0.5, 1, 1.5, 2])
ax.grid(True)
plt.show()
```




Figure 11.2: A spiral on a polar axis

Here is an example equation.

$$s = \sqrt{\frac{1}{N-1} \sum_{i=1}^N (x_i - \bar{x})^2} \quad (11.1)$$

11.4.1 Embedding Figures

You can also embed figures from other notebooks in the repo as shown in the following embed example.




Figure 11.3: Polar plot of circles of random areas at random coords

When embedding notebooks, please store the .ipynb file in the notebook directory. Include the chapter in the name of your file. For example, `chapter4_example_u-net.ipynb`. This is how we will handle chapter- or example-specific environments. We will host notebooks on Google Colab so that any required packages for the code—but not for rendering the book at large—will be installed there. That way, we will not need to handle a global environment across the book.

11.5 Quarto has additional features.

You can learn more about markdown options and additional Quarto features in the [Quarto documentation](#). One example that you might find interesting is the option to include callouts in your text. These callouts can be used to highlight potential pitfalls or provide additional optional exercises that the reader might find helpful. Below are examples of the types of callouts available in Quarto.

Note

Note that there are five types of callouts, including: **note**, **tip**, **warning**, **caution**, and **important**. They can default to open (like this example) or collapsed (example below).

Tip

These could be good for extra material or exercises.

Caution

There are caveats when applying these tools. Expand the code below to learn more.

```
r = np.arange(0, 2, 0.01)
theta = 2 * np.pi * r
```

Warning

Be careful to avoid hallucinations.

Important

This is key information.

Glossary

False Negatives

Temporary definition.

False Positives

Temporary definition.

Hallucinations

Outputs from a model that do not have a basis in the input data and may contain false or misleading information.

Inferences

Temporary definition.

Semantic Segmentation

Temporary definition.

Test Data

Temporary definition.

Training Data

Data used to train an algorithm to make predictions.

True Negatives

Temporary definition.

True Positives

Temporary definition.

Validation Data

Temporary definition.

References

1. Stringer, C., Wang, T., Michaelos, M. & Pachitariu, M. [Cellpose: A generalist algorithm for cellular segmentation](#). *Nature Methods* **18**, 100–106 (2021).
2. Chamier, L. von *et al.* [Democratising deep learning for microscopy with ZeroCostDL4Mic](#). *Nature Communications* **12**, 2276 (2021).