

Question ID fb46b28e

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Equivalent expressions	Easy

ID: fb46b28e

Which expression is equivalent to $12x + 27$?

- A. $12(9x + 1)$
- B. $27(12x + 1)$
- C. $3(4x + 9)$
- D. $3(9x + 24)$

ID: fb46b28e Answer

Correct Answer: C

Rationale

Choice C is correct. Each term in the given expression, $12x + 27$, has a common factor of 3 . Therefore, the expression can be rewritten as $3(4x) + 3(9)$, or $3(4x + 9)$. Thus, the expression $3(4x + 9)$ is equivalent to the given expression.

Choice A is incorrect. This expression is equivalent to $108x + 12$, not $12x + 27$.

Choice B is incorrect. This expression is equivalent to $324x + 27$, not $12x + 27$.

Choice D is incorrect. This expression is equivalent to $27x + 72$, not $12x + 27$.

Question Difficulty: Easy

Question ID 4bed3f66

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Equivalent expressions	Easy

ID: 4bed3f66

Which expression is equivalent to $34x + 34y$?

- A. $34xy$
- B. $34(x + y)$
- C. $68y$
- D. $68x$

ID: 4bed3f66 Answer

Correct Answer: B

Rationale

Choice B is correct. Since **34** is a common factor of each term in the given expression, the expression can be rewritten as **$34(x + y)$** .

Choice A is incorrect and may result from conceptual or calculation errors.

Choice C is incorrect. This expression is equivalent to **$34y + 34y$** .

Choice D is incorrect. This expression is equivalent to **$34x + 34x$** .

Question Difficulty: Easy

Question ID 401c7c6c

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Equivalent expressions	Easy

ID: 401c7c6c

Which expression is equivalent to $9x + 6x + 2y + 3y$?

- A. $3x + 5y$
- B. $6x + 8y$
- C. $12x + 8y$
- D. $15x + 5y$

ID: 401c7c6c Answer

Correct Answer: D

Rationale

Choice D is correct. Combining like terms in the given expression yields $(9x + 6x) + (2y + 3y)$, or $15x + 5y$.

Choice A is incorrect and may result from conceptual or calculation errors.

Choice B is incorrect and may result from conceptual or calculation errors.

Choice C is incorrect and may result from conceptual or calculation errors.

Question Difficulty: Easy

Question ID 695e5620

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Equivalent expressions	Easy

ID: 695e5620

Which expression is equivalent to $20w - (4w + 3w)$?

- A. $10w$
- B. $13w$
- C. $19w$
- D. $21w$

ID: 695e5620 Answer

Correct Answer: B

Rationale

Choice B is correct. Combining like terms inside the parentheses of the given expression, $20w - (4w + 3w)$, yields $20w - (7w)$. Combining like terms in this resulting expression yields $13w$.

Choice A is incorrect and may result from conceptual or calculation errors.

Choice C is incorrect and may result from conceptual or calculation errors.

Choice D is incorrect and may result from conceptual or calculation errors.

Question Difficulty: Easy

Question ID dfb59051

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Equivalent expressions	Easy

ID: dfb59051

Which expression is equivalent to $(m^4q^4z^{-1})(mq^5z^3)$, where m , q , and z are positive?

- A. $m^4q^{20}z^{-3}$
- B. $m^5q^9z^2$
- C. $m^6q^8z^{-1}$
- D. $m^{20}q^{12}z^{-2}$

ID: dfb59051 Answer

Correct Answer: B

Rationale

Choice B is correct. Applying the commutative property of multiplication, the expression $(m^4q^4z^{-1})(mq^5z^3)$ can be rewritten as $(m^4m)(q^4q^5)(z^{-1}z^3)$. For positive values of x , $(x^a)(x^b) = x^{a+b}$. Therefore, the expression $(m^4m)(q^4q^5)(z^{-1}z^3)$ can be rewritten as $(m^{4+1})(q^{4+5})(z^{-1+3})$, or $m^5q^9z^2$.

Choice A is incorrect and may result from multiplying, not adding, the exponents.

Choice C is incorrect and may result from conceptual or calculation errors.

Choice D is incorrect and may result from conceptual or calculation errors.

Question Difficulty: Easy

Question ID 5d3181be

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Equivalent expressions	Easy

ID: 5d3181be

Which expression is equivalent to $256w^2 - 676$?

- A. $(16w - 26)(16w - 26)$
- B. $(8w - 13)(8w + 13)$
- C. $(8w - 13)(8w - 13)$
- D. $(16w - 26)(16w + 26)$

ID: 5d3181be Answer

Correct Answer: D

Rationale

Choice D is correct. The given expression follows the difference of two squares pattern, $x^2 - y^2$, which factors as $(x - y)(x + y)$. Therefore, the expression $256w^2 - 676$ can be written as $(16w)^2 - 26^2$, or $(16w)(16w) - (26)(26)$, which factors as $(16w - 26)(16w + 26)$.

Choice A is incorrect. This expression is equivalent to $256w^2 - 832w + 676$.

Choice B is incorrect. This expression is equivalent to $64w^2 - 169$.

Choice C is incorrect. This expression is equivalent to $64w^2 - 208w + 169$.

Question Difficulty: Easy

Question ID c1e3234d

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Equivalent expressions	Easy

ID: c1e3234d

Which expression is equivalent to $23x^3 + 2x^2 + 9x$?

- A. $23x(x^2 + 2x + 9)$
- B. $9x(23x^3 + 2x^2 + 1)$
- C. $x(23x^2 + 2x + 9)$
- D. $34(x^3 + x^2 + x)$

ID: c1e3234d Answer

Correct Answer: C

Rationale

Choice C is correct. Since x is a common factor of each term in the given expression, the given expression can be rewritten as $x(23x^2 + 2x + 9)$.

Choice A is incorrect. This expression is equivalent to $23x^3 + 46x^2 + 207x$.

Choice B is incorrect. This expression is equivalent to $207x^4 + 18x^3 + 9x$.

Choice D is incorrect. This expression is equivalent to $34x^3 + 34x^2 + 34x$.

Question Difficulty: Easy

Question ID 1429f6b2

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Equivalent expressions	Easy

ID: 1429f6b2

Which expression is equivalent to $17(x^2 - 100y^2)$?

- A. $17(x - 2y)(x - 50y)$
- B. $17(x - 2y)(x + 50y)$
- C. $17(x - 10y)(x - 10y)$
- D. $17(x - 10y)(x + 10y)$

ID: 1429f6b2 Answer

Correct Answer: D

Rationale

Choice D is correct. Expressions in the form $a^2 - b^2$ follow the difference of two squares pattern and can be factored as $(a - b)(a + b)$. In the given expression, $17(x^2 - 100y^2)$, the expression $x^2 - 100y^2$ follows the difference of two squares pattern. It follows that the expression $x^2 - 100y^2$ can be rewritten as $(x - 10y)(x + 10y)$. Therefore, the expression $17(x - 10y)(x + 10y)$ is equivalent to $17(x^2 - 100y^2)$.

Choice A is incorrect. This expression is equivalent to $17(x^2 - 52xy + 100y^2)$, not $17(x^2 - 100y^2)$.

Choice B is incorrect. This expression is equivalent to $17(x^2 + 48xy - 100y^2)$, not $17(x^2 - 100y^2)$.

Choice C is incorrect. This expression is equivalent to $17(x^2 - 20xy + 100y^2)$, not $17(x^2 - 100y^2)$.

Question Difficulty: Easy

Question ID d926a0a9

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Equivalent expressions	Easy

ID: d926a0a9

Which expression is equivalent to $9x^2 + 5x$?

- A. $x(9x + 5)$
- B. $5x(9x + 1)$
- C. $9x(x + 5)$
- D. $x^2(9x + 5)$

ID: d926a0a9 Answer

Correct Answer: A

Rationale

Choice A is correct. Since x is a factor of each term in the given expression, the expression is equivalent to $x(9x) + x(5)$, or $x(9x + 5)$.

Choice B is incorrect. This expression is equivalent to $45x^2 + 5x$, not $9x^2 + 5x$.

Choice C is incorrect. This expression is equivalent to $9x^2 + 45x$, not $9x^2 + 5x$.

Choice D is incorrect. This expression is equivalent to $9x^3 + 5x^2$, not $9x^2 + 5x$.

Question Difficulty: Easy

Question ID a3d03f49

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Equivalent expressions	Easy

ID: a3d03f49

Which expression is equivalent to $x^2 + 3x - 40$?

- A. $(x - 4)(x + 10)$
- B. $(x - 5)(x + 8)$
- C. $(x - 8)(x + 5)$
- D. $(x - 10)(x + 4)$

ID: a3d03f49 Answer

Correct Answer: B

Rationale

Choice B is correct. The given expression may be rewritten as $x^2 + 8x - 5x - 40$. Since the first two terms of this expression have a common factor of x and the last two terms of this expression have a common factor of -5 , this expression may be rewritten as $x(x) + x(8) - 5(x) - 5(8)$, or $x(x + 8) - 5(x + 8)$. Since each term of this expression has a common factor of $(x + 8)$, it may be rewritten as $(x - 5)(x + 8)$.

Alternate approach: An expression of the form $x^2 + bx + c$, where b and c are constants, can be factored if there are two values that add to give b and multiply to give c . In the given expression, $b = 3$ and $c = -40$. The values of -5 and 8 add to give 3 and multiply to give -40 , so the expression can be factored as $(x - 5)(x + 8)$.

Choice A is incorrect. This expression is equivalent to $x^2 + 6x - 40$, not $x^2 + 3x - 40$.

Choice C is incorrect. This expression is equivalent to $x^2 - 3x - 40$, not $x^2 + 3x - 40$.

Choice D is incorrect. This expression is equivalent to $x^2 - 6x - 40$, not $x^2 + 3x - 40$.

Question Difficulty: Easy

Question ID bace9af4

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Equivalent expressions	Easy

ID: bace9af4

Which expression is equivalent to $16x^3y^2 + 14xy$?

- A. $2xy(8xy + 7)$
- B. $2xy(8x^2y + 7)$
- C. $14xy(2x^2y + 1)$
- D. $14xy(8x^2y + 1)$

ID: bace9af4 Answer

Correct Answer: B

Rationale

Choice B is correct. Since $2xy$ is a common factor of each term in the given expression, the expression can be rewritten as $2xy(8x^2y + 7)$.

Choice A is incorrect. This expression is equivalent to $16x^2y^2 + 14xy$.

Choice C is incorrect. This expression is equivalent to $28x^3y^2 + 14xy$.

Choice D is incorrect. This expression is equivalent to $112x^3y^2 + 14xy$.

Question Difficulty: Easy

Question ID a1bb87b1

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Equivalent expressions	Easy

ID: a1bb87b1

Which expression is equivalent to $11x^3 - 5x^3$?

- A. $16x^3$
- B. $6x^3$
- C. $6x^6$
- D. $16x^6$

ID: a1bb87b1 Answer

Correct Answer: B

Rationale

Choice B is correct. The given expression can be rewritten as $11x^3 + (-5)x^3$. Since the two terms of this expression are both constant multiples of x^3 , they are like terms and can, therefore, be combined through addition. Adding like terms in the expression $11x^3 + (-5)x^3$ yields $6x^3$.

Choice A is incorrect. This is equivalent to $11x^3 + 5x^3$, not $11x^3 - 5x^3$.

Choice C is incorrect. This is equivalent to $11x^6 - 5x^6$, not $11x^3 - 5x^3$.

Choice D is incorrect. This is equivalent to $11x^6 + 5x^6$, not $11x^3 - 5x^3$.

Question Difficulty: Easy

Question ID 3e4e9da8

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Equivalent expressions	Easy

ID: 3e4e9da8

Which expression is equivalent to $5x^5 - 6x^4 + 8x^3$?

- A. $x^4(5x - 6)$
- B. $x^3(5x^2 - 6x + 8)$
- C. $8x^3(5x^2 - 6x + 1)$
- D. $6x^5(-6x^4 + 8x^3 + 1)$

ID: 3e4e9da8 Answer

Correct Answer: B

Rationale

Choice B is correct. Since x^3 is a common factor of each term in the given expression, the expression can be rewritten as $x^3(5x^2 - 6x + 8)$.

Choice A is incorrect. This expression is equivalent to $5x^5 - 6x^4$.

Choice C is incorrect. This expression is equivalent to $40x^5 - 48x^4 + 8x^3$.

Choice D is incorrect. This expression is equivalent to $-36x^9 + 48x^8 + 6x^5$.

Question Difficulty: Easy

Question ID 2dfb2204

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Equivalent expressions	Easy

ID: 2dfb2204

Which expression is equivalent to $50x^2 + 5x^2$?

- A. $250x^2$
- B. $10x^2$
- C. $45x^2$
- D. $55x^2$

ID: 2dfb2204 Answer

Correct Answer: D

Rationale

Choice D is correct. The given expression shows addition of two like terms. Therefore, the given expression is equivalent to $(50 + 5)x^2$, or $55x^2$.

Choice A is incorrect. This expression is equivalent to $(50)(5)x^2$, not $(50 + 5)x^2$.

Choice B is incorrect. This expression is equivalent to $(\frac{50}{5})x^2$, not $(50 + 5)x^2$.

Choice C is incorrect. This expression is equivalent to $(50 - 5)x^2$, not $(50 + 5)x^2$.

Question Difficulty: Easy

Question ID 97f3dbe0

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Equivalent expressions	Easy

ID: 97f3dbe0

Which expression is equivalent to $9x^2 + 7x^2 + 9x$?

- A. $63x^4 + 9x$
- B. $9x^2 + 16x$
- C. $25x^5$
- D. $16x^2 + 9x$

ID: 97f3dbe0 Answer

Correct Answer: D

Rationale

Choice D is correct. In the given expression, the first two terms, $9x^2$ and $7x^2$, are like terms. Combining these like terms yields $9x^2 + 7x^2$, or $16x^2$. It follows that the expression $9x^2 + 7x^2 + 9x$ is equivalent to $16x^2 + 9x$.

Choice A is incorrect and may result from conceptual or calculation errors.

Choice B is incorrect and may result from conceptual or calculation errors.

Choice C is incorrect and may result from conceptual or calculation errors.

Question Difficulty: Easy

Question ID 0e803cba

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Equivalent expressions	Easy

ID: 0e803cba

Which expression is equivalent to $16(x + 15)$?

- A. $16x + 31$
- B. $16x + 240$
- C. $16x + 1$
- D. $16x + 15$

ID: 0e803cba Answer

Correct Answer: B

Rationale

Choice B is correct. The expression $16(x + 15)$ can be rewritten as $16(x) + 16(15)$, which is equivalent to $16x + 240$.

Choice A is incorrect and may result from conceptual or calculation errors.

Choice C is incorrect and may result from conceptual or calculation errors.

Choice D is incorrect and may result from conceptual or calculation errors.

Question Difficulty: Easy

Question ID 33206a54

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Equivalent expressions	Easy

ID: 33206a54

Which expression is equivalent to $(9x^3 + 5x + 7) + (6x^3 + 5x^2 - 5)$?

- A. $15x^6 + 5x^2 - 5x - 35$
- B. $15x^3 + 10x^2 + 2$
- C. $15x^6 + 5x^2 + 5x + 2$
- D. $15x^3 + 5x^2 + 5x + 2$

ID: 33206a54 Answer

Correct Answer: D

Rationale

Choice D is correct. The given expression can be rewritten as $(9x^3 + 6x^3) + 5x^2 + 5x + (7 - 5)$. Combining like terms in this expression yields $15x^3 + 5x^2 + 5x + 2$.

Choice A is incorrect and may result from conceptual or calculation errors.

Choice B is incorrect and may result from conceptual or calculation errors.

Choice C is incorrect and may result from conceptual or calculation errors.

Question Difficulty: Easy

Question ID fbcace7b

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Equivalent expressions	Easy

ID: fbcace7b

Which expression is equivalent to $(2x^2 + x - 9) + (x^2 + 6x + 1)$?

- A. $2x^2 + 7x + 10$
- B. $2x^2 + 6x - 8$
- C. $3x^2 + 7x - 10$
- D. $3x^2 + 7x - 8$

ID: fbcace7b Answer

Correct Answer: D

Rationale

Choice D is correct. The given expression is equivalent to $(2x^2 + x + (-9)) + (x^2 + 6x + 1)$, which can be rewritten as $(2x^2 + x^2) + (x + 6x) + (-9 + 1)$. Adding like terms in this expression yields $3x^2 + 7x + (-8)$, or $3x^2 + 7x - 8$.

Choice A is incorrect and may result from conceptual or calculation errors.

Choice B is incorrect and may result from conceptual or calculation errors.

Choice C is incorrect and may result from conceptual or calculation errors.

Question Difficulty: Easy

Question ID 7cfe6c55

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Equivalent expressions	Easy

ID: 7cfe6c55

Which expression is equivalent to $8 + d^2 + 3$?

- A. $d^2 + 24$
- B. $d^2 + 11$
- C. $d^2 + 5$
- D. $d^2 - 11$

ID: 7cfe6c55 Answer

Correct Answer: B

Rationale

Choice B is correct. The given expression can be rewritten as $d^2 + 8 + 3$. Adding 8 and 3 in this expression yields $d^2 + 11$.

Choice A is incorrect. This expression is equivalent to $d^2 + 8(3)$.

Choice C is incorrect. This expression is equivalent to $8 + d^2 - 3$.

Choice D is incorrect. This expression is equivalent to $-8 + d^2 - 3$.

Question Difficulty: Easy

Question ID 9b0ca0dc

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Equivalent expressions	Easy

ID: 9b0ca0dc

Which expression is equivalent to $5x^2 - 50xy^2$?

- A. $5x(x - 10y^2)$
- B. $5x(x - 50y^2)$
- C. $5x^2(10xy^2)$
- D. $5x^2(50xy^2)$

ID: 9b0ca0dc Answer

Correct Answer: A

Rationale

Choice A is correct. Since each term of the given expression has a factor of $5x$, it can be rewritten as $5x(x) - 5x(10y^2)$, or $5x(x - 10y^2)$.

Choice B is incorrect and may result from conceptual or calculation errors.

Choice C is incorrect and may result from conceptual or calculation errors.

Choice D is incorrect and may result from conceptual or calculation errors.

Question Difficulty: Easy

Question ID d2cae91a

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Equivalent expressions	Easy

ID: d2cae91a

Which expression is equivalent to $12x^3 - 5x^3$?

- A. $7x^6$
- B. $17x^3$
- C. $7x^3$
- D. $17x^6$

ID: d2cae91a Answer

Correct Answer: C

Rationale

Choice C is correct. The given expression shows subtraction of two like terms. The two terms can be subtracted as follows: $12x^3 - 5x^3 = (12 - 5)x^3$, or $7x^3$.

Choice A is incorrect and may result from conceptual or calculation errors.

Choice B is incorrect. This is the result of adding, not subtracting, the two like terms.

Choice D is incorrect and may result from conceptual or calculation errors.

Question Difficulty: Easy

Question ID d1340aa3

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Equivalent expressions	Easy

ID: d1340aa3

Which expression is a factor of $2x^2 + 38x + 10$?

- A. 2
- B. $5x$
- C. $38x$
- D. $2x^2$

ID: d1340aa3 Answer

Correct Answer: A

Rationale

Choice A is correct. Since 2 is a common factor of each of the terms in the given expression, the expression can be rewritten as $2(x^2 + 19x + 5)$. Therefore, the factors of the given expression are 2 and $x^2 + 19x + 5$. Of these two factors, only 2 is listed as a choice.

Choice B is incorrect and may result from conceptual or calculation errors.

Choice C is incorrect. This is a term of the given expression, not a factor of the given expression.

Choice D is incorrect. This is a term of the given expression, not a factor of the given expression.

Question Difficulty: Easy

Question ID 611fd50b

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Equivalent expressions	Easy

ID: 611fd50b

Which expression is equivalent to $19(x^2 - 7)$?

- A. $19x^2 - 133$
- B. $19x^2 - 26$
- C. $19x^2 - 7$
- D. $19x^2 + 12$

ID: 611fd50b Answer

Correct Answer: A

Rationale

Choice A is correct. The expression $19(x^2 - 7)$ can be rewritten as $19(x^2) - 19(7)$, which is equivalent to $19x^2 - 133$.

Choice B is incorrect and may result from conceptual or calculation errors.

Choice C is incorrect and may result from conceptual or calculation errors.

Choice D is incorrect and may result from conceptual or calculation errors.

Question Difficulty: Easy

Question ID 5df44e78

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Equivalent expressions	Easy

ID: 5df44e78

Which expression is equivalent to $(8yz)(y)(7z)$?

- A. $56y^2z^2$
- B. $56y^2z$
- C. $56yz$
- D. $16yz$

ID: 5df44e78 Answer

Correct Answer: A

Rationale

Choice A is correct. The given expression can be rewritten as $(8 \cdot 7)(y \cdot y)(z \cdot z)$, which is equivalent to $(56)(y^2)(z^2)$, or $56y^2z^2$.

Choice B is incorrect. This expression is equivalent to $(8yz)(y)(7)$.

Choice C is incorrect. This expression is equivalent to $(8z)(y)(7)$.

Choice D is incorrect and may result from conceptual or calculation errors.

Question Difficulty: Easy