

WEB SCRAPING - WORKSHEET 4

In Q1 to Q14 have one or more than one correct options, Choose all the correct options:

| 1. | Which of the following functions can be used to get an element from webpage when we know the Name attribute of the element? |
|-----|---|
| | B) get_element_by_name() |
| | C) find_element_by_name() |
| 2. | Which of the following functions can be used when you want to locate an element by tag name? |
| | A) get_elements_by_tagsid() B) get_element_by_tagsid() |
| | In what type of Waits, a WebDriver waits for a certain condition to occur before proceeding further with execution. |
| | C) Both of them |
| | Which of the following is an expected condition in selenium (python)? B) visibility_of |
| | C) staleness_of |
| 5. | Which of the following is a disadvantage of html5lib parser in beautiful soup? B) Very Slow |
| | C) External Pyhton Dependency |
| 6. | What are the advantages of using Scrapy over Selenium for web-scraping? |
| | A) For large data Scrapy is faster than selenium |
| | B) It supports javascript better than Selenium |
| | C) Scrapy is better than Selenium for simple projects |
| 7. | D) All of the above Which of the following is (are) true regarding Scrapy? |
| | A) spiders are classes which define how a certain site will be scrapped.B) spiders are the place where you define the custom behaviour for crawling. |
| | |
| | C) both A & B 8. Full form of HTML: |
| | A) Hyper Text Mark language B) Hyper Text Mark language |
| | C) Hyper Text Markup Language ++++++++ D) Hyper Text Mining Link |
| 9. | Which among the following is the correct syntax for parsing a html page? |
| | A) soup=BeautifulSoup(html_doc, html) B) soup=BeautifulSoup(html_doc, 'html.parser') |
| | |
| 10. | Which among the following is not a valid parser in BeautifulSoup? |
| | A) "lxml" B) "html.parser" C) "lxml-xml" |
| 11. | Which of the following functions is used to go to the next element in the page? B) Find_all() |
| | C) find_next() |
| 12. | Which of the following functions are used to iterate over an element's siblings that precede it in the tree? |
| | B) Get_prev_sibs() |
| | C) get_siblings() |
| | |
| | |



- 13. Which of the following is an argument used in find_all() which tells Beautiful Soup to stop gathering results after it's found a certain number.
 - A) stop_at

B) stop_before

- B) limit
- 14. How would you set the recursive argument in find_all() if you want Beautiful Soup to consider only the direct children.
 - A) recursive = True
 - C) recursive argument has no effect

Q15 is subjective answer type question, Answer it briefly.

15. What is the difference between find() and find_all() in Beautiful Soup?



