

Image Classification Extension

<https://github.com/aiyshwary/Image-Classification-Extension-in-Rapid-Miner>

[Python](#)

[PyTorch](#)

[ONNX](#)

[RapidMiner](#)

[Transfer Learning](#)

OVERVIEW

A RapidMiner Studio extension enabling no-code transfer learning for image classification, supporting fine-tuning of popular CNN architectures on custom datasets and ONNX-based inference without writing a single line of code.

IMPACT

Developed a RapidMiner extension with two custom operators — Fine Tuning and Inference — enabling practitioners to apply transfer learning with ResNet, VGGNet, DenseNet, Inception and more using a drag-and-drop interface.

TECHNICAL WALKTHROUGH

Problem Statement

In real-world scenarios, image datasets vary significantly in size, quality, and domain. A fixed model often fails to generalize well. Hence, there is a need for a customizable image classification system that can adapt to different datasets while maintaining good accuracy.

Approach

Built an image classification extension using TensorFlow and PyTorch

Leveraged transfer learning with pre-trained models such as

i) ResNet

ii) AlexNet

iii) VGG

iv) SqueezeNet

v) DenseNet

vi) Inception

vii) Vision Transformers (ViT, DeiT via Hugging Face)

viii) Fine-Tuning

ix) Dataset organized in class-wise folders

x) Automatic 75% training / 25% validation split

Customizable parameters

i) Number of layers

ii) Batch size

iii) Learning rate

iv) Optimizer

v) Epochs

vi) Used data augmentation, class-weighted learning, and callbacks

vii) like early stopping and learning-rate scheduling

viii) Inference

ix) Trained model exported to ONNX

x) Images are preprocessed and passed to the model

Output includes

i) Predicted class label

ii) Confidence score

iii) Images are automatically placed into output folders based on

iv) predicted class

v) Results

vi) Animal classification: ~87% accuracy

vii) Facial emotion recognition: ~80% accuracy

viii) Flower dataset: ~94% accuracy

KEY DETAILS

1. Fine Tuning operator accepts an image directory and hyperparameters; outputs a fine-tuned model in ONNX format.

2. Inference operator loads the ONNX model and outputs a prediction DataFrame with classified labels.

3. Supports ResNet, AlexNet, VGGNet, SqueezeNet, DenseNet, and Inception architectures.

4. Compatible with both CPU and GPU (CUDA) environments via configurable conda environment.

5. Installed as a JAR extension in RapidMiner Studio with Python Scripting backend.

6. Inference operator requires four inputs: the ONNX model path, image path, class-label text file, and result directory — organizing classified output images alongside the prediction DataFrame.

7. Depends on Custom Operators ($\geq 1.1.0$) and Python Scripting ($\geq 10.0.1$) marketplace extensions with a pinned conda environment (Python 3.10.8, ONNX 1.15.0, ONNX Runtime 1.15.1).