

PROFORMA INVOICE

| | | | | | |
|--|----------------|--|---|--|----------------|
| 1) Beneficiary/Manufacturer Jeil Medical Corporation 702.703.704.705.706.804.805.807.812-ho, 55 Digital-ro 34-gil Guro-Gu Seoul, 152-728, Korea | | | 8)No. & date of invoice PI-OTM211213 | | |
| 2) Consignee Tel: +593 98 102 2101 Jairo pineda coral (RUC #0957116478001) Dirección metropolis 2b Mz 1011 Solar18 090106, Guayaquil, Ecuador | | | 9)Payment : T/T Advanced (50% upon confirmation of purchase orden & 50% before shipping) | | |
| | | | 10)L/C Issuing Bank N/A | | |
| 3) Notify Party Same as Consignee | | | 11)Terms of Delivery EXW SEOUL | | |
| 4)Port of Loading Korean AirPort | | 5)Final Destination Guayaquil, Ecuador | | 12)Remarks : Bank Account Industrial Bank of Korea Swift Code: IBKOKRSE Account No.: 149-041658-56-00013 Address: 740-5,Daelim-Dong,Youngdeungpo-Ku, Seoul, Korea. | |
| 6)Carrier DHL 967710156 | | 7)Sailing on or about | | | |
| 13)Marks & number of Packing | | | 14)Description of Goods | | 16) Qty |
| No. | HS CODE | Product Code | | | |
| Hand (2Set) + Reposicion Tornillo | | | | | |
| 1 | | 15L-HF-006 | Locking | | 40 |
| 2 | | 15L-HF-007 | Locking | | 40 |
| 3 | | 15L-HF-008 | Locking | | 40 |
| 4 | | 15L-HF-009 | Locking | | 40 |
| 5 | | 15L-HF-010 | Locking | | 40 |
| 6 | | 15L-HF-011 | Locking | | 10 |
| 7 | | 15L-HF-012 | Locking | | 10 |
| 8 | | 15L-HF-013 | Locking | | 10 |
| 9 | | 15L-HF-014 | Locking | | 10 |
| 10 | | 15L-HF-016 | Locking | | 10 |
| 11 | | 15L-HF-018 | Locking | | 10 |
| 12 | | 15L-HF-020 | Locking | | 10 |
| 13 | | 15-HC-006 | Cortical | | 10 |
| 14 | | 15-HC-007 | Cortical | | 10 |
| 15 | | 15-HC-008 | Cortical | | 10 |
| 16 | | 15-HC-009 | Cortical | | 10 |
| 17 | | 15-HC-010 | Cortical | | 10 |
| 18 | | 15-HC-011 | Cortical | | 10 |
| 19 | | 15-HC-012 | Cortical | | 10 |
| 20 | | 15-HC-013 | Cortical | | 10 |
| 21 | | 15-HC-014 | Cortical | | 10 |
| 22 | | 15-HC-016 | Cortical | | 10 |
| 23 | | 15-HC-018 | Cortical | | 10 |
| 24 | | 15-HC-020 | Cortical | | 10 |
| 25 | | 18-HC-006 | Cortical | | 10 |
| 26 | | 18-HC-010 | Cortical | | 10 |
| 27 | | 20L-HF-006 | Locking | | 10 |
| 28 | | 20L-HF-007 | Locking | | 10 |
| 29 | | 20L-HF-008 | Locking | | 10 |
| 30 | | 20L-HF-009 | Locking | | 10 |
| 31 | | 20L-HF-010 | Locking | | 10 |
| 32 | | 20L-HF-011 | Locking | | 10 |
| 33 | | 20L-HF-012 | Locking | | 10 |
| 34 | | 20L-HF-013 | Locking | | 10 |
| 35 | | 20L-HF-014 | Locking | | 10 |
| 36 | | 20L-HF-016 | Locking | | 10 |
| 37 | | 20L-HF-018 | Locking | | 10 |
| 38 | | 20L-HF-020 | Locking | | 10 |
| 39 | | 20-HF-006 | Cortical | | 10 |
| 40 | | 20-HF-007 | Cortical | | 10 |
| 41 | | 20-HF-008 | Cortical | | 10 |
| 42 | | 20-HF-009 | Cortical | | 10 |
| 43 | | 20-HF-010 | Cortical | | 10 |
| 44 | | 20-HF-011 | Cortical | | 10 |
| 45 | | 20-HF-012 | Cortical | | 10 |
| 46 | | 20-HF-013 | Cortical | | 10 |
| 47 | | 20-HF-014 | Cortical | | 10 |
| 48 | | 20-HF-016 | Cortical | | 10 |

| | | | | | |
|--|--|----------------|--|--|----|
| 49 | | 20-HF-018 | Cortical | | 10 |
| 50 | | 20-HF-020 | Cortical | | 10 |
| 51 | | 23-FC-006 | Cortical | | 10 |
| 52 | | 23-FC-010 | Cortical | | 10 |
| 53 | | H1L-ST-006 | Straight | | 6 |
| 54 | | H1L-ST-016 | Straight | | 6 |
| 55 | | H1L-ST-104 | Straight | | 6 |
| 56 | | H1L-QD-112 | Matrix | | 6 |
| 57 | | H1L-TP-007 | T Plate | | 6 |
| 58 | | H1L-YP-006 | Y Plate | | 6 |
| 59 | | H1L-LL-005 | L Plate, Left | | 6 |
| 60 | | H1L-LR-005 | L Plate, Right | | 6 |
| 61 | | H2L-ST-004 | Straight | | 6 |
| 62 | | H2L-ST-006 | Straight | | 6 |
| 63 | | H2L-ST-016 | Straight | | 6 |
| 64 | | H2L-QD-006 | Matrix | | 6 |
| 65 | | H2L-TP-007 | T Plate | | 6 |
| 66 | | H2L-YP-006 | Y Plate | | 6 |
| 67 | | H2L-YP-007 | Y Plate | | 6 |
| 68 | | H2L-LL-006 | L Plate, Left | | 6 |
| 69 | | H2L-LR-006 | L Plate, Right | | 6 |
| 70 | | H2L-ST-104-13 | Straight | | 6 |
| 71 | | H2L-ST-105-13 | Straight | | 6 |
| 72 | | H2L-ST-106-13 | Straight | | 6 |
| 73 | | H2L-ST-208-13 | Straight | | 6 |
| 74 | | H2L-TP-006-13 | T Plate | | 6 |
| 75 | | H2L-TP-010-13 | T Plate | | 6 |
| 76 | | H2L-LL-006-13 | L Plate, Left | | 6 |
| 77 | | H2L-LR-006-13 | L Plate, Right | | 6 |
| 78 | | H2L-LL-010-13 | L Plate, Left | | 6 |
| 79 | | H2L-LR-010-13 | L Plate, Right | | 6 |
| 80 | | 111-010 | Screwdriver Handle | | 4 |
| 81 | | 114-008 | Plate Bender | | 4 |
| 82 | | 114-009 | Forceps | | 2 |
| 83 | | 112-15-702 | Drill Bit Ø1.2, 20mm, 67mm, 93mm, AO | | 4 |
| 84 | | 112-15-701-L | Drill Bit Ø1.6, Lag, 10mm, 12mm, 38mm, AO | | 2 |
| 85 | | 111-124 | Drill Sleeve, Fixed Angle, Ø1.2 | | 2 |
| 86 | | 111-125 | Drill Sleeve, Variable Angle, Ø1.2 | | 2 |
| 87 | | 113-NF-101 | Screwdriver Shaft, Cross | | 4 |
| 88 | | 111-046 | Drill Guide, Fixed & Compression, Ø1.2 | | 2 |
| 89 | | 111-027 | Depth Gauge | | 2 |
| 90 | | 112-20-701 | Drill Bit Ø1.6, 20mm, 72mm, 93mm, AO | | 4 |
| 91 | | 112-20-701-L | Drill Bit Ø2.1, Lag, 10mm, 12mm, 38mm, AO | | 2 |
| 92 | | 111-078 | Drill Sleeve, Fixed Angle, Ø1.6 | | 2 |
| 93 | | 111-079 | Drill Sleeve, Variable Angle, Ø1.6 | | 2 |
| 94 | | 113-HF-103 | Screwdriver Shaft, Hexa | | 4 |
| 95 | | 111-047 | Drill Guide, Fixed & Compression, Ø1.6 | | 2 |
| 96 | | 111-028 | Depth Gauge | | 2 |
| 97 | | 112-104 | ARIX Hand 1.5 / 2.0 System Tray | | 2 |
| Radius (2set) + Reposicion Tornillo & Placa | | | | | |
| 98 | | 25-DVRA-109-R | Standard, Right, Medium | | 6 |
| 99 | | 25-DVRA-109-L | Standard, Left, Medium | | 6 |
| 100 | | 25-DVRA-110-R | Standard, Right, Medium | | 9 |
| 101 | | 25-DVRA-110-L | Standard, Left, Medium | | 9 |
| 102 | | 25-DVRA-111-R | Standard, Right, Medium | | 7 |
| 103 | | 25-DVRA-111-L | Standard, Left, Medium | | 7 |
| 104 | | 111-082-R | Drill Guide Block, Standard, Medium, Right | | 2 |
| 105 | | 111-082-L | Drill Guide Block, Standard, Medium, Left | | 2 |
| 106 | | 25-DVRA-209-R | Standard, Right, Large | | 16 |
| 107 | | 25-DVRA-209-L | Standard, Left, Large | | 16 |
| 108 | | 25-DVRA-210-R | Standard, Right, Large | | 9 |
| 109 | | 25-DVRA-210-L | Standard, Left, Large | | 9 |
| 110 | | 25-DVRA-211-R | Standard, Right, Large | | 7 |
| 111 | | 25-DVRA-211-L | Standard, Left, Large | | 7 |
| 112 | | 111-083-R | Drill Guide Block, Standard, Large, Right | | 2 |
| 113 | | 111-083-L | Drill Guide Block, Standard, Large, Left | | 2 |
| 114 | | 25-DVRA-309-R | Standard, Right, Ex-Large | | 11 |
| 115 | | 25-DVRA-309-L | Standard, Left, Ex-Large | | 11 |
| 116 | | 25-DVRA-310-R | Standard, Right, Ex-Large | | 9 |
| 117 | | 25-DVRA-310-L | Standard, Left, Ex-Large | | 9 |
| 118 | | 25-DVRA-311-R | Standard, Right, Ex-Large | | 7 |
| 119 | | 25-DVRA-311-L | Standard, Left, Ex-Large | | 7 |
| 120 | | 111-095-R | Drill Guide Block, Standard, Ex-Large, Right | | 2 |
| 121 | | 111-095-L | Drill Guide Block, Standard, Ex-Large, Left | | 2 |
| 122 | | 25R-DVRA-108-R | Volar Rim, Right, Medium | | 4 |
| 123 | | 25R-DVRA-108-L | Volar Rim, Left, Medium | | 4 |
| 124 | | 25R-DVRA-110-R | Volar Rim, Right, Medium | | 4 |

| | | | | | |
|---|--|----------------|---|--|-----|
| 125 | | 25R-DVRA-110-L | Volar Rim, Left, Medium | | 4 |
| 126 | | 111-227-R | Drill Guide Block, Volar Rim, Medium, Right | | 2 |
| 127 | | 111-227-L | Drill Guide Block, Volar Rim, Medium, Left | | 2 |
| 128 | | 25R-DVRA-209-R | Volar Rim, Right, Large | | 4 |
| 129 | | 25R-DVRA-209-L | Volar Rim, Left, Large | | 4 |
| 130 | | 25R-DVRA-211-R | Volar Rim, Right, Large | | 4 |
| 131 | | 25R-DVRA-211-L | Volar Rim, Left, Large | | 4 |
| 132 | | 111-228-R | Drill Guide Block, Volar Rim, Large, Right | | 2 |
| 133 | | 111-228-L | Drill Guide Block, Volar Rim, Large, Left | | 2 |
| 134 | | 25J-DVRA-108-R | Juxta, Right, Medium | | 14 |
| 135 | | 25J-DVRA-108-L | Juxta, Left, Medium | | 14 |
| 136 | | 25J-DVRA-110-R | Juxta, Right, Medium | | 9 |
| 137 | | 25J-DVRA-110-L | Juxta, Left, Medium | | 9 |
| 138 | | 111-229-R | Drill Guide Block, Juxta, Medium, Right | | 2 |
| 139 | | 111-229-L | Drill Guide Block, Juxta, Medium, Left | | 2 |
| 140 | | 25J-DVRA-209-R | Juxta, Right, Large | | 14 |
| 141 | | 25J-DVRA-209-L | Juxta, Left, Large | | 14 |
| 142 | | 25J-DVRA-211-R | Juxta, Right, Large | | 9 |
| 143 | | 25J-DVRA-211-L | Juxta, Left, Large | | 9 |
| 144 | | 111-230-R | Drill Guide Block, Juxta, Large, Right | | 2 |
| 145 | | 111-230-L | Drill Guide Block, Juxta, Large, Left | | 2 |
| 146 | | 25L-SO-008-TA | Locking | | 20 |
| 147 | | 25L-SO-010-TA | Locking | | 30 |
| 148 | | 25L-SO-012-TA | Locking | | 60 |
| 149 | | 25L-SO-014-TA | Locking | | 130 |
| 150 | | 25L-SO-016-TA | Locking | | 130 |
| 151 | | 25L-SO-018-TA | Locking | | 130 |
| 152 | | 25L-SO-020-TA | Locking | | 120 |
| 153 | | 25L-SO-022-TA | Locking | | 110 |
| 154 | | 25L-SO-024-TA | Locking | | 110 |
| 155 | | 25L-SO-026-TA | Locking | | 10 |
| 156 | | 25-SO-008-TA | Cortical | | 10 |
| 157 | | 25-SO-010-TA | Cortical | | 10 |
| 158 | | 25-SO-012-TA | Cortical | | 20 |
| 159 | | 25-SO-014-TA | Cortical | | 30 |
| 160 | | 25-SO-016-TA | Cortical | | 30 |
| 161 | | 25-SO-018-TA | Cortical | | 30 |
| 162 | | 25-SO-020-TA | Cortical | | 20 |
| 163 | | 25-SO-022-TA | Cortical | | 20 |
| 164 | | 25-SO-024-TA | Cortical | | 10 |
| 165 | | 25-SO-026-TA | Cortical | | 10 |
| 166 | | 15L-HF-008 | Locking | | 10 |
| 167 | | 15L-HF-010 | Locking | | 10 |
| 168 | | 15L-HF-012 | Locking | | 10 |
| 169 | | 25P-SO-010-TA | Peg, Smooth | | 10 |
| 170 | | 25P-SO-012-TA | Peg, Smooth | | 10 |
| 171 | | 25P-SO-014-TA | Peg, Smooth | | 10 |
| 172 | | 25P-SO-016-TA | Peg, Smooth | | 10 |
| 173 | | 25P-SO-018-TA | Peg, Smooth | | 10 |
| 174 | | 25P-SO-020-TA | Peg, Smooth | | 10 |
| 175 | | 25P-SO-022-TA | Peg, Smooth | | 10 |
| 176 | | 25P-SO-024-TA | Peg, Smooth | | 10 |
| 177 | | 25P-SO-026-TA | Peg, Smooth | | 10 |
| 178 | | 25P-SO-028-TA | Peg, Smooth | | 10 |
| 179 | | 25P-SO-030-TA | Peg, Smooth | | 10 |
| 180 | | 111-226 | Drill Sleeve for 1.5 Screws(Rim Type), Fixed Angle | | 2 |
| 181 | | 111-101 | Drill Sleeve for 2.5 Screws(Distal), Fixed Angle | | 2 |
| 182 | | 111-103 | Drill Sleeve, Variable Angle | | 2 |
| 183 | | 111-157 | Drill Sleeve Handle, Variable Angle | | 2 |
| 184 | | 112-15-702 | Drill Bit Ø1.2, 20mm, 67mm, 93mm, AO | | 4 |
| 185 | | 112-25-701 | Drill Bit Ø2.0, 20mm, 84mm, 110mm, AO | | 4 |
| 186 | | 113-NF-101 | Screwdriver Shaft, Cross | | 4 |
| 187 | | 113-HF-613 | Screwdriver Shaft, STARIX T8 | | 4 |
| 188 | | 111-080 | Drill Guide | | 2 |
| 189 | | 111-075 | Depth Gauge | | 2 |
| 190 | | 111-092 | Screwdriver Handle | | 4 |
| 191 | | 114-009 | Grasping Forceps | | 2 |
| 192 | | 111-068-2 | Guide Pin Ø1.1 | | 20 |
| 193 | | 111-096 | Dispenser | | 2 |
| 194 | | 26.0240.17 | Plate Bender, Ipc, Used as a Pair | | 4 |
| 195 | | 112-129 | Full Tray, Includes outer container, instrument holder & 5 module | | 2 |
| CLAVICLE (1Set) + Reposicion Placa y Tornillos | | | | | |
| 196 | | 35-SLCL-004-R | Superior Lateral, Right | | 4 |
| 197 | | 35-SLCL-005-R | Superior Lateral, Right | | 5 |
| 198 | | 35-SLCL-006-R | Superior Lateral, Right | | 5 |
| 199 | | 35-SLCL-007-R | Superior Lateral, Right | | 5 |
| 200 | | 35-SLCL-008-R | Superior Lateral, Right | | 2 |

| | | | | | |
|-----|--|----------------|---|--|-----|
| 201 | | 35-SLCL-009-R | Superior Lateral, Right | | 2 |
| 202 | | 35-SLCL-004-L | Superior Lateral, Left | | 2 |
| 203 | | 35-SLCL-005-L | Superior Lateral, Left | | 5 |
| 204 | | 35-SLCL-006-L | Superior Lateral, Left | | 5 |
| 205 | | 35-SLCL-007-L | Superior Lateral, Left | | 5 |
| 206 | | 35-SLCL-008-L | Superior Lateral, Left | | 2 |
| 207 | | 35-SLCL-009-L | Superior Lateral, Left | | 2 |
| 208 | | 35-SMCL-006-R | Superior Midshaft, Decreased, Right | | 2 |
| 209 | | 35-SMCL-007-R | Superior Midshaft, Decreased, Right | | 7 |
| 210 | | 35-SMCL-008-R | Superior Midshaft, Decreased, Right | | 7 |
| 211 | | 35-SMCL-009-R | Superior Midshaft, Decreased, Right | | 4 |
| 212 | | 35-SMCL-010-R | Superior Midshaft, Decreased, Right | | 2 |
| 213 | | 35-SMCL-008-Rl | Superior Midshaft, Increased, Right | | 2 |
| 214 | | 35-SMCL-010-Rl | Superior Midshaft, Increased, Right | | 2 |
| 215 | | 35-SMCL-006-L | Superior Midshaft, Decreased, Left | | 7 |
| 216 | | 35-SMCL-007-L | Superior Midshaft, Decreased, Left | | 7 |
| 217 | | 35-SMCL-008-L | Superior Midshaft, Decreased, Left | | 4 |
| 218 | | 35-SMCL-009-L | Superior Midshaft, Decreased, Left | | 2 |
| 219 | | 35-SMCL-010-L | Superior Midshaft, Decreased, Left | | 2 |
| 220 | | 35-SMCL-008-Ll | Superior Midshaft, Increased, Left | | 2 |
| 221 | | 35-SMCL-010-Ll | Superior Midshaft, Increased, Left | | 2 |
| 222 | | 35L-SO-L10-TA | Locking | | 15 |
| 223 | | 35L-SO-L12-TA | Locking | | 20 |
| 224 | | 35L-SO-L14-TA | Locking | | 110 |
| 225 | | 35L-SO-L16-TA | Locking | | 110 |
| 226 | | 35L-SO-L18-TA | Locking | | 70 |
| 227 | | 35L-SO-L20-TA | Locking | | 70 |
| 228 | | 35L-SO-L22-TA | Locking | | 10 |
| 229 | | 35L-SO-L24-TA | Locking | | 10 |
| 230 | | 35L-SO-L26-TA | Locking | | 10 |
| 231 | | 35L-SO-L28-TA | Locking | | 10 |
| 232 | | 35L-SO-L30-TA | Locking | | 10 |
| 233 | | 35L-SO-L32-TA | Locking | | 10 |
| 234 | | 35L-SO-L34-TA | Locking | | 10 |
| 235 | | 35-SO-L10-T | Cortical | | 10 |
| 236 | | 35-SO-L12-T | Cortical | | 15 |
| 237 | | 35-SO-L14-T | Cortical | | 35 |
| 238 | | 35-SO-L16-T | Cortical | | 35 |
| 239 | | 35-SO-L18-T | Cortical | | 35 |
| 240 | | 35-SO-L20-T | Cortical | | 35 |
| 241 | | 35-SO-L22-T | Cortical | | 35 |
| 242 | | 35-SO-L24-T | Cortical | | 5 |
| 243 | | 35-SO-L26-T | Cortical | | 5 |
| 244 | | 35-SO-L28-T | Cortical | | 5 |
| 245 | | 35-SO-L30-T | Cortical | | 5 |
| 246 | | 35-SO-L32-T | Cortical | | 5 |
| 247 | | 35-SO-L34-T | Cortical | | 5 |
| 248 | | 25L-SO-008-TA | Locking | | 5 |
| 249 | | 25L-SO-010-TA | Locking | | 5 |
| 250 | | 25L-SO-012-TA | Locking | | 5 |
| 251 | | 25L-SO-014-TA | Locking | | 5 |
| 252 | | 25L-SO-016-TA | Locking | | 5 |
| 253 | | 25L-SO-018-TA | Locking | | 5 |
| 254 | | 25L-SO-020-TA | Locking | | 5 |
| 255 | | 25L-SO-022-TA | Locking | | 5 |
| 256 | | 25L-SO-024-TA | Locking | | 5 |
| 257 | | 25L-SO-026-TA | Locking | | 5 |
| 258 | | 111-101 | Drill Sleeve, Fixed Angle, Ø2.0 | | 1 |
| 259 | | 111-103 | Drill Sleeve, Variable Angle, Ø2.0 | | 1 |
| 260 | | 111-173 | Drill Sleeve, Fixed Angle, Ø2.7 | | 1 |
| 261 | | 111-171 | Drill Sleeve, Variable Angle, Ø2.7 | | 1 |
| 262 | | 111-157 | Drill Sleeve Handle, Variable Angle | | 2 |
| 263 | | 112-25-701 | Drill Bit Ø2.0, 20mm, 84mm, 110mm, AO | | 2 |
| 264 | | 112-35-703 | Drill Bit Ø2.7, 25mm, 92mm, 118mm, AO | | 2 |
| 265 | | 113-HF-613 | Screwdriver Shaft for STARIX T8 | | 2 |
| 266 | | 113-HF-619 | Screwdriver Shaft for STARIX T10 | | 2 |
| 267 | | 111-075 | Depth Gauge, Ø2.5 | | 1 |
| 268 | | 111-086 | Depth Gauge, Ø3.5 | | 1 |
| 269 | | 111-080 | Drill Guide, Fixed & Variable Angle, Ø2.0 | | 1 |
| 270 | | 111-260 | Drill Guide, Fixed & Variable Angle, Ø2.7 | | 1 |
| 271 | | 111-068-3 | Guide Pin Ø1.6 | | 10 |
| 272 | | 111-096 | Dispenser for Guide Pin | | 1 |
| 273 | | 111-092 | Screwdriver Handle | | 2 |
| 274 | | 111-134 | Bone Clamp | | 2 |
| 275 | | 111-154 | Reduction Forceps, Large | | 2 |
| 276 | | 111-196-L | Drill Guide Block, Left | | 1 |
| 277 | | 111-196-R | Drill Guide Block, Right | | 1 |

| | | | | | |
|---|--|----------------|--|--|----|
| 278 | | 111-180 | Plate Bender | | 2 |
| 279 | | 111-197 | Clavicle Retractor | | 1 |
| 280 | | 112-108 | Clavicle Set Tray (350x240x80) | | 1 |
| CARPAL (1Set) + Reposicion Placa y Tornillos | | | | | |
| 281 | | 25-CAFU-006 | Carpal | | 4 |
| 282 | | 25-CAFU-007 | Carpal | | 4 |
| 283 | | 25L-SO-008-TA | Locking | | 5 |
| 284 | | 25L-SO-010-TA | Locking | | 5 |
| 285 | | 25L-SO-012-TA | Locking | | 5 |
| 286 | | 25L-SO-014-TA | Locking | | 5 |
| 287 | | 25L-SO-016-TA | Locking | | 5 |
| 288 | | 25L-SO-018-TA | Locking | | 5 |
| 289 | | 25L-SO-020-TA | Locking | | 5 |
| 290 | | 25L-SO-022-TA | Locking | | 5 |
| 291 | | 25L-SO-024-TA | Locking | | 5 |
| 292 | | 25-SO-008-TA | Cortical | | 5 |
| 293 | | 25-SO-010-TA | Cortical | | 5 |
| 294 | | 25-SO-012-TA | Cortical | | 5 |
| 295 | | 25-SO-014-TA | Cortical | | 5 |
| 296 | | 25-SO-016-TA | Cortical | | 5 |
| 297 | | 25-SO-018-TA | Cortical | | 5 |
| 298 | | 25-SO-020-TA | Cortical | | 5 |
| 299 | | 25-SO-022-TA | Cortical | | 5 |
| 300 | | 25-SO-024-TA | Cortical | | 5 |
| 301 | | 112-25-701 | Drill Bit Ø2.0, 20mm, 84mm, 110mm, AO | | 2 |
| 302 | | 113-HF-613 | Screwdriver Shaft for STARIX T8 | | 2 |
| 303 | | 111-010 | Screwdriver Handle | | 1 |
| 304 | | 111-080 | Drill Guide | | 1 |
| 305 | | 111-075 | Depth Gauge | | 1 |
| 306 | | 111-101 | Drill Sleeve for Ø2.0 Drill Bits, Fixed Angle | | 1 |
| 307 | | 111-103 | Drill Sleeve for Ø2.0 Drill Bits, Variable Angle | | 1 |
| 308 | | 111-157 | Drill Sleeve Handle, Variable Angle | | 1 |
| 309 | | 114-009 | Forceps | | 1 |
| 310 | | 111-165 | Reamer Drill | | 1 |
| 311 | | 111-169 | Plate Holder, Screw Type | | 2 |
| 312 | | 112-118 | Tray | | 1 |
| Fibula 2 (1 Set) | | | | | |
| 313 | | 35V-DLF2-003-R | Right | | 6 |
| 314 | | 35V-DLF2-004-R | Right | | 6 |
| 315 | | 35V-DLF2-005-R | Right | | 6 |
| 316 | | 35V-DLF2-006-R | Right | | 2 |
| 317 | | 35V-DLF2-007-R | Right | | 2 |
| 318 | | 35V-DLF2-008-R | Right | | 2 |
| 319 | | 35V-DLF2-003-L | Left | | 6 |
| 320 | | 35V-DLF2-004-L | Left | | 6 |
| 321 | | 35V-DLF2-005-L | Left | | 6 |
| 322 | | 35V-DLF2-006-L | Left | | 2 |
| 323 | | 35V-DLF2-007-L | Left | | 2 |
| 324 | | 35V-DLF2-008-L | Left | | 2 |
| 325 | | 35L-SO-L10-TA | Locking | | 10 |
| 326 | | 35L-SO-L12-TA | Locking | | 15 |
| 327 | | 35L-SO-L14-TA | Locking | | 15 |
| 328 | | 35L-SO-L16-TA | Locking | | 15 |
| 329 | | 35L-SO-L18-TA | Locking | | 10 |
| 330 | | 35L-SO-L20-TA | Locking | | 10 |
| 331 | | 35L-SO-L22-TA | Locking | | 10 |
| 332 | | 35L-SO-L24-TA | Locking | | 10 |
| 333 | | 35L-SO-L28-TA | Locking | | 20 |
| 334 | | 35L-SO-L32-TA | Locking | | 20 |
| 335 | | 35L-SO-L36-TA | Locking | | 20 |
| 336 | | 35L-SO-L40-TA | Locking | | 20 |
| 337 | | 35L-SO-L45-TA | Locking | | 40 |
| 338 | | 35L-SO-L50-TA | Locking | | 40 |
| 339 | | 35-SO-L10-T | Cortical | | 4 |
| 340 | | 35-SO-L12-T | Cortical | | 4 |
| 341 | | 35-SO-L14-T | Cortical | | 4 |
| 342 | | 35-SO-L16-T | Cortical | | 4 |
| 343 | | 35-SO-L18-T | Cortical | | 4 |
| 344 | | 35-SO-L20-T | Cortical | | 4 |
| 345 | | 35-SO-L22-T | Cortical | | 4 |
| 346 | | 35-SO-L24-T | Cortical | | 4 |
| 347 | | 35-SO-L50-T | Cortical | | 4 |
| 348 | | 35-SO-L55-T | Cortical | | 4 |
| 349 | | 35-SO-L60-T | Cortical | | 4 |
| 350 | | 35-SO-L65-T | Cortical | | 4 |
| 351 | | 35-SO-L70-T | Cortical | | 4 |
| 352 | | 28L-SO-L10-TA | Locking | | 10 |

| | | | | | |
|---|--|---------------|---|---|-------|
| 353 | | 28L-SO-L12-TA | Locking | | 10 |
| 354 | | 28L-SO-L14-TA | Locking | | 10 |
| 355 | | 28L-SO-L16-TA | Locking | | 10 |
| 356 | | 28L-SO-L18-TA | Locking | | 10 |
| 357 | | 113-HF-616 | Screwdriver Shaft for STARIX T10, 3-Jaw, Ball Type | | 2 |
| 358 | | 111-206 | Screwdriver Handle, Silicon, Ø5 | | 2 |
| 359 | | 111-266 | Depth Gauge, Ø3.5, 1070 | | 1 |
| 360 | | 114-009 | Forceps Common Pincette | | 1 |
| 361 | | 111-068-3 | Guide Pin Ø 1.6 | | 10 |
| 362 | | 111-096 | Dispenser for Guide Pin | | 1 |
| 363 | | 111-260 | Drill Guide for Ø2.7 Drill Bit, Fixed & Variable | | 1 |
| 364 | | 111-100 | Drill Guide for 3.6 /2.7 Drill Bit, Lag & Compression | | 1 |
| 365 | | 111-204 | Drill Guide for Ø2.4, Fixed | | 1 |
| 366 | | 112-35-701-L | Drill Bit Ø3.6, Lag, 10mm, 47mm, 73mm, AO | | 1 |
| 367 | | 112-35-703 | Drill Bit Ø2.7, 25mm, 92mm, 118mm, AO | | 2 |
| 368 | | 112-28-702 | Drill Bit Ø2.4, 26mm, 118mm, 144mm, AO | | 2 |
| 369 | | 111-172 | Drill Sleeve for Ø2.7 Drill Bit, Variable Angle | | 1 |
| 370 | | 111-170 | Drill Sleeve for Ø2.7 Drill Bit, Fixed Angle | | 1 |
| 371 | | 111-202 | Drill Sleeve for Ø2.4 Drill Bit, Variable Angle | | 1 |
| 372 | | 111-201 | Drill Sleeve for Ø2.4 Drill Bit, Fixed Angle | | 1 |
| 373 | | 111-157 | Drill Sleeve Handle, Variable Angle | | 2 |
| 374 | | 111-088 | Bender Flat 3.0T Plate | | 2 |
| 375 | | 112-146 | Tray - Lateral Distal Fibula Full Set | | 1 |
| Smarto & Dispenser | | | | | |
| 376 | | 111-ED-050 | Smarto 050 | | 3 |
| | | | | | |
| | | | | Sub Total | 3.873 |
| | | | | Freight Charge | |
| | | | | Total(C&F USA) | |
| Descuento de 50% Instrumental y 10% Implante Aplicado | | | | | |
| | | | | | |
| Signed By : | | | | Jea-II Park / President JEIL Medical Corporation | |
| OP-702- F04(03) | | | | | |