```
* group members:
* week 7
 * worksheet -- group 01
#include <iostream>
using std::cout;
using std::cin;
using std::endl;
int main() {
   int a;
    int b;
    char c;
    cout << "Enter two integers (separated by a space): ";</pre>
    cin >> a >> b;
    cout << "Enter a character: ";</pre>
    cin >> c;
    cout << ( c == a < b - a >= b && !(29/29) >= (29%5) == b == -a >= !b && a >= +c * a > !(23%19) | | b ) << endl;
```

```
* group members:
* week 7
 * worksheet -- group 02
#include <iostream>
using std::cout;
using std::cin;
using std::endl;
int main() {
   int a;
   int b;
   char c;
   cout << "Enter two integers (separated by a space): ";</pre>
    cin >> a >> b;
   cout << "Enter a character: ";</pre>
   cin >> c;
   cout << ((11/29) <= -c >= c > b >= b + b <= -b > a && b < b == !((23%11) < a) != !b >= +a && c) << endl;
   return 0;
```

```
* group members:
* week 7
 * worksheet -- group 03
#include <iostream>
using std::cout;
using std::cin;
using std::endl;
int main() {
   int a;
   int b;
   char c;
   cout << "Enter two integers (separated by a space): ";</pre>
    cin >> a >> b;
   cout << "Enter a character: ";</pre>
    cin >> c;
   cout << ( a < !a && a != c > !c <= !a < !a < c | (2/13) < a > a && b && b == a == (11%13) ) << endl;
```

```
* group members:
* week 7
 * worksheet -- group 04
#include <iostream>
using std::cout;
using std::cin;
using std::endl;
int main() {
   int a;
   int b;
   char c;
   cout << "Enter two integers (separated by a space): ";</pre>
    cin >> a >> b;
   cout << "Enter a character: ";</pre>
   cin >> c;
   cout << ( ( a > !a > b <= !b != a ) * ( a - c != a && (19%23) != (11/2) ) < b | b + c && (5%17) && c ) << endl;
```

```
* group members:
* week 7
 * worksheet -- group 05
#include <iostream>
using std::cout;
using std::cin;
using std::endl;
int main() {
   int a;
   int b;
   char c;
   cout << "Enter two integers (separated by a space): ";</pre>
    cin >> a >> b;
   cout << "Enter a character: ";</pre>
   cin >> c;
   cout << !( (19/3) <= a && a < a == a <= b < ( b - b >= !b <= a ) > b || c || c < +!a && b != !(17/17) ) << endl;
```

```
* group members:
* week 7
 * worksheet -- group 06
#include <iostream>
using std::cout;
using std::cin;
using std::endl;
int main() {
   int a;
    int b;
    char c;
    cout << "Enter two integers (separated by a space): ";</pre>
    cin >> a >> b;
    cout << "Enter a character: ";</pre>
    cin >> c;
   cout << ( c | | c | | b <= a == (23\%7) < c < c <= b < -((17/3) < a * b < b + +(3/11) <= a ) != !b ) << endl;
```

```
* group members:
* week 7
* worksheet -- group 07
#include <iostream>
using std::cout;
using std::cin;
using std::endl;
int main() {
  int a;
  int b;
  char c;
  cout << "Enter two integers (separated by a space): ";</pre>
  cin >> a >> b;
  cout << "Enter a character: ";</pre>
  cin >> c;
```

```
return 0;
```

```
* group members:
* week 7
 * worksheet -- group 08
#include <iostream>
using std::cout;
using std::cin;
using std::endl;
int main() {
   int a;
    int b;
    char c;
    cout << "Enter two integers (separated by a space): ";</pre>
    cin >> a >> b;
    cout << "Enter a character: ";</pre>
    cin >> c;
    cout << ( ( b = a \le b > ( c \& b + b ) = |a > (29/3) > = a ) <= b < b < b == b < |a + (2%17) == |a ) << endl;
```

```
* group members:
* week 7
 * worksheet -- group 09
#include <iostream>
using std::cout;
using std::cin;
using std::endl;
int main() {
   int a;
   int b;
   char c;
   cout << "Enter two integers (separated by a space): ";</pre>
    cin >> a >> b;
   cout << "Enter a character: ";</pre>
   cin >> c;
   cout << ( ((5/17) <= -!-b < a <= b >= a > (a > (a * b >= !c ) ) >= a < -a ) | a <= b <= a <= a | c ) << endl;
```

```
* group members:
* week 7
 * worksheet -- group 10
#include <iostream>
using std::cout;
using std::cin;
using std::endl;
int main() {
   int a;
   int b;
   char c;
   cout << "Enter two integers (separated by a space): ";</pre>
    cin >> a >> b;
   cout << "Enter a character: ";</pre>
   cin >> c;
   cout << (!a!= ( (b < b * (17/11) ) < b) && b == (a >= b == b == a >= -(29%7) && b * a | | a && c) ) << endl;
```

```
* group members:
* week 7
 * worksheet -- group 11
#include <iostream>
using std::cout;
using std::cin;
using std::endl;
int main() {
   int a;
    int b;
    char c;
    cout << "Enter two integers (separated by a space): ";</pre>
    cin >> a >> b;
    cout << "Enter a character: ";</pre>
    cin >> c;
    cout << ( (3/3) <= a < a < +a | | b && (29%5) != (3%23) == -b >= !c | | a * a > -!b >= (23%17) >= -c <= b ) << endl;
```

```
* group members:
* week 7
 * worksheet -- group 12
#include <iostream>
using std::cout;
using std::cin;
using std::endl;
int main() {
   int a;
   int b;
   char c;
   cout << "Enter two integers (separated by a space): ";</pre>
    cin >> a >> b;
   cout << "Enter a character: ";</pre>
    cin >> c;
   cout << (!(13/2)!=c!=+a < b+b > c||(17/11) <= a > a < +(a >= b > (29%2) < c) > (17/13) == b) << endl;
```

```
* group members:
* week 7
 * worksheet -- group 13
#include <iostream>
using std::cout;
using std::cin;
using std::endl;
int main() {
   int a;
   int b;
   char c;
   cout << "Enter two integers (separated by a space): ";</pre>
    cin >> a >> b;
   cout << "Enter a character: ";</pre>
    cin >> c;
   cout << ( a != b != b * a != -(19%3) | b < (13%5) && b != a | -b <= b < !(19/13) * -a * (17/2) == b ) << endl;
```

```
* group members:
* week 7
 * worksheet -- group 14
#include <iostream>
using std::cout;
using std::cin;
using std::endl;
int main() {
   int a;
   int b;
   char c;
   cout << "Enter two integers (separated by a space): ";</pre>
    cin >> a >> b;
   cout << "Enter a character: ";</pre>
   cin >> c;
   cout << ( (13\%2) && a > !a <= a && a | b >= c != -c + !a > !(!a) * b - c * c <= a < b ) << endl;
   return 0;
```

```
* group members:
* week 7
 * worksheet -- group 15
#include <iostream>
using std::cout;
using std::cin;
using std::endl;
int main() {
   int a;
   int b;
   char c;
   cout << "Enter two integers (separated by a space): ";</pre>
    cin >> a >> b;
   cout << "Enter a character: ";</pre>
   cin >> c;
   cout << !( c && !a <= a < b < a > !(5%2) != a > +b == !(17%3) + a + !b < +c && b > b < a < !a ) << endl;
```

```
return 0;
```

```
* group members:
* week 7
 * worksheet -- group 16
#include <iostream>
using std::cout;
using std::cin;
using std::endl;
int main() {
   int a;
    int b;
    char c;
    cout << "Enter two integers (separated by a space): ";</pre>
    cin >> a >> b;
    cout << "Enter a character: ";</pre>
    cin >> c;
    cout << ( !c && b != +b > a - !a > (5/7) && c > c | | a && !a == b && b * -(23/17) < a > a ) << endl;
```

```
return 0;
```

```
* group members:
* week 7
 * worksheet -- group 17
#include <iostream>
using std::cout;
using std::cin;
using std::endl;
int main() {
   int a;
   int b;
   char c;
   cout << "Enter two integers (separated by a space): ";</pre>
   cin >> a >> b;
   cout << "Enter a character: ";</pre>
   cin >> c;
   cout << (c + a < -a * (13%19) >= +(c * +b < b > !a && b && a >= -c && b) == !(!b) - a * (23/2) | a) << endl;
```

```
* group members:
* week 7
 * worksheet -- group 18
#include <iostream>
using std::cout;
using std::cin;
using std::endl;
int main() {
   int a;
   int b;
   char c;
   cout << "Enter two integers (separated by a space): ";</pre>
    cin >> a >> b;
   cout << "Enter a character: ";</pre>
   cin >> c;
   cout << (c < ((17/5) != c <= !(!b) > (19/17) >= b == !a < a && -c < c == a || a && +!b || b >= -a )) << endl;
```

```
* group members:
* week 7
 * worksheet -- group 19
#include <iostream>
using std::cout;
using std::cin;
using std::endl;
int main() {
   int a;
    int b;
    char c;
    cout << "Enter two integers (separated by a space): ";</pre>
    cin >> a >> b;
    cout << "Enter a character: ";</pre>
    cin >> c;
    cout << ( (5\%2) + !a && !a > +a >= !c < b == (23\%17) && c < c > +( a == !+c && b | | -(2\%23) ) > a * a ) << endl;
```

```
* group members:
* week 7
 * worksheet -- group 20
#include <iostream>
using std::cout;
using std::cin;
using std::endl;
int main() {
   int a;
    int b;
    char c;
    cout << "Enter two integers (separated by a space): ";</pre>
    cin >> a >> b;
    cout << "Enter a character: ";</pre>
    cin >> c;
    cout << ( a + ( b | | +b >= +a == b ) | | a > !a * a >= b != ( c > a > a ) >= (7%17) != a * b ) << endl;
```

```
* group members:
* week 7
 * worksheet -- group 21
#include <iostream>
using std::cout;
using std::cin;
using std::endl;
int main() {
   int a;
    int b;
    char c;
    cout << "Enter two integers (separated by a space): ";</pre>
    cin >> a >> b;
    cout << "Enter a character: ";</pre>
    cin >> c;
    cout << ( a < +( (19/7) == c >= a ) <= b < (3\%2) <= a - -b < b | | !a | | a | | +(11/17) && c == -c != b ) << endl;
```

```
* group members:
* week 7
 * worksheet -- group 22
#include <iostream>
using std::cout;
using std::cin;
using std::endl;
int main() {
   int a;
   int b;
   char c;
   cout << "Enter two integers (separated by a space): ";</pre>
    cin >> a >> b;
   cout << "Enter a character: ";</pre>
    cin >> c;
   cout << ( b = ((29\%2) + (19/13) >= b \& c < !a) - a <= b >= b == a | b == !(13\%19) != b <= b <= a) << endl;
```

```
* group members:
* week 7
 * worksheet -- group 23
#include <iostream>
using std::cout;
using std::cin;
using std::endl;
int main() {
   int a;
   int b;
   char c;
   cout << "Enter two integers (separated by a space): ";</pre>
    cin >> a >> b;
   cout << "Enter a character: ";</pre>
   cin >> c;
   cout << ( ( a == !a != !a ) | a != b != c == !c <= -b != !(11%23) + a > ( c | | -b > (5/17) ) >= b >= b ) << endl;
```

```
* group members:
* week 7
 * worksheet -- group 24
#include <iostream>
using std::cout;
using std::cin;
using std::endl;
int main() {
   int a;
    int b;
    char c;
    cout << "Enter two integers (separated by a space): ";</pre>
    cin >> a >> b;
    cout << "Enter a character: ";</pre>
    cin >> c;
   cout << -( a && c != ( b <= b >= b | | +a ) && a == !c <= b >= ( b > !a >= (3%13) != a > !b < !a ) ) << endl;
```

```
* group members:
* week 7
 * worksheet -- group 25
#include <iostream>
using std::cout;
using std::cin;
using std::endl;
int main() {
   int a;
    int b;
    char c;
    cout << "Enter two integers (separated by a space): ";</pre>
    cin >> a >> b;
    cout << "Enter a character: ";</pre>
    cin >> c;
    cout << ( a > a | | -a | | a < !a && +b < (7/3) > b <= b > !a == b < !b != !a < c <= a < (13\%3) <= c ) << endl;
```

```
* group members:
* week 7
 * worksheet -- group 26
#include <iostream>
using std::cout;
using std::cin;
using std::endl;
int main() {
   int a;
    int b;
    char c;
    cout << "Enter two integers (separated by a space): ";</pre>
    cin >> a >> b;
    cout << "Enter a character: ";</pre>
    cin >> c;
   cout << +( c \&\& (17\%29) * b != +b == !c | !b > ( c < (29/7) >= a ) != b > b \&\& ( (3/7) > b < !b > b ) ) << endl;
```

```
* group members:
* week 7
 * worksheet -- group 27
#include <iostream>
using std::cout;
using std::cin;
using std::endl;
int main() {
   int a;
   int b;
   char c;
   cout << "Enter two integers (separated by a space): ";</pre>
    cin >> a >> b;
   cout << "Enter a character: ";</pre>
   cin >> c;
   cout << (-a \le (a != !b != c > -(c \le b) > -a >= a > b) < c >= b > a >= b - +(7%29) < (17/3) < a) << endl;
```

```
* group members:
* week 7
 * worksheet -- group 28
#include <iostream>
using std::cout;
using std::cin;
using std::endl;
int main() {
   int a;
   int b;
   char c;
   cout << "Enter two integers (separated by a space): ";</pre>
    cin >> a >> b;
   cout << "Enter a character: ";</pre>
    cin >> c;
   cout << ( a > ( b && a < ( (7/7) > a == c | b <= +b != a <= !a <= !a <= b | a < (7/23) ) * c ) ) << endl;
```

```
return 0;
```

```
* group members:
* week 7
 * worksheet -- group 29
#include <iostream>
using std::cout;
using std::cin;
using std::endl;
int main() {
   int a;
   int b;
   char c;
   cout << "Enter two integers (separated by a space): ";</pre>
    cin >> a >> b;
   cout << "Enter a character: ";</pre>
    cin >> c;
   cout << ( c != c != (23%2) - a | c | !a | -a <= b | b | (5%17) | c | !a == (3/5) != (29/17) | b ) << endl;
```

```
* group members:
 * week 7
 * worksheet -- group 30
#include <iostream>
using std::cout;
using std::cin;
using std::endl;
int main() {
    int a;
    int b;
    char c;
    cout << "Enter two integers (separated by a space): ";</pre>
    cin >> a >> b;
    cout << "Enter a character: ";</pre>
    cin >> c;
    cout << ( c < a < (2\$17) != !a <= (5/11) && a && !b + b >= (19/17) == b != !(2/11) == c - a != a >= c ) << endl;
```