parking_meter Project Status (03/14/2021 - 15:46:45)			
Project File:	parking_meter.xise	**Parser Errors:**	No Errors
Module Name:	parking_meter	**Implementation State:**	Programming File Generated
Target Device:	xc6slx16-3csg324	• **Errors:**	No Errors
Product Version:	ISE 14.7	• **Warnings:**	No Warnings
Design Goal:	Balanced	• **Routing Results:**	All Signals Completely Routed
Design Strategy:	Xilinx Default (unlocked)	• **Timing Constraints:**	All Constraints Met
Environment:	System Settings	• **Final Timing Score:**	0 (Timing Report)

Device Utilization Summary				[-]
Slice Logic Utilization	**Used**	**Available**	**Utilization**	**Note(s)**
Number of Slice Registers	102	18,224	1%	
Number used as Flip Flops	102			
Number used as Latches	0			
Number used as Latch-thrus	0			
Number used as AND/OR logics	0			
Number of Slice LUTs	1,317	9,112	14%	
Number used as logic	1,310	9,112	14%	
Number using O6 output only	1,175			
Number using O5 output only	62			
Number using O5 and O6	73			
Number used as ROM	0			
Number used as Memory	0	2,176	0%	
Number used exclusively as route-thrus	7			
Number with same-slice register load	0			
Number with same-slice carry load	7			
Number with other load	0			
Number of occupied Slices	441	2,278	19%	
Number of MUXCYs used	324	4,556	7%	
Number of LUT Flip Flop pairs used	1,325			
Number with an unused Flip Flop	1,232	1,325	92%	
Number with an unused LUT	8	1,325	1%	
Number of fully used LUT-FF pairs	85	1,325	6%	
Number of unique control sets	9			
Number of slice register sites lost to control set restrictions	34	18,224	1%	
Number of bonded IOBs	35	232	15%	
Number of RAMB16BWERs	0	32	0%	
Number of RAMB8BWERs	0	64	0%	
Number of BUFIO2/BUFIO2_2CLKs	0	32	0%	

Number of BUFIO2FB/BUFIO2FB_2CLKs	0	32	0%	
Number of BUFG/BUFGMUXs	1	16	6%	
Number used as BUFGs	1			
Number used as BUFGMUX	0			
Number of DCM/DCM_CLKGENs	0	4	0%	
Number of ILOGIC2/ISERDES2s	0	248	0%	
Number of IODELAY2/IODRP2/IODRP2_MCBs	0	248	0%	
Number of OLOGIC2/OSERDES2s	0	248	0%	
Number of BSCANs	0	4	0%	
Number of BUFHs	0	128	0%	
Number of BUFPLLs	0	8	0%	
Number of BUFPLL_MCBs	0	4	0%	
Number of DSP48A1s	0	32	0%	
Number of ICAPs	0	1	0%	
Number of MCBs	0	2	0%	
Number of PCILOGICSEs	0	2	0%	
Number of PLL_ADVs	0	2	0%	
Number of PMVs	0	1	0%	
Number of STARTUPs	0	1	0%	
Number of SUSPEND_SYNCs	0	1	0%	
Average Fanout of Non-Clock Nets	4.96			

Performance Summary			[-]
Final Timing Score:	0 (Setup: 0, Hold: 0)	**Pinout Data:**	Pinout Report
Routing Results:	All Signals Completely Routed	**Clock Data:**	Clock Report
Timing Constraints:	All Constraints Met		

Detailed Reports					[-]
Report Name	**Status**	**Generated**	**Errors**	**Warnings**	**Infos**
Synthesis Report	Current	Sun Mar 14 15:45:33 2021	0	0	8 Infos (3 new)
Translation Report	Current	Sun Mar 14 15:45:42 2021	0	0	0
Map Report	Current	Sun Mar 14 15:46:03 2021	0	0	6 Infos (0 new)
Place and Route Report	Current	Sun Mar 14 15:46:13 2021	0	0	3 Infos (0 new)
Power Report					
Post-PAR Static Timing Report	Current	Sun Mar 14 15:46:18 2021	0	0	4 Infos (0 new)
Bitgen Report	Current	Sun Mar 14 15:46:41 2021	0	0	0

Report Name	Status	Generated
ISIM Simulator Log	Out of Date	Sun Mar 14 15:44:59 2021
WebTalk Report	Current	Sun Mar 14 15:46:41 2021
WebTalk Log File	Current	Sun Mar 14 15:46:45 2021

Date Generated: 03/14/2021 - 15:46:45