

Creating Positive User Experiences For Audiences Of Proximity Marketing And Pervasive Advertising

What synergistic combination of emergent and social technology creates optimal customer engagement with consumer brands within the physical retail space?

Masters Thesis Proposal – April 2018

Andrew Keats – w1663560 MSc Interaction Design & Computing

w1663560@my.westminster.ac.uk

Supervisor: Ashif Tejani

Table of Contents

1. Introduction	1
2. Aims and Objectives	1
1. Aims	1
2. Objectives	2
3. Background Context	4
4. Methodology	5
1. Literature survey	5
2. Technical research	5
3. Implementation	5
1. Design	5
2. Development	6
4. Data collection and sampling	6
1. Ethics and consent	7
2. Validity of research	7
3. Documentation	7
4. Incentivisation	7
5. Data analysis	7
1. Qualitative data	8
2. Quantitative data	8
5. Final Outcome	9
6. References	10

Introduction

Our physical and digital environments are becoming more & more overcrowded with advertising; increasingly, the intended audience is acclimated to the noise of current forms of advertising media. The question for future advertising, is how to create more captivating interactions that stand-out from the competition while delivering deeper relationships between user & brand? In the near future, the overlapping concepts of Proximity Marketing and Pervasive Advertising are likely to converge in ways that create context aware interactions, triggered by the user's location which are able to provide richer engagement with the user; by leveraging data that is not available to traditional forms of advertising, like personal data or environmental data the new forms of interactive physical advertising will be able to connect with their audience to a degree greater than ever before. Up until now, only online advertising has been able to take advantage of contextual data and user data to deliver more relevant advertising to the user; the advent of the Internet of Things, which promises to lead to ubiquitous computing, creates a paradigm shift where all sort of objects and locations will be online and connected to data sources. With this new found power, the interaction between the physical space and people needs to be well executed lest it invoke negative reactions from consumers, that is to say users may not feel comfortable with these new experiences should they appear to infringe on privacy. What will be needed is a well balanced approach to instigating these new interactive experiences and requesting consensual use of personal data.

Aims and Objectives

Aims

The purpose of this thesis is to explore various user experiences simulating a location based interaction with an internet connected physical device, acting as the node of the proximity marketing, pervasive advertising experience. The different user experiences, will essentially be run as experiment to be compared and contrasted, all diverging from one common control experiment and using combinations of different elements of social, reward and interactive technologies to gauge which experience have the best net positive results. Essentially, investigating the combined use of disparate cutting-edge technologies of IoT devices, AR, Blockchain, alongside Social Media within the scope of proximity marketing, to identify the best outcomes. Ultimately this project aims to explore ways to make more compelling and positive experiences for end-users when engaging with novel

forms of internet connected, location based, physically invoked advertising or marketing; determining which user experience experiments are most successful, will provide business insight that can be used in the future when creating real-world experiences. This in turn should create richer, deeper and longer lasting relationships between consumers and brands. As well as providing a report on user preferences for proximity marketing, a secondary goal would be to deliver a means of setting up, deploying and delivering these advertising interactions, through a web interface.

Objectives

- Design a series of user experience experiments
 - all instigated by an IoT beacon
 - the experiments will involve one or more of the following: AR, Blockchain, Social Media.
 - create a proto-persona of the intended user
 - Estimated time frame: 3 days
- Develop the user experience experiments
 - implementation will take advantage of modern web technologies, Android smartphone features and Bluetooth
 - 1 control experiment and 6 combinations of aforementioned technology
 - Estimated time frame: 14 days
- Create an experiment task runner
 - facilitating the running of experiments
 - enabling easy switching between experiments
 - Estimated time frame: 7 days
- Experiments will be run with participants of user testing sessions
 - 2 phases, the first being comprehensive, the second using only the 3 most successful experiments
 - Observations will be gathered
 - Qualitative and quantitative data will be collected from participants
 - Sample size goals: 20 users (phase 1) and 10 users (phase 2)
 - Estimated time frame: 7 days (phase 1) & 4 days (phase 2)
- Analysis of data gathered will be undertaken
 - Establishing which experiments are most popular
 - Determining with which to continue user testing
 - Providing insight into possible improvements
 - Creating a report of findings
 - Assert qualified arguments for best user experience
 - Estimated time frame 3 days (phase 1) and 2 days (phase 2)
- Expand on test runner to turn it into a user friendly web interface

- This is a secondary, stretch goal
- Commodifying the existing source code
- Creating a prototype of a potential product or service.
- A form of CMS
- Estimated time frame: 14-21 days (any time remaining)

Background Context

The facet of daily life this project aims to examine and expand upon is that of the interface between marketer and consumer. With the rise of the web, e-commerce, social-media and online advertising the way users would interact with the products and services was re-imagined (Mangold and Faulds, 2009, p357–365). The convergence of technologies has often had the ability to transform the way we live and like the impact of the smartphone, the Internet of Things is set to trigger a paradigm shift that will transform the way we interact with the world around us; this future digital connectedness is set to re-invent advertising (Krumm, 2011, p66–73). For over a decade the potential for a digitally connected environment has been considered a reality (Riekk et al., 2006, p40–46). However, it is only in recent years that it has become truly viable thanks to improvements in technology, such as telecommunications infrastructure and low-energy computing power like BLE (Kallas, 2016). The experience of engagement between consumer and provider has become more and more important as our post-industrial society has developed, the product or service itself is not the only differentiator, now the relationship between the two parties is increasingly prized as a means to ensuring repeat business from returning customers (Il and Gilmore, 1998). Additionally, brand loyalty is a somewhat intangible target that businesses aim for to secure future success and new technology will attempt to improve for businesses (Kowalewski et al., 2017)(Making blockchain real for customer loyalty programs | deloitte uS, no date) and solutions that utilise a mixture of technology will be able to create a better experience for the customer too (Scholz and Smith, 2016, p149–161)(Ramos, 2016).

Methodology

Literature survey

Supporting secondary data will be acquired through university library resources and search features as well as Google Scholar; external providers of research papers such as Springer, IEEE and ACM will be used to gather relevant papers. Other relevant material will be collected if it is extremely pertinent and insufficient academic content exists; examples of sources would be online publications, blogs, company websites and corporate whitepapers and case studies. Where possible long form literature such as books will be sourced but given the bleeding-edge nature of the project most artifacts will be journal articles and research papers or online sources. All secondary research will be collated and categorised with a reference manager (RefWorks) in order to help organise the body of research and search through the contents. These secondary sources will be used to inform and frame the user testing, analysis and findings.

Technical research

Given the scope of the project, it is not possible to deliver the project in the given time frame without taking advantage of third party libraries; the intent is to investigate the relevant open-source libraries that are suitable to assist in realising the implementation. This research will be documented, with justifications provided for the libraries and any other software chosen for inclusion in the project.

Implementation

Design

The design phase will be conducted in a Lean UX manner, to deliver minimum viable products for each experiment; there will be a proto-persona to work with when creating basic wire-frames and wire-flows describing each user journey. The wire-frames and wire-flows will be minimal, rather than design visual and will be used only to provide guidelines for the prototypes.

Development

The development will be composed of many parts: Initially, the main concern will be ability to configure an IoT beacon to advertise a website so that an Android smartphone is notified and directed to that particular URL; the next phase will be to create static web content (using HTML, CSS and JavaScript) to fulfil the remit of each experiment; after this a test runner will need to be created, which will provide a method of hosting the web content for each experiment, with various features like, allowing sequential running of experiments, randomisation of order and resetting the test environment. For the sake of quick prototyping, where possible the code base will primarily be JavaScript to be run on NodeJS, acting as an HTTP server or command line interface. Other languages will be used where necessary. Supporting software such as GitHub for versioning and Trello for project management will be used to track progress.

Extra Development

After the user testing research has been conducted the aim will be to create a user friendly web interface, effectively a CMS tailored to the task of linking beacons with web-based content. This effort is a secondary goal, acting as a proof-of-concept for offering commercial software for retailers with to easily distribute this form of location based interactive content. It should re-use parts for the test runner but allow for more flexibility and ease of use thanks to a database driven GUI.

Data collection and sampling

During the practical research phase, a fictional scenario will be constructed as the context for the physically initiated digital interaction; user testing participants will be given some basic idea of the premise of the situation and what to do to begin the user journey; no other guidance will be provided for participants so that they can be observed as impartially as possible when interacting with each user journey. Observations will be noted as the participants undertake each experiment and once a participant has finished all tests they will be asked to complete a questionnaire to gather qualitative and quantitative data about the entire experience. The questionnaires will be built in Google Forms, using the University's G Suite licence and as such the data will be collected from this source. Only the most basic data about the user will be collected, namely their email address, age, and gender.

Ethics and consent

The users will be picked as to be those considered of sound body and mind and adults over the age of 18; these participants will be required to complete a consent form informing them of the purpose of the research, allowing them to opt-out, request further information and agree for the data they provide to be used as part of the body of research. User data will be anonymised in order to safeguard the privacy of the participants. The consent participation form along with the relevant information will be provided to potential participants as the initial section of the Google Forms questionnaire presented to the participants for them to complete before proceeding with the experiments.

Validity of research

In order to ensure that the data gathered isn't skewed based on learnt behaviour from one experiment to the next, the order in which the experiments are run will be randomised, with the exception of the control, baseline experiment which will always go first and will serve to set expectations. In this way, the research gathering should not create a bias for any particular experiment.

Documentation

Photo evidence of the participants taking part in user testing experiments will be recorded but will not form a core part of the data gathered except to demonstrate the devised scenario in its realised form.

Incentivisation

Participants will be given a gift voucher, redeemable with an online retailer (probably Amazon) of a small sum of either £5 or £10 as thanks for their time, which is expected to be between 30 and 60 minutes per participant.

Data analysis

Data gathered will be of both qualitative and quantitative in nature and as such they will be treated in different ways to gather insight and more concrete values. With that said, any data science processing and evaluation will be conducted using the language R, in R Studio.

Qualitative data

That qualitative data will be in the form of post-experiment, open ended questions that elicit long form answers from the participants. These answers will need to be looked at in person to gather the full meaning of the respondents opinions, and will be able to allow them to not only express opinions but also provide information that could implicitly or explicitly suggest flaws and ways for improvement.

Some data science techniques could be used if it is considered of value: A simple analysis of the qualitative data would be to create a filtered list of popular words, to then derive a word cloud visualisation. Further to this, sentiment analysis could be used to get a more deterministic evaluation of the participants overall opinion based on their qualitative responses. The use of data science methods on the qualitative data set will only be considered if the sample size merits it but as the target sample size is only 20 people, it may not prove necessary.

Quantitative data

That quantitative data will be used to measure the opinions of participants along concrete linear scales, allowing the respondents to grade their experiences along a vector classifying positive and negative points of view for various facets relating to the experience. The facets to be measured will be along the lines of: Enjoyment, Annoyance, Sense of Engagement, Interest, Persuasiveness, and Affinity with Brand. The same questions will be asked of every experiment, to best judge them equally.

The resulting dataset will be processed through R to anonymously segment the users by age and gender to determine which groups are most receptive to the experiences. The experiments themselves will be compared to see which are most popular overall as well as in particular to the more positive demographics.

Final Outcome

The intended final outcome is in three-parts: firstly, to conduct the research a framework of tools will need to be written to enable the tests to be run several times over; the second part is the report of the findings, which should point to the best blend of technology, interaction design & user experience for positive user feedback; the last deliverable would be a proof-of-concept web platform as a means of deploying this new form of advertising.

References

Il, B.J.P. and Gilmore, J.H. (1998). **Welcome to the experience economy** [].Available from <https://hbr.org/1998/07/welcome-to-the-experience-economy> (<https://hbr.org/1998/07/welcome-to-the-experience-economy>) Annotation!.

Kallas, R. (2016). **Proximity marketing - what, how, why?** [].Available from <https://www.unacast.com/post/proximity-marketing-what-how-why> (<https://www.unacast.com/post/proximity-marketing-what-how-why>) Annotation!.

Kowalewski, D.,McLaughlin, J. and Hill, A.J. (2017). **Blockchain will transform customer loyalty programs** [].Available from <https://hbr.org/2017/03/blockchain-will-transform-customer-loyalty-programs> (<https://hbr.org/2017/03/blockchain-will-transform-customer-loyalty-programs>) Annotation!.

Krumm, J. (2011). Ubiquitous advertising: The killer application for the 21st century. **IEEE Pervasive Computing**, 10 (1), 66-73.Available from <http://ieeexplore.ieee.org/document/5396316> (<http://ieeexplore.ieee.org/document/5396316>) Annotation!.

Making blockchain real for customer loyalty programs | deloitte uS (no date).Available from <https://www2.deloitte.com/us/en/pages/financial-services/articles/making-blockchain-real-customer-loyalty-rewards-programs.html> (<https://www2.deloitte.com/us/en/pages/financial-services/articles/making-blockchain-real-customer-loyalty-rewards-programs.html>) Annotation!.

Mangold, W.G. and Faulds, D.J. (2009). **Social media: The new hybrid element of the promotion mix** []. **Business Horizons**. 357-365.Available from <https://www.sciencedirect.com/science/article/pii/S0007681309000329> (<https://www.sciencedirect.com/science/article/pii/S0007681309000329>) Annotation!.

Ramos, B. (2016). **Innovation in loyalty programs: Augmented reality mobile application for discount offers** [].Available from <https://www.dbbest.com/blog/augmented-reality-mobile-application-discount-offers/> (<https://www.dbbest.com/blog/augmented-reality-mobile-application-discount-offers/>) Annotation!.

Riekk, J.,Salminen, T. and Alakarppa, I. (2006). Requesting pervasive services by touching rFID tags. **IEEE Pervasive Computing**, 5 (1), 40-46.Available from <http://ieeexplore.ieee.org/document/1593570> (<http://ieeexplore.ieee.org/document/1593570>) Annotation!.

Scholz, J. and Smith, A.N. (2016). *Augmented reality: Designing immersive experiences that maximize consumer engagement* []. *Business Horizons*. 149–161. Available from <http://www.sciencedirect.com/science/article/pii/S0007681315001421>
(<http://www.sciencedirect.com/science/article/pii/S0007681315001421>) Annotation!.