keepInventoryCheck.md 2020/6/16

## KeepInventory確認

• 位置(-1920,16,-192)

## コマンド群

No.	コマンド	状態
1	/scoreboard players test Sightseeing Settings * 0	
2	/gamerule keepInventory false	条件 付き
3	/clear @a[score_HP=0]	条件 付き
4	/scoreboard players tag @a[score_HP=0,score_USBDimension_min=-90,score_USBDimension=-90] add Raise	
5	/scoreboard players set @a[score_HP=0,score_USBDimension_min=-90,score_USBDimension=-90] RaisedArea -90	条件 付き
6	/scoreboard players set @a[score_HP=0,score_USBDimension_min=-90,score_USBDimension=-90] Hunger 21	条件 付き
7	/gamemode spectator @a[score_HP=0,score_USBDimension_min=-90,score_USBDimension=-90]	条件 付き
8	/scoreboard players tag @a[score_HP=0,score_USBDimension_min=-90,score_USBDimension=-90] add TrialItemClear {Inventory:[{tag:{TrialItem:true}}]}	
9	/clear @a[tag=TrialItemClear]	条件 付き
10	/scoreboard players tag @a[tag=TrialItemClear] remove TrialItemClear	条件 付き
11	/scoreboard players tag @a[score_HP=0,tag=Doom] remove Doom	
12	/scoreboard players tag @a[tag=ReRaise,score_HP=0] add CastRaise	
13	/scoreboard players tag @a[tag=ReRaise,score_HP=0] remove ReRaise	条件 付き

## 詳細

14

1. SightseeingのSettingsが0以下の時、keepInventoryをfalseにし、HPが0以下のプレイヤーのインベントリ内アイテムを消去する

/scoreboard players reset @a[score\_Deaths\_min=1,score\_HP=0] Deaths

- 2. HPが0以下、USBDimensionが-90であるプレイヤーにRaiseを付与、Raiseareaを-90に設定、Hungerを21に設定、スペクターモードに切り替える。
- 3. HPが0以下、USBDimensionが-90であり、尚且つインベントリ内にTrialItem:trueを持つプレイヤーにTrialItemClearを付与し、インベントリ内アイテムを消去、TrialItemClearを消去
- 4. HPが0以下、Doomを持つプレイヤーからDoomを消去
- 5. HPが0以下、ReRaiseを持つプレイヤーにCastRaiseを付与し、ReRaiseを消去
- 6. Deathsが1以上、HPが0以下であるプレイヤーのDeathsを0に設定