Definitions

| Term | Notation Example(s) | We say in English |
|--|--|--|
| sequence | x_1, \ldots, x_n | A sequence x_1 to x_n |
| summation | x_1, \dots, x_n $\sum_{i=1}^n x_i \text{ or } \sum_{i=1}^n x_i$ | The sum of the terms of the sequence x_1 to x_n |
| all reals | \mathbb{R} | The (set of all) real numbers (numbers on the number line) |
| all integers | \mathbb{Z} | The (set of all) integers (whole numbers including negatives, zero, and positives) |
| all positive integers | \mathbb{Z}^+ | The (set of all) strictly positive integers |
| all natural numbers | N | The (set of all) natural numbers. Note : we use the convention that 0 is a natural number. |
| piecewise rule definition function application | $f(x) = \begin{cases} x & \text{if } x \ge 0 \\ -x & \text{if } x < 0 \end{cases}$ $f(7)$ $f(z)$ $f(g(z))$ | Define f of x to be x when x is nonnegative and to be $-x$ when x is negative f of f or f applied to f or the image of f under f of f or f applied to f or the image of f under f of f of f of f of f of f applied to the result of f applied to f |
| absolute value square root | $\begin{array}{c} -3 \\ \sqrt{9} \end{array}$ | The absolute value of -3 The non-negative square root of 9 |

Definitions

| Term | Notation Example(s) | We say in English |
|----------------------------|--|--|
| sequence | x_1,\ldots,x_n | A sequence x_1 to x_n |
| summation | x_1, \dots, x_n $\sum_{i=1}^n x_i \text{ or } \sum_{i=1}^n x_i$ | The sum of the terms of the sequence x_1 to x_n |
| all reals | \mathbb{R} | The (set of all) real numbers (numbers on the number line) |
| all integers | \mathbb{Z} | The (set of all) integers (whole numbers including negatives, zero, and positives) |
| all positive integers | \mathbb{Z}^+ | The (set of all) strictly positive integers |
| all natural numbers | N | The (set of all) natural numbers. Note : we use the convention that 0 is a natural number. |
| piecewise rule definition | $f(x) = \begin{cases} x & \text{if } x \ge 0 \\ -x & \text{if } x < 0 \end{cases}$ | Define f of x to be x when x is nonnegative and to be $-x$ when x is negative |
| function application | f(7) $f(z)$ $f(g(z))$ | f of 7 or f applied to 7 or the image of 7 under f f of z or f applied to z or the image of z under f f of g of z or f applied to the result of g applied to z |
| absolute value square root | $\begin{array}{c} -3 \\ \sqrt{9} \end{array}$ | The absolute value of -3 The non-negative square root of 9 |
| | | |